



Einhell

PXC – Cordless Outdoor Power Equipment Program Fall 2022

POWER X-CHANGE



RASARRO 36/42

36V 17" Cordless Lawn Mower Kit- Brushless

With 2 x 4.0 Ah batteries and twin charger

Item-No.

3413273

UPC

7-72995-01846-8

Features

- Battery system - Power X-Change
- Battery capacity indicator with 3 LEDs
- High-speed charger included (Power X-Twin charger 3A)
- Brushless Energy
- Central cutting height adjustment, 6 levels
- Works without fatigue thanks to ergonomically shaped handle
- Telescopic, height-adjustable long handle
- Space saving storage thanks to foldable long handle
- Stable and lightweight aluminum-long handle
- 50 L grass collection box with filling indicator
- Integrated carry-handle for easy transport
- Integrated lawn-comb for near edge mowing
- High wheeler - grass protecting, large wheels
- Includes mulching plug
- Recommended for lawn areas up to 550 m²

Technical Data

- | | |
|-----------------------------|-----------------------------|
| ▪ Battery | 18 V (2x) 4.0 Ah Li-Ion |
| ▪ Charging Time | 75 min |
| ▪ Cutting Width | 17" |
| ▪ Cutting Height Adjustment | 6 steps 1" - 3" Central |
| ▪ Catch Bag Volume | 50 L |
| ▪ Wheel Diameter Front | 6" |
| ▪ Wheel Diameter Rear | 8-5/8" |

Logistic Data

- | | |
|---------------------------------|---------------------|
| ▪ Length | 35-13/16" |
| ▪ Width | 18-1/2" |
| ▪ Height | 16-1/2" |
| ▪ Gross Weight Single Packaging | 44 lbs |
| ▪ Container QTY (20'/40'/40'HC) | 150 315 378 PCS |
| ▪ Product Weight | 35.2 lbs |

Standard Accessories - Included

- 2x 4.0 Ah Power X-Change batteries
- 1x Power X-Dual Port Charger 3A
- 1x Mulching plug

Accessory

- | | |
|-----------|-----------------|
| ▪ 3405457 | Spare Blade |
| UPC | 7-72995-01848-2 |



Max. runtime per battery charge



36V devices in the PXC series also operate with different sizes of batteries. In this case, the running time of the smaller battery must be taken into account.

DATA

18V 10" Cordless Stringless Blade Trimmer Kit

With 2.0 Ah battery and charger



GC-CT 18/24 Li-Kit

Product Info

| | |
|----------|-----------------|
| Art. No. | 3411126 |
| UPC | 7-72995-01864-2 |

Features

- Member of the Power X-Change family
- Flower guard
- Telescopic long handle, infinitely adjustable
- Includes 20 plastic blades
- User-friendly two-hand operation thanks to additional handle

Technical Data

| | |
|------------------------|----------|
| Revolutions of knife | 8500 RPM |
| Cutting width of knife | 10" |

Standard Accessories- Included

- 1 x 2.0 Ah PXC battery
- 1 x 3A charger

Logistic Data

| | |
|-------------------------------|--------------------|
| Length | 6-1/4" |
| Width | 3-15/16" |
| Height | 36-1/4" |
| Gross Weight | 4.5 lbs |
| Product Weight | 2.8 lbs |
| Container QTY (20'/40'/40'HC) | 1064 / 2212 / 2844 |

Battery Runtime

Max. runtime per battery charge

| | | | | | | | |
|---|---|---|--|---|---|---|---|
|  |  |  |  |  |  |  |  |
| 1.5 Ah | 2.0 Ah | 2.5 Ah | 2.6 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah |
| 40 min | 55 min | 65 min | 70 min | 80 min | 125 min | 160 min | 180 min |

Optional Accessory

| | |
|---------|-----------------|
| 3705727 | Spare Blade Set |
| UPC | 7-72995-01859-8 |



18V 11" Cordless String Trimmer

Item No. 3411245

UPC 7-72995-01865-9

Features

- Member of the Power X-Change family, 1x18V battery is necessary for operation
- Infinitely adjustable second handle
- Telescopic long handle, infinitely adjustable
- Motor head rotatable 180° for vertical surfaces + lawn edges
- Motor head tiltable at 3 settings - versatile working
- Flower guard - protecting flowers and trees against damage
- Includes line spool (16 ft.) with fully-automatic line feed
- Ergonomic soft grip surfaces
- Recommended for maximum results 2.5 Ah battery
- Battery and charger sold separately


Technical Data

- | | |
|-----------------------|----------------|
| Revolutions Of Thread | 8000 min-1 |
| Cutting Feature | Single Line |
| Cutting Width | 11" |
| Thread Diameter | 0.065" |
| Thread Length | 16 feet |
| Readjustment | Full Automatic |

Logistic Data

- | | |
|-------------------------------|-----------------------------|
| Product Weight | 4.4 lbs |
| Gross Weight | 6.6 lbs |
| PCS per Export Carton | 4 pcs. |
| Gross Weight Export Carton | 30.1 lbs |
| Size Export Carton | 41-3/4" x 19-5/8" x 10-5/8" |
| Container QTY (20'/40'/40'HC) | 704 1472 1656 |

Running Time

| | 2,0 Ah | 2,5 Ah | 3,0 Ah | 4,0 Ah | 5,2 Ah | 6,0 Ah |
|--|--------|--------|--------|--------|--------|--------|
|  1) | 30min | 35min | 45min | 50min | 65min | 75min |

Accessory

- 3405118 Spare Spool
- UPC 7-72995-01856-7



DATA 18V 12" Cordless String Trimmer



GE-CT 18/30 Li

Product Info

| | |
|----------|-----------------|
| Art. No. | 3411260 |
| UPC | 7-72995-01866-6 |

Features

- Member of the Power X-Change family, 1 x 18V battery is necessary for operation
- Easy, fast & convenient telescoping of the long handle.
- Adjustable additional handle - comfortable handling
- Motor head rotatable 90° for vertical surfaces / lawn edges
- Incl. edging-wheel - enables precise edge trimming
- Motor head can be tilted at 3 settings
- Flower guard - protecting flowers and trees against damage
- Includes line spool (16 ft.) with bump-feed system
- Ergonomic soft grip surfaces
- Recommended for maximum results 4.0 Ah battery
- Battery and charger sold separately

Technical Data

| | |
|-----------------|-------------|
| Cutting Feature | Single Line |
| Cutting Width | 12" |
| Thread Diameter | 0.065" |
| Thread Length | 16 feet |
| Readjustment | Bump-Feed |

Logistic Data

| | |
|-----------------------------------|---------------------|
| Length | 39" |
| Width | 18-3/8" |
| Height | 11-5/8" |
| Product Weight | 5 lbs |
| Container QTY (20' / 40' / 40'HC) | 672 / 1.400 / 1.600 |

Battery Runtime

| | 1,5 Ah | 2,0 Ah | 2,5 Ah | 3,0 Ah | 4,0 Ah | 5,2 Ah | 6,0 Ah |
|---|--------|--------|--------|--------|--------|--------|--------|
| » | 25min | 30min | 35min | 40min | 55min | 65min | 80min |

Optional Accessory

- 3405119 Spare spool
- UPC 7-72995-01857-4



GE-CT 36/30 Li E

36V 12" Cordless String Trimmer

Item No. 3411295

UPC 7-72995-01867-3

Features

- Member of the Power-X-Change family, 2 x 18V batteries are necessary for operation
- Front-Motor: Perfect power transmission and weight balance
- Infinitely adjustable second handle
- Electronic speed control
- Shaped long handle made of aluminum
- Split shaft for easy transport and space-saving storage
- Single line spool with automatic jog system
- Flower guard
- Carrying belt
- Wall holder
- Ergonomic soft grip surfaces
- Recommended for maximum results 4.0 Ah battery
- Battery and charger sold separately

Technical Data

- | | |
|---------------------------|-------------------------|
| ▪ Revolution of thread | 9.000 min ⁻¹ |
| ▪ Cutting feature | Single line |
| ▪ Readjustment of thread | Automatic |
| ▪ Thread length | 27 ft. |
| ▪ Cutting width of thread | 12" |
| ▪ Thread diameter | 0.080" |

Optional Accessory

3405097
UPC

Spare Spool
7-72995-01855-0




Logistic Data

- | | |
|--------------------------------------|---------------------|
| ▪ Product weight | 6.8 lbs |
| ▪ Gross weight | 9.2 lbs |
| ▪ Pieces per export carton | 3 pcs. |
| ▪ Gross weight export carton | 33 lbs |
| ▪ Dimensions export carton | 40-1/2" x 15" x 15" |
| ▪ Container quantity (20'/40'/40'HC) | 576 1224 1428 |

Standard Accessory- Included

- Carrying belt
- Single line spool



RUN TIME

Max. running time per battery charge



36V devices in the PXC series also operate with two different "battery sizes"; in this case, the performance of the smaller battery must be taken into account.



18V Cordless Pruning Shear

Article No.

3408304

UPC

7-72995-01844-4

Features

- A member of the Power X-Change family, 1 x 18V battery is necessary for operation
- For powerful cutting of branches with a thickness up to 1-1/8"
- High-quality bypass blades for efficient cutting work
- Fosters growth thanks to clean and sharp cutting results
- Belt clip for optimum carrying comfort
- Safety switch for safety while using the shears
- Sliding switch for closing/opening the blade
- Sturdy plastic cover for the blade for safe storage
- Effortless and easy change of blade
- Ergonomic soft grip surfaces
- Recommended for maximum results 2.5 Ah battery
- Battery and charger sold separately



Technical Data

- Battery 18 V
- Cutting capacity max. 1-1/8"

Logistic Data

- Product weight 1.9 lbs
- Gross weight 2.37 lbs
- Dimension single packaging 15" x 2-3/4" x 7-1/4"
- Pieces per export carton 8 Pcs.
- Gross weight export carton 20.2 lbs
- Dimension export carton 15-1/2" x 11-7/8" x 10"
- Container quantity (20'/40'/40'HC) 6976 | 14144 | 15912

Runtime

|  1) | 1,5 Ah | 2,0 Ah | 2,5 Ah | 3,0 Ah | 4,0 Ah | 5,2 Ah | 6,0 Ah |
|--|--------|--------|--------|--------|--------|--------|--------|
|  | 1070 | 1426 | 1783 | 2139 | 2852 | 3708 | 4278 |

¹⁾ Max. no. of cuts per battery charge in round dry beech wood Ø 5/8"



18V Cordless Pole Grass & Shrub Shear with Walking Stick

Article No.

3410314

UPC

7-72995-01840-6

Features

- Member of the Power X-Change family, 1 x 18V battery is necessary for operation
- Covered gearbox protecting customer to get in touch with gear oil
- Grass cutting blade used for perfect cutting result on edges
- Shrub shears blade for hedge and bush care
- Easy blade change without tools
- Laser-cut and diamond grinded blades
- Includes telescopic-tube
- Ergonomic soft grip surfaces
- Recommended for maximum results 2.5 Ah battery
- Battery and charger sold separately



Technical Data

- Battery 18 V
- Cutting Width (Grass Knife) 4"
- Cutting Width (Hedge Trimmer) 8"
- Cutting Thickness 5/16"

Logistic Data

- Product Weight 4.4 lbs
- Length 37-1/4"
- Width 15-1/2"
- Height 11-1/8"
- Gross Weight Export Carton 25.1 lbs
- Container QTY (20'/40'/40'HC) 952 | 1960 | 2240

Runtime

|  | 1,5 Ah | 2,0 Ah | 2,5 Ah | 3,0 Ah | 4,0 Ah | 5,2 Ah | 6,0 Ah |
|---|--------|--------|--------|--------|--------|--------|--------|
|  | 180min | 240min | 300min | 360min | 480min | 650min | 720min |



DATA

18V 18" Cordless Hedge Trimmer Kit

With 2.0 Ah battery and charger



GC-CH 1846 Li

Product Information

| | |
|----------------|-----------------|
| Article number | 3410709 |
| UPC | 7-72995-01849-9 |

Features

- Member of the Power X-Change family
- Blades are made of laser-cut and diamond-ground steel
- Ergonomic, small front handle with micro switches
- Metal gearing for a long life
- Cutting collector
- Shock guard with holder for wall mount
- Sturdy cutter guard for storage and transportation

Technical Data

| | |
|----------------|---------|
| Cutting length | 18-1/8" |
| Blade length | 20-1/2" |
| Teeth space | 9/16" |

Logistical Data

| | |
|----------------------------------|-----------------------|
| Product weight | 4.2 lbs |
| Gross weight single packaging | 5.5 lbs |
| Dimensions single packaging | 35-3/4" x 6-7/8" x 7" |
| Pieces per export carton | 4 Pcs. |
| Container amount (20'/40'/40'HC) | 1152 2400 3000 |

Battery Running Time

Max. runtime per battery charge

| | | | | | | | |
|--|--|--|--|--|--|--|--|
|  1.5 Ah |  2.0 Ah |  2.5 Ah |  2.6 Ah |  3.0 Ah |  4.0 Ah |  5.2 Ah |  6.0 Ah |
| 60 min | 80 min | 100 min | 105 min | 120 min | 160 min | 210 min | 240 min |



Standard Accessory- Included

- 1x 2.0 Ah PXC Battery
- 1x 3A Charger

18V 22" Cordless Hedge Trimmer

ITEM NO.

3410923

UPC

7-72995-01842-0

Features

- Member of the Power X-Change family, 1x 18V battery is necessary for operation
- Blades are made of laser-cut and diamond-ground steel
- Ergonomic slim front handle with micro switch
- Metal gearing for a long life
- Cutting collector
- Aluminum cover over cutters
- Ergonomic soft grip surfaces
- Shock guard with holder for wall mount
- Sturdy cutter guard for storage and transportation
- Recommended for maximum results 4.0 Ah battery
- Battery and charger sold separately

Technical Data

- | | |
|-----------------------|------------------------|
| ▪ Li-Ion Battery Pack | 1 x 18 V |
| ▪ Blade length | 24-1/2" |
| ▪ Cutting length | 22" |
| ▪ Space between teeth | 3/4" |
| ▪ Cuts per minute | 2400 min ⁻¹ |

Logistic Data

- | | |
|--------------------------------------|------------------------------|
| ▪ Product weight | 6.27 lbs |
| ▪ Gross weight single packaging | 8.1 lbs |
| ▪ Dimensions single packaging | 40-1/2" x 7-7/8" x 5-3/4" |
| ▪ Pieces per export carton | 4 Pcs |
| ▪ Gross weight export carton | 33 lbs |
| ▪ Dimensions export carton | 41-1/2" x 16-3/4" x 10-7/16" |
| ▪ Container quantity (20'/40'/40'HC) | 864 / 1760 / 1980 |

RUN TIME

Max. runtime per battery charge

| | | | | | | | |
|---|---|---|--|---|---|---|---|
|  |  |  |  |  |  |  |  |
| 1.5 Ah | 2.0 Ah | 2.5 Ah | 2.6 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah |
| 35 min | 45 min | 53 min | 55 min | 70 min | 90 min | 110 min | 135 min |



GC-HH 18/45 Li T

18V 18" Cordless Telescopic Pole Hedge Trimmer

Article number 3410584

UPC 7-72995-01861-1

Features

- Member of the Power X-Change family, 1 x 18V battery is necessary for operation
- Motor head can be tilted
- Blade made of laser-cut and diamond-ground steel
- Metal gearing for long life
- Sturdy cutter guard for storage and transportation
- Carrying belt
- Recommended for maximum results 4.0 Ah battery
- Battery and charger sold separately)

Technical Data

- | | |
|-------------------------|---------|
| ▪ Battery | 18 V |
| ▪ Bar length | 18" |
| ▪ Max. cutting capacity | 15-3/4" |
| ▪ Tooth spacing | 3/4" |
| ▪ Cuts per min. | - |

Logistic Data

- | | |
|--------------------------------------|-------------------------|
| ▪ Product weight | - |
| ▪ Gross weight | - |
| ▪ Pieces per export carton | 4 Pcs. |
| ▪ Gross weight export carton | 36.3 lbs |
| ▪ Dimension export carton | 43-3/8" x 21-1/4" x 15" |
| ▪ Container quantity (20'/40'/40'HC) | 480 / 1.008 / 1.176 |

Runtime

Max. runtime per battery charge



| | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|
| 20 min | 30 min | 35 min | 39 min | 40 min | 60 min | 70 min | 80 min |
|--------|--------|--------|--------|--------|--------|--------|--------|



GC-LC 18/20 Li T

18V 10" Cordless Telescopic Pole Chain Saw

Article number

3410583

UPC

7-72995-01860-4

Features

- Member of the Power X-Change family, 1 x 18V battery is necessary for operation
- OREGON bar and chain
- Metal gearing for long life
- Extension pole
- Automatic chain lubrication
- Sturdy cutter guard for storage and transportation
- Carrying belt
- Recommended for maximum results 4.0 Ah battery
- Battery and charger sold separately

Technical Data

- | | |
|-----------------------|-----------|
| ▪ Battery | 18V |
| ▪ Bar length | 10" |
| ▪ Max. cutting length | 8" |
| ▪ Cutting speed | 5,5 m/sec |

Logistic Data

- | | |
|--------------------------------------|-------------------------|
| ▪ Product weight | - |
| ▪ Gross weight | - |
| ▪ Pieces per export carton | 4 pcs. |
| ▪ Gross weight export carton | 35.2 lbs |
| ▪ Dimension export carton | 43-3/8" x 18" x 13-3/8" |
| ▪ Container quantity (20'/40'/40'HC) | 576 / 1.200 / 1.400 |

RUN TIME

Max. runtime per battery charge

2.75" x 2.75" Timber



2.5 Ah

65 Stk.



2.6 Ah

65 Stk.



3.0 Ah

75 Stk.



4.0 Ah

100 Stk.



5.2 Ah

130 Stk.



6.0 Ah

155 Stk.



18V 8" Cordless Telescopic Pole Chain Saw

Pole Chain Saw attachment is interchangeable with optional Hedge Trimmer attachment

Article number

3410875

UPC

7-72995-01862-8

Features

- Member of the Power X-Change family, 1 x 18V battery is necessary for operation
- 90° pivotable attachment for effortless horizontal cuts
- Motor head tiltable by 7 settings
- Main handle tiltable by 4 settings
- Continuously adjustable telescopic aluminum handle (34-5/8"-72")
- Additional adjustable handle with quick fastener
- OREGON quality blade and chain
- Tool-free chain tensioning and chain change
- Metal gearing for a long life
- Claw stop
- Chain catch bolt
- Carrying belt
- Oil tank for automatic chain lubrication
- Recommended for maximum results 4.0 Ah battery
- Battery and charger sold separately

Technical Data

- | | |
|----------------------------|------------|
| ▪ Battery | 18 V |
| ▪ Bar length | 8" |
| ▪ Max. cutting length | 7" |
| ▪ Cutting speed | 3,76 m/sec |
| ▪ Capacity of oil tank | 125 ml |
| ▪ Length of telescopic bar | 72" - 109" |

Logistic Data

- | | |
|--------------------------------------|-----------------------------|
| ▪ Product weight | 8.7 lbs |
| ▪ Gross weight | 10.9 lbs |
| ▪ Pieces per export carton | 3 Pcs. |
| ▪ Gross weight export carton | 35 lbs |
| ▪ Dimension export carton | 48-7/16" x 14-1/2" x 9-5/8" |
| ▪ Container quantity (20'/40'/40'HC) | 750 / 1.551 / 1.710 |

RUN TIME

Max. running time per battery charge



2.5 Ah



2.6 Ah



3.0 Ah



4.0 Ah



5.2 Ah



6.0 Ah

48 min

50 min

60 min

75 min

100 min

120 min

Optional Accessories

- 3410791 Hedge Trimmer Attachment
- UPC 7-72995-01863-5



GE-HC 18 Li T

18V Cordless Telescopic 2-in-1 Combo Kit- (8" Pole Chain Saw/16" Hedge Trimmer)

Article number

3410789

UPC

7-72995-01852-9

Features

- Member of the Power X-Change family, 1 x 18V battery is necessary for operation
- 90° pivotable attachment for effortless horizontal cuts
- Motor head tiltable by 7 settings
- Main handle tiltable by 4 settings
- Continuously adjustable telescopic aluminum handle (34-5/8"-71-5/8")
- Additional adjustable handle with quick fastener
- Metal gearing for a long life
- OREGON quality blade and chain
- Tool-less chain tensioning and chain change
- Blade made of laser-cut and diamond-grinded steel
- Sturdy bag for storage and transportation
- Carrying belt
- Oil tank for automatic chain lubrication
- Recommended for maximum results 4.0 Ah battery
- Battery and charger sold separately

Technical Data

- Length chain saw bar 8"
- Chain cutting speed 5,5 m/s
- Max. cutting length hedge trimmer 16"
- Spacing between teeth 5/8"
- Cuts per minute 1700 1/min

Logistic Data

- Pieces per export carton 3 Pcs.
- Dimension export carton 43-3/8" x 18" x 13-3/8"
- Container quantity (20'/40'/40'HC) 750 / 1551 / 1701

RUN TIME

Max. running time per battery charge chain saw attachment



2.5 Ah



2.6 Ah



3.0 Ah



4.0 Ah



5.2 Ah



6.0 Ah

48 min

50 min

60 min

75 min

100 min

120 min

Max. running time per battery charge hedge trimmer attachment



2.5 Ah



2.6 Ah



3.0 Ah



4.0 Ah



5.2 Ah



6.0 Ah

35 min

37 min

40 min

60 min

75 min

80 min



GE-LM 36/4in1 Li

36V Cordless Telescopic 4-in-1 Combo Kit- Brushless (13" String Trimmer/10" Brush Cutter/10" Pole Chain Saw/18" Hedge Trimmer)

Item Number

3411325

UPC

7-72995-01853-6

Features

- Member of the Power X-Change family, 2 x 18V batteries are necessary for operation
- Brushless Motor – with brushless electric motor
- Blade made of laser-cut and diamond-grinded steel
- Hedge trimmer cutting head tiltable by 7 settings
- OREGON quality blade and chain
- Oil tank for automatic chain lubrication
- Single line spool with bump feed system
- High-quality 3-teeth blade
- Additional adjustable handle with quick fastener
- Extension pole for higher hedges and higher branches
- Carrying belt
- Recommended for maximum results 4.0 Ah battery
- Batteries and charger sold separately

Technical Data

- | | |
|------------------------------|----------------|
| Batteries | 36 V (2 x 18V) |
| Cutting length hedge trimmer | 18" |
| Tooth spacing | 0.95" |
| Bar length of chain saw | 10" |
| Cutting speed | 10 m/sec |
| Cutting width thread | 13" |
| Cutting width 3-tooth knife | 10" |

Logistical Info

- | | |
|------------------------------------|-----------------------------|
| Product weight | 17.6 lbs |
| Gross weight | - |
| Dimension Single Packaging | - |
| Pieces per export carton | 2 Pcs |
| Gross weight export carton | 50.6 lbs |
| Dimension export carton | 44-7/8" x 13-3/4" x 13-3/4" |
| Container quantity (20'/40'/40'HC) | 380 788 920 |

Max. cutting capacity per battery charge

70 x 70 mm square timber



60 pcs. | 80 pcs. | 100 pcs. | 104 pcs. | 120 pcs. | 160 pcs. | 200 pcs. | 240 pcs.

36V devices in the PXC series also operate with two different "battery sizes". In this case, the running time of the smaller battery must be taken into account.

Max. running time per battery charge

blade



26 min | 34 min | 41 min | 44 min | 54 min | 68 min | 86 min | 108 min

36V devices in the PXC series also operate with two different "battery sizes". In this case, the running time of the smaller battery must be taken into account.

Max. running time per battery charge

spool



20 min | 27 min | 33 min | 35 min | 44 min | 54 min | 66 min | 88 min

36V devices in the PXC series also operate with two different "battery sizes". In this case, the running time of the smaller battery must be taken into account.

Max. running time per battery charge



20 min | 28 min | 33 min | 36 min | 40 min | 56 min | 66 min | 80 min

36V devices in the PXC series also operate with two different "battery sizes". In this case, the running time of the smaller battery must be taken into account.



DATA 18V 8" Cordless Chain Saw- Brushless

PROFESSIONAL

Einhell

FORTEXXA 18/20 TH

Product Information

| | |
|----------------|-----------------|
| Article number | 4600030 |
| UPC | 7-72995-01830-7 |

Features

- Member of the Power X-Change family, 1 x 18V battery is necessary for operation
- Brushless motor – more power for longer running times
- OREGON quality bar and chain
- Tool-free chain tensioning and changing
- Kickback protection with chain break
- Ergonomic soft grip surfaces
- Large oil filler opening
- Automatic chain lubrication
- Chain catcher
- Tip guard
- Recommendation for optimum results: ≥ 4.0 Ah rechargeable battery
- Battery and charger sold separately

Technical Data

| | |
|----------------|--------|
| Blade Length | 8" |
| Cutting Length | 5-1/2" |
| Cutting Speed | 7 m/s |
| Oil Capacity | 75 ml |

Logistic Data

| | |
|------------------------------------|----------------------------|
| Product weight | 5.5 lbs |
| Gross weight | 6.8 lbs |
| Dimension single packaging | 11-1/2" x 9-3/4" x 8-1/4" |
| Pieces per export carton | 4 Pcs. |
| Gross weight export carton | 29.7 lbs |
| Dimension export carton | 13-1/8" x 9-7/16" x 8-1/4" |
| Container quantity (20'/40'/40'HC) | 1440 / 2980 / 2980 |

Battery Running Time

Recommendation for optimum results: ≥ 2.5 Ah rechargeable battery

| | 1,5 Ah | 2,0 Ah | 2,5 Ah | 3,0 Ah | 4,0 Ah | 5,2 Ah | 6,0 Ah |
|--|--------|--------|--------|--------|--------|--------|--------|
| | 60 | 80 | 100 | 120 | 160 | 210 | 240 |

Cutting wood (2-3/4" x 2-3/4"), pieces



GE-LC 18 Li

18V 10" Cordless Chain Saw Kit

With 4.0 Ah battery and charger

Item No. 4501786

UPC 7-72995-01832-1

Features

- Member of the Power X-Change family, 1 x 18V batterie is necessary for operation
- OREGON quality bar and chain
- Tool-free chain tensioning and changing
- Ergonomic handle
- Metal stop claw
- Big oil filler opening
- Automatic chain lubrication
- Chain catch bolt
- Recommended for maximum results 4.0 Ah battery

Technical Data

- | | |
|-----------------------|---------|
| ▪ Bar length | 10" |
| ▪ Chain cutting speed | 4,3 m/s |
| ▪ Oil tank capacity | 200 ml |
| ▪ Number of batteries | 1 |

Logistic Data

- | | |
|--------------------------------------|--------------------|
| ▪ Product weight | 6.4 lbs |
| ▪ Gross weight | 8.7 lbs |
| ▪ Pieces per export carton | 4 Pcs. |
| ▪ Container quantity (20'/40'/40'HC) | 1088 2208 2760 |

Standard Accessory- Included

- 1x 4.0 Ah PXC battery
- 1x 3A Charger

RUN TIME

Max. runtime per battery charge

2.75" x 2.75" Timber



2.5 Ah



2.6 Ah



3.0 Ah



4.0 Ah



5.2 Ah



6.0 Ah

85 pcs.

90 pcs.

100 pcs.

130 pcs.

180 pcs.

200 pcs.



GE-LC 36/35 Li

36V 14" Cordless Chain Saw- Brushless

Item No.

4501781

UPC

7-72995-01831-4

Features

- Member of the Power X-Change family, 2 x 18V batteries are necessary for operation
- Brushless Motor – with brushless electric motor
- High-quality chain and bar from OREGON
- Tool-free chain tensioning and changing
- Kickback protection with instant chain brake
- Ergonomic soft grip surfaces
- Sturdy stop claws made of metal
- Big filler opening
- Automatic chain lubrication
- Chain catch bolt
- Recommended for maximum results 4.0 Ah battery
- Battery and charger sold separately

Technical Data

- | | |
|-----------------------|--------|
| ▪ Bar length | 14" |
| ▪ Chain cutting speed | 15 m/s |
| ▪ Oil tank capacity | 115 ml |

Logistic Data

- | | |
|--------------------------------------|-------------------------|
| ▪ Product weight | 9 lbs |
| ▪ Gross weight | 12.6 lbs |
| ▪ Dimensions single packaging | 19-1/2" x 9-7/8" x 10" |
| ▪ Pieces per export carton | 2 Pcs. |
| ▪ Dimensions export carton | 20-1/4" x 16" x 10-7/8" |
| ▪ Container quantity (20'/40'/40'HC) | 976 1952 2196 |



GC-CL 18/1 Li E**Product Info**

| | |
|------------|-----------------|
| ■ Art. No. | 3433543 |
| ■ UPC | 7-72995-01851-2 |

Features

- Member of the Power X-Change family
- Electronic speed control
- Soft grip for user-friendly operation
- Small and easy to handle
- Low weight
- Strong blow-air velocity with 210km/h

Technical Data

| | |
|-------------------|----------|
| ■ Max. Air Volume | 100 CFM |
| ■ Blow Velocity | 210 km/h |

Logistic Data

| | |
|---------------------------------|--------------------|
| ■ Product Weight | 2.8 lbs |
| ■ Pcs per Export Carton | 8 pcs. |
| ■ Container QTY (20'/40'/40'HC) | 1560 / 3200 / 3840 |

Battery Runtime**Max. running time per battery charge**

| | | | | | | | |
|---|---|---|---|--|---|---|---|
|  |  |  |  |  |  |  |  |
| 1.5 Ah | 2.0 Ah | 2.5 Ah | 2.6 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah |
| 10 - 180 min | 14 - 240 min | 16 - 300 min | 17 - 330 min | 20 - 390 min | 26 - 480 min | 40 - 660 min | 42 - 720 min |

The battery running time depends on the speed set.

Standard Accessory- Included

- 1x 2.0 Ah PXC battery
- 1x 3A Charger



DATA 18V 395 CFM Cordless Leaf Blower- Brushless



GP-LB 18/200 Li

Product Info

- Art. No. 3433556
- UPC 7-72995-01845-1

Features

- Member of the Power X-Change family, 1 x 18V battery is necessary for operation
- Brushless motor - more power for longer runtime
- Electronic speed control with practical LED display
- Turbo switch included - for maximum blowing power
- Includes 5 pcs. gutter cleaning set (Tool-free mountable)
- Axial impeller technology - optimum performance
- Tool-free mountable / removable tube
- Balance handle with soft grip for ergonomic operation
- Integrated wall holder for easy storage
- Robust metal ring for long life time
- Recommended for maximum results: 4.0Ah battery
- Battery and charger sold separately

Technical Data

- Max. Air Volume 395 CFM
- Blow Velocity 200 km/h

Logistic Data

- Length 20-1/4"
- Width 18-1/2"
- Height 22-7/16"
- Gross Weight 29.7 lbs
- Product Weight 5.7 lbs
- Container QTY (20'/40'/40'HC) 752 / 1.536 / 1.920

Battery Runtime

Recommended for perfect results: 3,0Ah battery and bigger

1) Max. idle runtime per battery charge - depending on selected speed

| | 1,5 Ah | 2,0 Ah | 2,5 Ah | 3,0 Ah | 4,0 Ah | 5,2 Ah | 6,0 Ah |
|-----|---------|---------|---------|----------|----------|----------|----------|
| ▶▶▶ | 1-11min | 5-13min | 8-15min | 10-21min | 15-27min | 18-33min | 20-37min |

2) Max. idle runtime per battery charge in TURBO mode

| | 1,5 Ah | 2,0 Ah | 2,5 Ah | 3,0 Ah | 4,0 Ah | 5,2 Ah | 6,0 Ah |
|-----|--------|--------|--------|--------|--------|--------|--------|
| ▶▶▶ | - | - | 3min | 5min | 6min | 10min | 12min |



DATA 36V 435 CFM Cordless Leaf Blower/Vacuum- Brushless

VENTURRO 36/240

Einhell
PROFESSIONAL

Product Information

- Article Number 3433645
- UPC 7-72995-01843-7

Features

- Member of the Power X-Change family, 2 x 18V batteries are necessary for operation
- TWIN-PACK Technology:** 2x 18V Power X-Change Batteries - more Power
- Brushless motor** - more Power and longer running time
- Tool-free changeover** from blowing and suction function
- Electronic **speed control with LED display and turbo mode**
- Large **long-lasting quality catch bag** with window for level inspection
- Fastening of the collection bag via clever **quick fastening system**
- Integrated **shredding function incl. additional metal blade**
- Cleaning flap** with safety switch for effortless cleaning
- Additional handle** and comfortable **carrying strap**
- Soft grip** surfaces for non-slip and comfortable work
- Integrated **wall holder** for easy storage
- Removable tube** for space-saving storage
- High blowing air speed** up to 240 km/h
- Strong suction power** up to 435 CFM
- Battery recommendation for **best results** **>= 4.0 Ah**
- Battery and charger** sold separately

Battery Running Time

| | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah | 10.0 Ah |
|-----|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|
| » 1 | 7-17 min | 9-23 min | 10-27 min | 14-35 min | 17-46 min | 21-56 min | 27-70 min | 34-92 min | 40-108 min |
| » 2 | 7-19 min | 9-25 min | 10-28 min | 14-37 min | 18-49 min | 21-58 min | 28-74 min | 36-98 min | 40-112 min |

Technical Data

- Idle speed 8.000 – 15.000 RPM
- Max. blowing air speed 240 km/h
- Max. suction volume 435 CFM
- Shredding rate 10:1
- Catch bag volume 45 L

Logistic Data

- Product weight 8.8 lbs
- Gross weight 12.3lbs
- Dimension single packaging 14-1/8" x 12" x 17-3/4"
- Pieces per export carton 1 Pc.
- Gross weight export carton 12.3 lbs
- Dimension export carton 14-1/8" x 12" x 17-3/4"
- Container quantity (20' / 40' / 40' HC) 580 | 1160 | 1330



For best performance select battery with min. 4.0 Ah

- 1) Leaf suctioning – max. running time per battery charge – depending on selected idle speed
- 2) Leaf blowing – max. running time per battery charge – depending on selected idle speed

GE-WS 18/75 Li

18V Cordless 7.5 L Pressure Sprayer

Item No. 3425221

UPC 7-72995-01833-8

Features

- Member of the Power X-Change family, 1 x 18V battery is necessary for operation
- Automatic pump, no manual pressure build-up required
- Transparent tank with scale for checking the level
- Individually adjustable brass nozzle
- Telescopic lance made of stainless steel
- Battery cover - provides protection against water
- Spray lance with lockable operating button
- Padded carrying strap for tireless working
- Use: Pesticides/fertilizers/weed killers
- Recommended for maximum results 4.0 Ah battery
- Battery and charger sold separately

Technical Data

- | | |
|------------------------|--------|
| ▪ Battery | 18V |
| ▪ Tank capacity | 7.5 L |
| ▪ Tank volume | 8.2 L |
| ▪ Max. pump pressure | 50 PSI |
| ▪ Flow rate | 60 L/h |
| ▪ Length pressure hose | 55" |

Logistical Data

- | | |
|---------------------------------|-------------------------|
| ▪ Product weight | 5.2 lbs |
| ▪ Gross weight | 6 lbs |
| ▪ Qty per export carton | 3 Pcs. |
| ▪ Weight per export carton | 21 lbs |
| ▪ Dimensions export carton | 26-3/4" x 14-1/8" x 16" |
| ▪ Container QTY (20'/40'/40'HC) | 840 1752 2052 pcs |

Optional Replacement Accessory

- | | |
|-----------|-----------------|
| ▪ 3425207 | 7.5 L Tank |
| ▪ UPC | 7-72995-01834-5 |



RUN TIME

Max. runtime per battery charge



18V Cordless Earth Auger- Brushless

Item-No. 3437015

UPC 7-72995-01868-0

Features

- Member of the Power X-Change family, 1 x 18V battery is necessary for operation
- Brushless motor for optimal performance and running time
- Metal frame - maximum stability and torsional stiffness
- 3 different modes: anticlockwise, clockwise: ECO & HIGH POWER
- Earth auger (31-1/2" length / 6" diameter) included
- Durable and robust gearbox integrated in aluminum housing
- Double handle with soft grip
- Recommended for maximum results 4.0 Ah battery
- Battery and charger sold separately

Technical Data

- Battery 18V
- Idle Speed 120 min⁻¹
- Auger Diameter 6"
- Auger Length 31-1/2"

Available Accessories

- 4-3/4" Earth Auger (3437016): e.g. suitable for KG pipes
- UPC 7-72995-01869-1





- Mortar Mixer (3437017): optimal for fence work (concrete foundation)
- UPC 7-72995-01870-3



- 39-3/8" Extension (3437018): allows deep drillings
- UPC 7-72995-01871-0



Running Time

|  | 2,0 Ah | 2,5 Ah | 3,0 Ah | 4,0 Ah | 5,2 Ah | 6,0 Ah |
|---|--------|--------|--------|--------|--------|--------|
|  ¹⁾ | 15 pcs | 20 pcs | 30 pcs | 40 pcs | 50 pcs | 60 pcs |

Best Performance with 4.0 Ah battery and higher

¹⁾ Drilling in soft ground / 15-3/4" depth



BRUSHLESS
ENERGY
Einhell

36V Cordless Garden Pump

Art.No. 4180403

UPC 7-72995-01835-2

Features

- Member of the PXC family, 2 x 18 V batteries are necessary for operation
- Water filling screw
- Frost protection due to water drain screw
- Thermo protection
- On-/off switch
- 2-step ECO switch (up to 90% longer running time)
- High quality mechanical sealing
- High quality metallic suction- and pressure side connections
- Recommended for maximum results 4.0 Ah battery
- Batteries and charger sold separately

Technical data

- Batteries 36 V (2 x 18V)
- Max. delivery capacity 3000 l/h
- Max. delivery height 58 feet
- Max. pressure 37.7 CFM
- Suction height 26 feet
- Connection suction side 1 1/4" ET (1.65")
- Connection pressure side 1" IT (1.31")

Logistical data

- Product weight 7.2 lbs
- Gross weight 10.2 lbs
- Pieces per export carton 1 Pc.
- Gross weight of export carton 13.2 lbs
- Packaging dimensions 15-1/2" x 11-1/8" x 11-1/4"
- Container quantity (20'/40'/40'HC) 1.150 | 2.300 | 2.800

Optional Accessory

- 4173642 23 ft. Suction hose, brass
- UPC 7-72995-01836-9



RUN TIME

Max. runtime per battery charge ^(ECO)



36V devices in the PXC series also operate with different sizes of batteries. In this case, the running time of the smaller battery must be taken into account.

Einhell Battery Mount

Article No. 4514156

UPC 7-72995-01837-6

Features

- Compatible with all Power X-Change batteries
- Endless extendable to store an unlimited amount of batteries
- Maximum scalability through modular construction
- Simple assembling due to tongue- and groove connection
- Snap-in function for battery ensures fixation after overhead mounting as well as while using it in caravan or car
- Includes 4 screws and 4 dowels for mounting

Technical data

- Outside dimensions 4" x 1 1/2" x 3"

Logistical data

- Product weight 0.11 lbs
- Gross weight .17 lbs
- Dimensions single packaging 4-1/4" x 1-1/4" x 3-3/8"
- Pieces per export carton 36 Pcs.
- Gross weight export carton 13 lbs
- Dimensions export carton 10-7/8" x 11" x 9-1/4"
- Container quantity (20'/40'/40'HC) 51984 | 119988



Power X-Change Batteries

2.0 Ah -18V Power X-Change Battery

Article No. 4511480

UPC 7-72995-01791-1



5.2 Ah -18V Power X-Change Battery

Article No. 4511499

UPC 7-72995-01792-8



4.0-6.0 Ah -18V Power X-Change Battery

Article No. 4511904

UPC 7-72995-01793-5



2 x 4.0 Ah -18V Power X-Change Battery Twinpack

Article No. 4511603

UPC 7-72995-01794-2



Power X-Change Chargers

30 Min. Power X-Change Single Port Charger

Article No. 4512080

UPC 7-72995-01795-9



30 Min. Power X-Change Dual Port Charger

Article No. 4512090

UPC 7-72995-01796-6



Power X-Change Starter Kits

2.5 Ah -18V Power X-Change Battery & Charger Starter Kit

Article No. 4512131

Charge time: 50 minutes

UPC 7-72995-01797-3



4.0 Ah -18V Power X-Change Battery & Charger Starter Kit

Article No. 4512132

Charge time: 75 minutes

UPC 7-72995-01798-0



2 x 4.0 Ah -18V Power X-Change Batteries & Dual Port Charger Starter Kit

Article No. 4512133

Charge time: 75 minutes

UPC 7-72995-01839-0





**Manual & Coded
Outdoor Power
Equipment Program
Fall 2022**



Einhell

EXPERT

15" Manual Reel Lawn Mower

GE-HM 38 S-F

Item No.: 3414162 (UPC- 7-72995-01841-3)

The manual lawn mower GE-HM 38 S-F is a very functional equipment for any hobby gardener, with which smaller lawns can be mowed quietly, with ease and in an environmentally-friendly manner. The special, contactless cutting technology facilitates the work immensely, as only low friction losses develop between the blades. Thus, the necessary energy expenditure and the volume are reduced. This high-quality cylinder mower has a smooth-running mowing spindle mounted in ball bearings with 5 precision-ground cutting knives from high-grade steel and enables an exact selection of the desired cutting height thanks to a four-level cutting height adjustment, in order to achieve results suitable for a golf course. Recommended for lawns up to about 250m².

Features & Benefits



- Contactless, quiet and effortless cutting technology
- Ball bearing mowing spindle with 5 high-quality steel knives
- Precision-ground cutting knives of high-quality steel
- Quiet and environmentally-friendly
- Cutting results suitable for "golf course lawns"
- 4 stage cutting height adjustment 1/2"-1-1/2" (1/2", 1", 1-1/4", 1-1/2")
- Lawn-protecting, large-area wheels
- Plastic roller Ø 2" over the entire cutting width
- Ergonomically formed, height-adjustable handlebar
- Space-saving storage by means of the parking position
- Removable 26 litre grass catch bag
- Recommended for lawns up to 250 m²

Technical Data

- | | |
|-----------------------------|------------------------------------|
| - Cutting width | 15" |
| - Cutting height adjustment | 4 settings 1/2"/1"/1-1/4"/1-1/2" |
| - Mowing spindle diameter | 5" |
| - Number of mowing knives | 5 |
| - Capacity of catch bag | 26 L |
| - Wheel diameter | 8-5/8" |

Logistic Data

- | | |
|--------------------------------------|-------------------------|
| - Product weight | 18.3 lbs |
| - Gross weight single packaging | 21.7 lbs |
| - Dimensions single packaging | 21-3/4" x 18" x 10-3/4" |
| - Pieces per export carton | 1 Pieces |
| - Dimensions export carton | 21-5/8" x 18" x 10-5/8" |
| - Container quantity (20'/40'/40'HC) | 400 840 945 |



12" Electric String Trimmer

GC-ET 4530 Set

Item No.: 3402037 (UPC- 7-72995-01854-3)

The GC-ET 4530 electric grass trimmer is a practical and very powerful tool which helps you produce an immaculate garden through effortless trimming in hard-to-reach areas of the garden. This tool is very versatile thanks to its motor head which can be rotated through 180° and tilted to four different positions for user-friendly cutting along vertical surfaces. The GC-ET 4530 has a robust electric motor. User-friendly two-hand operation and exact adjustment to users of all sizes are possible with the infinitely adjustable alu telescopic long handle with adjustable additional handle, thus enabling tireless operation. The housing and additional handle are made of high-grade, impact-resistant plastic. Complete with 3 thread spools in the set.

Features & Benefits

- Robust electric motor
- User-friendly two-hand operation thanks to adjustable add. handle
- Twin line cutting
- Motor head can be rotated through 180° for easy cutting
- Motor head can be tilted to 4 settings
- Aluminum long handle, infinitely adjustable
- Fully automatic line feed
- Housing and handle made of impact-resistant, high-grade plastic
- Edge roller for perfect and comfortable cutting of borders
- Flower guard
- Cable strain-relief
- Guard hood
- Complete with 3 thread spools

Technical Data

| | |
|-------------------------------|--------------|
| - Power source | 120V / 60 Hz |
| - Power | 450 W |
| - Revolutions of thread spool | 8800 RPM |
| - Cutting width | 12" |
| - Thread diameter | 0.065" |
| - Thread length | 33 feet |

Logistic Data

| | |
|--------------------------------------|---------------------------|
| - Product weight | 5.8 lbs |
| - Gross weight single packaging | 7.7 lbs |
| - Dimensions single packaging | 37" x 10" X 5-1/2" |
| - Pieces per export carton | 4 Pieces |
| - Gross weight export carton | 35.6 lbs |
| - Dimensions export carton | 37-1/2" 17-3/8" x 10-5/8" |
| - Container quantity (20'/40'/40'HC) | 1064 2136 2504 |

Available as special accessories

Spare Spool GC-ET 4530
Garden Accessory
Item No.: 3405684
(UPC- 7-72995-01858-1)





Einhell

CLASSIC

20" Electric Hedge Trimmer

GC-EH 4550

Item No.: 3403371 (UPC:- 7-72995-01847-5)

The GC-EH 4550 electric hedge trimmer is a powerful and reliable tool which provides very good service for trimming hedges, shrubs and bushes. Its counter-rotating, double-bladed safety cutters of laser-cut and diamond cutted steel achieve good cutting results. For efficient power transmission there is a robust metal gearing with a long service life. An additional handle and a low weight make for effortless operation.

Features & Benefits


- Low weight for comfortable handling
- Soft grip
- ON/OFF-dead man's safety switch
- Additional handle for optimal handling
- Large hand protection shield
- Aluminum knife cover
- Safety blades made of laser-cut and diamond cutted steel
- Metal gearing for long life
- Cable strain-relief clip

Technical Data

- | | |
|-------------------------|------------------------|
| - Power source | 120V / 60 Hz |
| - Power | 450 W |
| - Idle speed | 1600 min ⁻¹ |
| - Bar length | 22" |
| - Cutting length | 20" |
| - Spacing between teeth | 5/8" |
| - Cuts per minute | 3200 min ⁻¹ |

Logistic Data

- | | |
|--------------------------------------|-------------------------|
| - Product weight | 5.5 lbs |
| - Gross weight single packaging | 7.2 lbs |
| - Dimensions single packaging | 38-1/8" 6-3/8" x 6-7/8" |
| - Pieces per export carton | 4 Pieces |
| - Gross weight export carton | 33 lbs |
| - Dimensions export carton | 39-1/8" x 14-3/4" x 10" |
| - Container quantity (20"/40"/40"HC) | 1200 2520 2800 |



495 CFM Electric Leaf Blower/Vacuum

GC-EL 3000 E

Item No.: 3433322 (UPC- 7-72995-01850-5)


The Einhell GC-EL 3000 E blower vac with speed control is a reliable & powerful helper for clearing away leaves & light material in the garden/grounds. Converting between the blow function with the narrow blower tube or the vacuum function with the large suction tube is quick & easy without the need for any tools. The 45 l catch bag has a window to see how full it is. The shredder function shreds the material. For safety there is a cleaning opening with safety switch, strain-relief clip for the cable and an On/Off switch. The two guide wheels are height-adjustable and the alu impeller is long-lasting. The additional handle & shoulder strap are adjustable and the ergonomic softgrip handle provides comfortable handling even in long-term work.

Features & Benefits

- On/Off switch
- Incl. one wide suction tube and one narrow blowing tube
- Electronic speed control
- Aluminum blower impeller
- Cleaning opening with safety switch
- Ergonomic main handle with softgrip and anti-vibration function
- Adjustable additional handle
- 2 height-adjustable guide rollers
- 45l debris bag with window for level inspection
- Adjustable carrying strap
- Integrated cable strain relief

Logistic Data

- | | |
|--------------------------------------|-----------------------------|
| - Product weight | 6.6 lbs |
| - Gross weight single packaging | 11.7 lbs |
| - Dimensions single packaging | 13-5/8" x 19-7/8" x 11-1/4" |
| - Pieces per export carton | 1 Pieces |
| - Dimensions export carton | 19-5/8" x 13-1/2" x 11-1/4" |
| - Container quantity (20'/40'/40'HC) | 570 1200 1405 |



Technical Data

- | | |
|-------------------------|--------------------------------|
| - Mains supply | 120V / 60 Hz |
| - Power | 3000 W |
| - Idle speed | 8000 ~ 15000 min ⁻¹ |
| - Blow velocity | 300 km/h |
| - Max. suction power | 495 CFM |
| - Shredding function | 15:1 |
| - Capacity of catch bag | 45 L |

PXC Cordless Outdoor Power Equipment Display Program 2022

