



POWER XCHANGE

**2026 CORDLESS
POWER TOOLS &
OUTDOOR POWER
EQUIPMENT**



2026 FULL LINE CATALOGUE

Handheld Power Tools / Stationary Power Tools
Lawn and Soil Care / Tree and Shrub Care / Watering and Drainage / Snow Removal

einhell.ca



OFFICIAL TOOL EXPERT
EXPERT OFFICIEL EN OUTILLAGE



AMG
PETRONAS
FORMULA 1 TEAM

CORDLESS POWER TOOLS & OUTDOOR POWER EQUIPMENT

Power Tools

Drilling/Driving- Kits & Bare Tools

Cordless Drill/Drivers6-8

Impact Drivers/Wrenches- Kits & Bare Tools

Cordless Impact Drivers8-9

Hammer Drills- Bare Tools

Cordless Hammer Drills 9

Screw Gun- Bare Tool

Cordless Drywall Screwdriver..... 10

Mixer- Bare Tool

Cordless Mixer 10

Saws- Bare Tools

Cordless Circular Saw 10

Cordless Reciprocating Saws 11

Cordless Jigsaws 11-12

Cordless Oscillating Multi-tools..... 12

Cordless Table Saw 13

Cordless Metal Cutting Bandsaw 13

Tile Saw- Bare Tool

Cordless Tile Saw 13

Sanders- Bare Tools

Cordless Palm Detail Sander 14

Cordless Sheet Sander 14

Cordless Random Orbit Sander 14

Cordless File Belt Sander 15

Angle Grinder- Bare Tool

Cordless Angle Grinder 15

Polishers- Bare Tools

Cordless Car Polisher 15

Cordless Polisher/Sander 16

Specialty Tools- Bare Tools

Cordless Portable Planer 16

Cordless Biscuit Joiner 16

Cordless Rotary Tool Station 17

Cordless Heat Gun 17

Cordless Handheld Paint Sprayer 17

Cordless Caulk & Adhesive Gun 18

Cordless Full Size Glue Gun 18

Cordless Drain Auger 18

Cordless Push Floor Sweeper 19

Vacuums/Wet-Dry Vacuums- Bare Tools

Cordless Handheld Vacuums 19

Cordless Stick Vacuum Cleaner 20

Cordless Power Wet Mop..... 20

Cordless Wet-Dry Vacuums 20-21

Cordless Ash Vacuum 22

Air Movement- Bare Tools

Cordless Compact Blower 22

Cordless Compact Air Compressor... 22

Cordless Inflators 23-24

Cordless Fan 24

LED Lights- Bare Tools

Cordless LED Work Lights 24-25

Cordless Spotlight 25

Cordless Hybrid LED Work Light 25

Practical Tools/Accessories- Bare Tools

Cordless Jobsite Radio 26

Cordless Bluetooth Speaker 26

Storage Bags

Storage Bags 26

E-Cases & Accessories

E-Case Tool Cases 27

Outdoor Power Equipment

Lawn Mower Kit with Battery and Charger

Cordless Lawn Mower Kit 41

String Trimmers- Bare Tools

Cordless Stringless Blade Trimmer... 41

Cordless String Trimmers 41-42

Hedge Trimmers- Kits and Bare Tools

Cordless Hedge Trimmers 42-43

Pole Hedge Trimmer- Pole Chain Saw- Bare Tools

Cordless Pole Hedge Trimmer 43

Cordless Pole Chain Saw 44

Multi-Attachment Tools- Bare Tools

Cordless 2-in-1 Combo 44

Cordless 4-in-1 Combo 44

Pruning/Shrub Shears- Bare Tools

Cordless Pruning Shear 45

Cordless Grass Shear & Hedge Trimmer 45

Chain Saws- Kits and Bare Tools

Cordless Compact Pruning Chain Saw .. 45

Cordless Chain Saws 46

Leaf Blowers/Vacuums/Mulchers- Kits & Bare Tools

Cordless Leaf Blowers 47

Cordless Leaf/Vacuum/Mulcher 47

Chipper/Shredder- Bare Tool

Cordless Chipper/Shredder 48

Tiller/Cultivator- Bare Tool

Cordless Tiller/Cultivator 48

Surface Cleaning- Bare Tool

Cordless Patio & Surface Cleaner 48

Seed, Fertilizer/Salt Spreader- Bare Tools

Cordless Universal Spreader 49

Cordless Multi-purpose Spreader..... 49

Pressure Sprayers- Bare Tools

Cordless Pressure Sprayers 49-50

Water Hose Reel & Trolley- Bare Tool

Cordless Water Hose Reel 50

Pressure Washers- Bare Tools

Cordless Pressure Washers 51

Water/Garden Pumps- Bare Tools

Cordless Water Pump 51

Cordless Submersible Water Pumps.. 52

Cooler/Warmer- Bare Tool

Cordless Cooler/Warmer 53

Snow Removal- Bare Tool

Cordless Snow Shovel 53

Batteries, Chargers, Battery Starter Kits & Accessories

Batteries 63

Chargers 64

Battery Starter Kits 64

Cordless USB Battery Adaptor 64

Cordless PXC Battery Wall Mounts .. 64

NEW

**18V 10" CORDLESS CHAIN SAW
- BRUSHLESS**

Art. No. 4600071 (GE-LC 18/25 Li BL)

For more information, see page 46



PROFESSIONAL CORDLESS POWER TOOLS & OUTDOOR POWER EQUIPMENT

Professional Power Tools

Drilling/Driving- Kits & Bare Tools

Cordless Drill/Drivers 30-31

Impact Drivers/Wrenches- Bare Tools

Cordless Impact Drivers 31

Cordless Impact Wrenches 32-33

Rotary Hammers- Bare Tools

Cordless SDS-Plus Rotary Hammers 33

Saws- Bare Tools

Cordless Circular Saw 34

Cordless Reciprocating Saw 34

Cordless Jigsaws 34-35

Cordless Oscillating Multi-tool 35

Sanders- Bare Tools

Cordless Random Orbit Sander 35

Cordless Belt Sander 36

Cordless Drum Sander/Burnisher 36

Drywall Sander- Bare Tool

Cordless Drywall Sander 36

Angle Grinders- Bare Tools

Cordless Angle Grinders 37

Polisher- Bare Tool

Cordless Polisher 37

Specialty Tools- Bare Tools

Cordless 18 Ga. Stapler 37

Cordless 18 Ga. Nailer 38

Cordless Compact Routers 38

Cordless Grease Gun 39

LED Lights- Bare Tools

Cordless Folding Panel LED Work Lights. 39

Professional Outdoor Power Equipment

Lawn Mower Kits with Batteries and Charger(s)

Cordless Lawn Mower Kits 56

Pruning/Shrub Shear- Bare Tool

Cordless Pole Pruning Shear 57

Chain Saws- Bare Tools

Cordless Pruning Chain Saw 57

Cordless Chain Saws 57-58

Leaf Blowers/Vacuums/Mulchers- Kits & Bare Tools

Cordless Leaf Blowers 58-59

Cordless Leaf Blower/Vacuum/Mulcher ... 59

Auger- Bare Tool

Cordless Auger 60

Snow Removal- Kit

Cordless Snow Blower 60

OUR PROMISE TO DIY-PROS & PROFESSIONALS

True Pros always give MORE...
Because every move has to be perfect.
Where precision is a must.
And every second counts.
They expect tools to give them MORE.
Now Einhell gives them MORE.

MORE PERFORMANCE.*
MORE ENDURANCE.*
MORE WARRANTY.**
MORE LIFETIME.*
MORE FUNCTIONALITY.*

**MORE POWER
FOR PROS.**

*in comparison to carbon brush motors.
**on Brushless motors upon online registration.

NEW

18V PROFESSIONAL CORDLESS GREASE GUN

Art. No. 4522305 (TP-GR 18/690 Li)

For more information, see page 39



NUMERIC ORDER

2048425.....	53	4257796.....	38	4510098.....	33
2070120.....	23	4258765.....	10	4512156.....	64
2071020.....	23	4259985.....	10	4513893.....	30
2093239.....	16	4259992.....	36	4513906.....	33
2093303.....	15	4260027.....	17	4513928.....	6
2093325.....	16	4301191.....	13	4513937.....	9
2093328.....	37	4321233.....	12	4513945.....	6
2347124.....	19	4321235.....	11	4513961.....	9
2347137.....	21	4321263.....	34	4513977.....	33
2347141.....	21	4321267.....	35	4513979.....	6
2347165.....	20	4326307.....	11	4514135.....	24
2347184.....	20	4326311.....	34	4514137.....	25
2347195.....	19	4326318.....	11	4514142.....	64
2352045.....	19	4331211.....	34	4514146.....	25
2361701.....	22	4331215.....	10	4514151.....	26
3407997.....	26	4340451.....	13	4514156.....	64
3408005.....	22	4345401.....	16	4514165.....	18
3408036.....	24	4350413.....	38	4514173.....	39
3408304.....	45	4350415.....	38	4514176.....	39
3408350.....	57	4350631.....	16	4514181.....	25
3410314.....	45	4419370.....	17	4514293.....	8
3410583.....	44	4431138.....	15	4514323.....	9
3410584.....	43	4431143.....	37	4514350.....	7
3410709.....	42	4431147.....	37	4514351.....	7
3410789.....	44	4460721.....	14	4514360.....	31
3410923.....	43	4460732.....	14	4514380.....	31
3410963.....	43	4460736.....	14	4514343.....	30
3411119.....	41	4461010.....	15	4514407.....	30
3411245.....	41	4462012.....	14	4520502.....	17
3411260.....	42	4462021.....	35	4522201.....	18
3411295.....	42	4465165.....	12	4522251.....	18
3411325.....	44	4465191.....	35	4522305.....	39
3413273.....	56	4465196.....	12	4530099.....	26
3413298.....	41	4466271.....	36	4530106.....	26
3413322.....	56	4468020.....	36	4540022.....	27
3415411.....	49	4501781.....	58	4540023.....	27
3415440.....	49	4501786.....	46	4540024.....	27
3417015.....	53	4504220.....	13	4540025.....	27
3417025.....	60	4504224.....	13	4540026.....	27
3424211.....	48	4510045.....	31	4600015.....	46
3425221.....	49	4510060.....	8	4600030.....	57
3425231.....	50	4510062.....	32	4600035.....	45
3430730.....	48	4510064.....	8	4600055.....	58
3431205.....	48	4510071.....	32	4600071.....	46
3433543.....	47	4510081.....	32	4600081.....	57
3433551.....	47				
3433556.....	58				
3433571.....	59				
3433617.....	59				
3433645.....	59				
3433647.....	47				
3437015.....	60				
3437112.....	20				
3437120.....	20				
4020421.....	24				
4020455.....	22				
4020463.....	23				
4140145.....	51				
4140161.....	51				
4170427.....	52				
4173779.....	50				
4173780.....	50				
4180403.....	51				
4181565.....	52				
4181595.....	52				
4257245.....	7				
4257786.....	37				



NEW
18V PROFESSIONAL
5" CORDLESS VARIABLE SPEED
RANDOM ORBIT POLISHER
- BRUSHLESS

Art. No. 2093328 (CP-EP 18/125 Li BL)
 For more information, see page 37

THE EINHELL GUARANTEE PROMISE.

Einhell 2 Year Limited Warranty

“Einhell” branded power tools, garden tools, and accessories. Einhell products and accessories have a limited 2 year warranty against material and electrical defects from the date of purchase.

Upon Online Registration

In addition to offering excellent value for money, we also ensure that our products are reliable, high-quality and safe. This is reflected in our various warranties: take advantage of our warranty extensions on Einhell tools and Power X-Change batteries to benefit from our top warranty service for even longer.

» Einhell 3 Year Product Extension Warranty

Warranty extension for all Einhell Power X-Change products to 3 years.

» Einhell Power X-Change Battery Extension Warranty

Warranty extension for Power X-Change batteries to 3 years.

» Einhell PurePOWER Brushless Extension Warranty

Warranty extension for all PurePOWER Brushless products to 10 years.*



* This warranty covers only defects in the Brushless motor that are due to a material or manufacturing defect!



Einhell entered the Canadian market through King Canada, a leading Canadian company specializing in woodworking and metalworking equipment. Since then, King Canada has proudly offered Einhell's cordless power tools and garden tools to Canadian consumers. Together, we provide a one-stop shop for all home improvement and workshop needs, and after-sales service & repair.



Einhell Canada/King Canada 700 Meloche, Dorval, Quebec H9P 2Y4



CORDLESS POWER TOOLS

Handheld Power Tools / Stationary Power Tools



NEW

18V CORDLESS HYBRID JOBSITE RADIO WITH BLUETOOTH

Art. No. 3407997 (TE-CR 18 Li DAB+/FM/BT)

For more information, see page 26



OFFICIAL TOOL EXPERT
EXPERT OFFICIEL EN OUTILLAGE



**AMG
PETRONAS**
FORMULA 1 TEAM

Drilling & Driving - Kits & Bare Tools

18V 3/8" CORDLESS DRILL/DRIVER KIT

(w/ 2.0 Ah Battery and Charger)

- » Electronic speed control for work adapted to application
- » LED light for optimum operation in dark areas
- » Extremely easy to work with due to ergonomic design and softgrip

Standard Accessories

- » 1 x 2.0 Ah Power X-Change battery & charger



Art. No. 4513928

TC-CD 18/35 Li KIT

Battery	18V 2.0 Ah Li-Ion
Number of gears	1
Variable speed range (gear 1)	0 - 550 RPM
Max. torque	310 in/lbs (25 ft/lbs / 35 Nm)
Number of torque steps	21+1 settings
Drill chuck	3/8" double sleeve
Product weight	3.1 lbs
*1 x 2.0 Ah battery & charger included	Art. No. 4513928 TP-CD 18/35 Li Kit

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	295 screws	366 screws	590 screws	760 screws	880 screws	1,180 screws

¹⁾ Battery capacity ²⁾ Quantity of 2-3/8" wood screws

Drilling & Driving - Kits & Bare Tools

18V 1/2" CORDLESS DRILL/DRIVER

- » Practical belt clip for efficient and safe operation
- » 2-speed gearing for powerful drilling
- » Electronic speed control for work adapted to application
- » LED lamp to illuminate the work area
- » Extremely easy to work with due to ergonomic design and softgrip surfaces



Art. No. 4513945

TE-CD 18/40 Li

Number of gears	2
Idle speed (gear 1)	0 - 400 RPM
Idle speed (gear 2)	0 - 1,500 RPM
Max. torque	354 in/lbs (29 ft/lbs / 40 Nm)
Number of torque steps	20+1 settings
Drill chuck	1/2" single sleeve
Product weight	2.4 lbs
*Recommended for maximum results; 2.0 or 2.5 Ah battery *Battery and charger sold separately	Art. No. 4513945 TE-CD 18/40 Li

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	305 screws	380 screws	610 screws	770 screws	920 screws	1,220 screws

¹⁾ Battery capacity ²⁾ Quantity of 2-3/8" wood screws

Drilling & Driving - Kits & Bare Tools

18V 1/2" CORDLESS DRILL/DRIVER KIT

(w/ 2 x 2.0 Ah Batteries, Charger & Carry Case)

- » 2-speed gearing for powerful drilling and screwing
- » Practical belt clip for efficient and safe operation
- » LED lamp to illuminate the work area
- » Extremely easy to work with ergonomic design and softgrip surfaces

Standard Accessories

- » 2 x 2.0 Ah Power X-Change batteries
- » Charger
- » Carry case



Art. No. 4513979

TE-CD 18/40-1 Li KIT

Battery	18V 2.0 Ah Li-Ion
Number of gears	2
Idle speed (gear 1)	0 - 400 RPM
Idle speed (gear 2)	0 - 1,500 RPM
Max. torque	354 in/lbs (29 ft/lbs / 40 Nm)
Number of torque steps	20+1 settings
Drill chuck	1/2" single sleeve
Product weight	2.4 lbs
*2 x 2.0 Ah batteries & charger included	Art. No. 4513979 TP-CD 18/40-1 Li KIT

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	305 screws	380 screws	610 screws	770 screws	920 screws	1,220 screws

¹⁾ Battery capacity ²⁾ Quantity of 2-3/8" wood screws

Drilling & Driving - Kits & Bare Tools

18V CORDLESS 1/2" DRILL/DRIVER & 1/4" IMPACT DRIVER KIT (w/ 2 x 2.0 Ah Batteries, Charger & Carry Bag)

- 4513945 Features:
- » 2-speed gearing for powerful drilling and screwing
 - » Complete with LED lamp to illuminate work area
 - » Practical belt clip for efficient and safe operation
 - » Ergonomic design and softgrip surfaces

- 4510060 Features:
- » Impact screwdriver – for effortlessly tightening large/ long screw
 - » Low reverse torque reduces strain on the wrists
 - » 1/4" hex. bit (Recommendation: impact-resistant bits)
 - » Speed control for fine adjustment on delicate jobs
 - » 3 powerful LED to illuminate the work area
 - » Rugged aluminum housing and rubber supports for protection

Standard Accessories

- » 2 x 2.0 Ah Power X-Change battery
- » Charger & carry bag



Drilling & Driving - Kits & Bare Tools

18V 3/8" CORDLESS DRILL/DRIVER

- » **Brushless motor** – more power, longer runtimes
- » High-grade and single sleeve chuck
- » 2-speed gearing for powerful drilling and screwing
- » Electronic speed control for work adapted to application
- » LED light for optimum operation in dark areas
- » Extremely easy to work with due to ergonomic design and softgrip
- » Small and light weight cordless drill for working without fatigue



Drilling & Driving - Kits & Bare Tools

18V 3/8" CORDLESS DRILL/DRIVER KIT (w/ 2 x 2.0 Ah Batteries, Charger & Carry Case)

- » **Brushless motor** – more power, longer runtimes
- » 2-speed gearing for powerful drilling and screwing
- » Electronic speed control to suit material and application
- » LED light for optimum operation in dark areas
- » Extremely easy to work with due to ergonomic design and softgrip

Standard Accessories

- » 2 x 2.0 Ah Power X-Change batteries
- » Charger
- » Carry case



Art. No. 4257245

TE-TK 18 Li Drill & Driver Kit

*2 x 2.0 Ah batteries, charger & carry bag included	Art. No. 4257245 TE-TK 18 Li Drill&Driver Kit	
---	--	--

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	305 screws	380 screws	610 screws	770 screws	920 screws	1,220 screws

4513945 1) Battery capacity 2) Quantity of 2-3/8" wood screws

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	185 screws	230 screws	370 screws	520 screws	560 screws	740 screws

4510060 1) Battery capacity 2) Quantity of 2-3/8" wood screws

Art. No. 4514350

TE-CD 18/40 Li BL- BRUSHLESS

Number of gears	2
Idle speed (gear 1)	0 - 350 RPM
Idle speed (gear 2)	0 - 1,450 RPM
Max. torque	354 in/lbs (29 ft/lbs / 40 Nm)
Number of torque steps	20+1 settings
Drill chuck	3/8" single sleeve
Product weight	2.6 lbs

*Recommended for maximum results: 2.5 Ah battery	Art. No. 4514350	
*Battery and charger sold separately	TE-CD 18/40 Li BL	

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	300 screws	380 screws	600 screws	780 screws	900 screws	1,200 screws

1) Battery capacity 2) Quantity of 2-3/8" wood screws

Art. No. 4514351

TE-CD 18/40 Li BL KIT- BRUSHLESS

Battery	18V 2.0 Ah Li-Ion
Number of gears	2
Idle speed (gear 1)	0 - 350 RPM
Idle speed (gear 2)	0 - 1,450 RPM
Max. torque	354 in/lbs (29 ft/lbs / 40 Nm)
Number of torque steps	20+1 settings
Drill chuck	3/8" single sleeve
Product weight	2.6 lbs

*2 x 2.0 Ah battery, charger & carry bag included	Art. No. 4514351	
	TE-CD 18/40 Li BL KIT	

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	300 screws	380 screws	600 screws	780 screws	900 screws	1,200 screws

1) Battery capacity 2) Quantity of 2-3/8" wood screws

Drilling & Driving - Kits & Bare Tools

18V 3/8" CORDLESS RIGHT ANGLE DRILL/DRIVER

- » Innovative swiveling battery holder
- » Handy right angle design is ideal for narrow and hard-to-reach areas
- » Large switch for different grip positions
- » Electronic variable speed control
- » LED light for optimum operation in dark areas
- » High-quality 3/8" keyless drill chuck
- » Right and left rotation
- » Robust metal gearbox for long service life


Art. No. 4514293
TE-AD 18 Li

Variable speed range (gear 1)	0 - 1,100 RPM
Max. torque	398 in/lbs (33 ft/lbs / 45 Nm)
Drill chuck	3/8" single sleeve
Product weight	2.6 lbs

*Recommended for maximum results: 2.0 or 2.5 Ah battery
 *Battery and charger sold separately

Art. No. 4514293
 TE-AD 18 Li



¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	205 screws	260 screws	415 screws	535 screws	620 screws	830 screws

¹⁾ Battery capacity ²⁾ Quantity of 2-3/8" wood screws

Impact Drivers / Wrenches - Kits & Bare Tools

18V 1/4" CORDLESS IMPACT DRIVER

- » Practical belt clip for efficient and safe operation
- » Impact screwdriver – for effortlessly tightening large/long screw
- » Low reverse torque reduces strain on the wrists during operation
- » Short, lightweight design with ergonomic softgrip surfaces
- » 1/4" hex. bit (Recommendation: impact-resistant bits)
- » Speed control for fine adjustment on delicate jobs
- » 3 powerful LED included for good all round illumination
- » Rugged aluminum housing and rubber supports for protection


Art. No. 4510060
TE-CI 18/1 Li

No load speed	0 - 2,300 RPM
Impacts per minutes	0 - 2,900 IPM
Tool collet (hex.)	1/4"
Type of bit interlock	Mechanic locking sleeve
Max. fastening torque	1,240 in/lbs (103 ft/lbs / 140 Nm)
Max. breakaway torque	531 in/lbs (44 ft/lbs / 60 Nm)
Product weight	2.6 lbs

*Recommended for maximum results: 2.0 or 2.5 Ah battery
 *Battery and charger sold separately

Art. No. 4510060
 TE-CI 18/1 Li



¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	185 screws	230 screws	370 screws	520 screws	560 screws	740 screws

¹⁾ Battery capacity ²⁾ Quantity of 2-3/8" wood screws

Impact Drivers / Wrenches - Kits & Bare Tools

18V 1/4" CORDLESS IMPACT DRIVER KIT

(w/ 2.0 Ah Battery, Charger & Soft Bag)

- » Practical belt clip for efficient and safe operation
- » Impact screwdriver – for effortlessly tightening large/long screws
- » Low reverse torque reduces strain on the wrists
- » Short, lightweight design with ergonomic softgrip surfaces
- » 1/4" hex. bit (Recommendation: impact-resistant bits)
- » Speed control for fine adjustment on delicate jobs
- » 3 powerful LED included for good illumination
- » Rugged aluminum housing and rubber supports for protection


Art. No. 4510064
TE-CI 18/1 Li KIT SB

Battery	18V 2.0 Ah Li-Ion
No load speed	0 - 2,300 RPM
Impacts per minute	0 - 2,900 IPM
Tool collet (hex.)	1/4"
Type of bit interlock	Mechanic locking sleeve
Max. fastening torque	1,240 in/lbs (103 ft/lbs / 140 Nm)
Max. breakaway torque	531 in/lbs (44 ft/lbs / 60 Nm)
Product weight	3.1 lbs

*1 x 2.0 Ah battery, charger & soft bag included

Art. No. 4510064
 TE-CI 18/1 Li KIT SB



¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	185 screws	230 screws	370 screws	520 screws	560 screws	740 screws

¹⁾ Battery capacity ²⁾ Quantity of 2-3/8" wood screws

Standard Accessories

- » 1 x 2.0 Ah Power X-Change battery & charger
- » Soft bag

Impact Drivers / Wrenches - Kits & Bare Tools

18V 3/8" CORDLESS RATCHET

- » Compact hand ratchet, ideal for automotive applications
- » Robust 3/8" external square chuck
- » High torque for tightening and loosening screws and nuts
- » Easy switching for clockwise/counter-clockwise rotation
- » Stepless electronic speed control for application-orientated work
- » Ergonomic design with softgrip
- » Large switch for different grip positions
- » LED light for optimal illumination of the work area



Standard Accessory

- » 3/8" to 1/2" square chuck adapter



Hammer Drills - Bare Tools

18V 1/2" CORDLESS HAMMER DRILL

- » 2 functions: Drilling/hammer drilling
- » Rugged 1/2" quick-change drill chuck for easy tool change
- » Electronic speed control for fine adjustment
- » Ergonomic softgrip surfaces with additional handle
- » Reverse function for drilling and screwing
- » Continuous operation lock for comfortable and easy operation
- » Adjustable drilling depth stop made of solid metal



Hammer Drills - Bare Tools

18V 1/2" CORDLESS HAMMER DRILL/DRIVER

- » Hammer drilling function for universal operation
- » 2-speed gearing for powerful drilling and screwing
- » Practical belt clip for efficient and safe operation
- » Complete with LED lamp to illuminate work area
- » Extremely easy to work with ergonomic design and softgrip surfaces



Art. No. 4514323

TE-RW 18/60 Li

No load speed	0 - 260 RPM
Max. fastening torque	531 in/lbs (44 ft/lbs / 60 Nm)
Tool collet	3/8"
Collet adapter	1/2"
Product weight	1.8 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4514323 TE-RW 18/60 Li	7 72995 02139 0

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	305 pcs.	385 pcs.	610 pcs.	790 pcs.	920 pcs.	1,220 pcs.

¹⁾ Battery capacity ²⁾ Max. quantity of tightening/loosening nuts/bolts

Art. No. 4513961

TC-ID 18 Li

No load speed	0 - 2,600 RPM
Hammer speed	41,600 BPM
Drilling capacity (wood)	1"
Drilling capacity (concrete)	1/2"
Drilling capacity (metal)	3/8"
Drill chuck	1/2" single sleeve
Product weight	3.5 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4513961 TC-ID 18 Li	7 72995 01750 8

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	60 holes	75 holes	120 holes	156 holes	180 holes	240 holes

¹⁾ Battery capacity ²⁾ Quantity of 1/4" x 1-3/4" long holes in red brick

Art. No. 4513937

TE-CD 18/48 Li-i

Number of gears	2
Idle speed (gear 1)	0 - 400 RPM
Idle speed (gear 2)	0 - 1,500 RPM
Hammer speed (gear 1)	0 - 6,400 BPM
Hammer speed (gear 2)	0 - 24,000 BPM
Max. torque	390 in/lbs (32 ft/lbs / 44 Nm)
Number of torque steps	23 settings
Drill chuck	1/2" single sleeve
Drilling capacity in concrete	3/8"
Product weight	3.1 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4513937 TE-CD 18/48 Li-i	7 72995 01751 5

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	310 screws	380 screws	620 screws	780 screws	910 screws	1,230 screws

¹⁾ Battery capacity ²⁾ Quantity of 2-3/8" wood screws

Screw Gun - Bare Tool

18V CORDLESS DRYWALL SCREWDRIVER

- » Adjustable depth stop for precise depth setting
- » Low-fatigue operation thanks to continuous operation setting
- » Integrated pressure coupling for user-friendly screw driving
- » Ergonomic softgrip surfaces
- » Complete with LED lamp to illuminate the work area
- » Quick and intuitive bit change thanks to the magnetic bit holder
- » Practical belt clip for efficient and safe operation
- » Comes in E-Box case



Art. No. 4259985

TE-DY 18 Li

No load speed	0 - 4,000 RPM
Tool collet	1/4"
Product weight	2.2 lbs

*Recommended for maximum results: 2.0 or 2.5 Ah battery	Art. No. 4259985	
*Battery and charger sold separately	TE-DY 18 Li	

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	1,100 screws	1,350 screws	2,200 screws	2,800 screws	3,300 screws	4,400 screws

¹⁾ Battery capacity ²⁾ Quantity of 1" screws in drywall

Mortar/Grout Mixer - Bare Tool

18V CORDLESS MORTAR/GROUT MIXER

- » Electronic speed control to suit material and application
- » Ergonomically shaped handle for comfortable operation
- » Durable and rugged aluminum housing
- » Softstart function for comfortable and safe working
- » Rugged M14 mixing paddle mount



Art. No. 4258765

TE-MX 18 Li

Mixing paddle thread	M14
Mixing paddle diameter	4" (100 mm)
No load speed	0 - 620 RPM
Product weight	4.1 lbs

*Recommended for maximum results: 4.0 Ah battery	Art. No. 4258765	
*Battery and charger sold separately	TE-MX 18 Li	

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	20 min.	25 min.	40 min.	52 min.	60 min.	80 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Standard Accessory

- » 4" diameter mortar mixing paddle

Saws - Bare Tools

18V 6-1/2" CORDLESS CIRCULAR SAW

- » Easy adjustment without tools (cutting depth, tilt angle)
- » Dust extractor adapter to keep the work place clean
- » Ergonomic softgrip surfaces
- » Complete with LED lamp to illuminate the work area



Art. No. 4331215

TE-CS 18/165-1 Li

No load speed	4,200 RPM
Saw blade	6-1/2" x 5/8" x 1/16"
Number of saw teeth	24 teeth
Cutting depth at 45°	1-3/8"
Cutting depth at 90°	2-1/8"
Product weight	5.7 lbs

*Recommended for maximum results: 4.0 Ah battery	Art. No. 4331215	
*Battery and charger sold separately	TE-CS 18/165-1 Li	

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	108 ft.	131 ft.	210 ft.	270 ft.	321 ft.	419 ft.

¹⁾ Battery capacity ²⁾ Rip cutting 3/4" OSB

Standard Accessory

- » 6-1/2" x 5/8" x 1/16" circular saw blade

Saws - Bare Tools

18V CORDLESS COMPACT ONE-HANDED RECIPROCATING SAW

- » Lightweight and handy design, ideal for one-handed operation
- » Tool-free blade changes for quick application
- » Adjustable soleplate for optimum blade use
- » Ergonomic softgrip surfaces



Standard Accessories

- » 1 x 6" - 6 TPI wood saw blade
- » 1 x 6" - 18 TPI metal saw blade

Art. No. 4326318

TE-AP 18/13 Li

Max. strokes per minute	0 - 3,000 SPM
Stroke length	1/2"
Cutting depth in wood	2"
Cutting depth in metal	5/32"
Max. saw blade thickness	0.062" (1.6 mm)
Product weight	2.5 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	Art. No. 4326318 TE-AP 18/13 Li

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	242 cuts	313 cuts	484 cuts	629 cuts	726 cuts	976 cuts

¹⁾ Battery capacity ²⁾ Quantity of max. cuts in 1-3/8" round timber

Saws - Bare Tools

18V CORDLESS RECIPROCATING SAW

- » Tool-free blade changes for quick application
- » Adjustable soleplate for optimum blade use
- » Ergonomic softgrip surfaces
- » Rubber supports to protect the housing



Standard Accessory

- » 1 x 6" - 7 TPI wood saw blade

Art. No. 4326307

TE-AP 18/22 Li

Max. strokes per minute	0 - 2,600 SPM
Stroke length	7/8"
Cutting depth in wood	4"
Cutting depth in metal	1/4"
Max. saw blade thickness	0.062" (1.6 mm)
Product weight	3.5 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	Art. No. 4326307 TE-AP 18/22 Li

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	180 cuts	240 cuts	370 cuts	570 cuts	580 cuts	740 cuts

¹⁾ Battery capacity ²⁾ Quantity of max. cuts in 1-3/8" round timber

Saws - Bare Tools

18V VARIABLE SPEED CORDLESS JIGSAW

- » Very smooth operation for exact cutting
- » Selectable orbital action for fast cutting
- » Tool-free universal blade holder
- » Includes dust blow-off function for optimum visibility
- » Integrated plastic soleplate for sensitive workpieces



Standard Accessory

- » 1 x wood saw blade

Art. No. 4321235

TC-JS 18 Li

Strokes per minute	0 - 2,700 SPM
Stroke	25/32"
Cutting capacity in wood	3-1/4"
Cutting capacity in plastic	1/2"
Cutting capacity in metal	13/32"
Max. bevel capacity	45°
Product weight	3.6 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	Art. No. 4321235 TC-JS 18 Li

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	31 ft.	36 ft.	65 ft.	98 ft.	104 ft.	131 ft.

¹⁾ Battery capacity ²⁾ Rip cutting 3/4" OSB

Saws - Bare Tools

18V VARIABLE SPEED CORDLESS JIGSAW

- » Very smooth operation for exact cutting
- » Selectable pendulum action for fast cutting
- » Tool-free universal blade holder
- » Includes dust blow-off function for optimum visibility
- » Complete with LED lamp to illuminate the work area
- » Integrated plastic sliding element for sensitive workpieces
- » Ergonomic softgrip surfaces
- » Complete with chip guard for cuts without splintering



Art. No. 4321233

TE-JS 18/80 Li

Strokes per minute	0 - 2,400 SPM
Stroke	1"
Cutting depth in wood	3-1/4"
Cutting depth in plastic	1/2"
Cutting depth in metal	13/32"
Max. bevel capacity	47°
Product weight	3.8 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4321233 TE-JS 18/80 Li	

 ¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	31 ft.	36 ft.	65 ft.	98 ft.	104 ft.	131 ft.

¹⁾ Battery capacity ²⁾ Rip cutting 3/4" OSB

Saws - Bare Tools

18V CORDLESS OSCILLATING MULTI-TOOL

- » Quick release for tool-free change of accessory
- » Electronic speed control for material and application
- » Oscillation decoupled battery uptake for reduction of vibration
- » Convenient accessory change thanks to magnetic tool holder
- » 12-pin-tool universal blade adaptor for flexible positioning of accessories
- » 3 functions: grinding, sawing and scraping
- » Ergonomic softgrip surfaces



Art. No. 4465196

TE-MG 18/1 Li

Angle of oscillation	3.2° (total)
Oscillating speed	10,000 - 33,000 OPM
No load speed	5000 - 16,500 RPM
Sandpaper size	3-1/2" x 3-1/2" x 3-1/2"
Product weight	1.8 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4465196 TE-MG 18/1 Li	

 ¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	721 cuts	901 cuts	1,442 cuts	1,875 cuts	2,163 cuts	2,884 cuts

¹⁾ Battery capacity ²⁾ Cutting through round plastic Ø 3/8"

Standard Accessories

- » Triangular grinding/sanding plate
- » 9 x grinding/sanding paper (3 x 60, 80, 120 Grit)
- » Scraper
- » Plunge-cut saw blade for wood and plastic (HCS)
- » Segment saw blade for wood, plastic and soft metal (HSS)

Saws - Bare Tools

18V CORDLESS OSCILLATING MULTI-TOOL

- » Quick release for tool-free change of equipment
- » Easy accessory change thanks to magnetic tool fixation
- » Electronic speed control for material and application
- » Oscillation decoupled battery uptake for reduction of vibration
- » Ergonomic softgrip surfaces
- » 12-pin-tool universal blade adaptor for flexible positioning of equipment



Art. No. 4465165

VARRITO

Angle of oscillation	3.2° (total)
Oscillating speed	22,000 - 40,000 OPM
No load speed	11,000 - 20,000 RPM
Sandpaper size	3-1/2" x 3-1/2" x 3-1/2"
Product weight	2.2 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4465165 VARRITO	

 ¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	720 cuts	900 cuts	1,440 cuts	1,880 cuts	2,160 cuts	2,880 cuts

¹⁾ Battery capacity ²⁾ Cutting through round plastic Ø 3/8"

Standard Accessories

- » Triangular grinding/sanding plate
- » 9 x grinding/sanding paper (3 x 60, 80, 120 Grit)
- » Scraper
- » Plunge-cut saw blade for wood and plastic (HCS)
- » BIM plunge-cut saw blade for metal
- » Segment saw blade for wood, plastic and soft metal (HSS)
- » Diamond segment saw blade for tile joint

Saws - Bare Tools

36V 8-1/4" CORDLESS WORKSITE TABLE SAW

- » TWIN-PACK technology: 2 x 18V Power X-Change batteries required
- » Portable, mobile, with no annoying power cord
- » Sturdy aluminum table
- » Small and compact, ideal for limited space or mobile use
- » Softstart function protects motor and the gear unit
- » Ultra-sturdy rip fence for exact longitudinal cuts
- » High-grade carbide-tipped saw blade, developed for cordless saws
- » Extractor connection on housing and saw blade guard for less mess
- » Holders for stowing away all the attachments on the equipment



Standard Accessories

- » 8-1/4" saw blade, extractor adapter & push stick

Saws - Bare Tools

18V 5" CORDLESS COMPACT METAL CUTTING BANDSAW

- » Spark-free cutting of metal for maximum safety
- » 6 speed settings for almost every application
- » LED light for ideal illumination of the cutting area
- » Quick-release lever for changing the bandsaw blade without any tools
- » Handle is adjustable without tools
- » Comes with a second replacement bandsaw blade



Standard Accessories

- » 2 x Bandsaw blades (44-7/8" x 1/2" x 0.025")

Tile Saw - Bare Tool

18V 4-1/2" CORDLESS WET TILE SAW

- » Flexible usage everywhere due to battery driven motor and low weight
- » Tilting table with angle scale (0 - 45°)
- » Integrated water tank for tile saw blade cooling and dust reduction
- » Non-slip and vibration rubber feet
- » Rip fence with angle scale for exact cuts
- » Adjustable 45° angle stop for miter cuts
- » Carry handle for easy transport
- » Blade guard provides safety for the end user



Standard Accessories

- » Diamond tile saw blade & adjustment keys

Art. No. 4340451

TE-TS 36/210 Li

No load speed	3,800 RPM
Saw blade	8-1/4" x 5/8"
Number of saw teeth	40 teeth
Bevel range	90° - 45°
Angle stop	-60° - +60°
Max. cutting height 90/45°	2-3/4" / 1-3/4"
Max. cutting width right	24-3/4"
Main table dimensions	18-7/8" x 18-3/8"
Max. support surface	18-7/8" x 21-1/8"
Diameter of extraction connection	1-3/8"
Product weight	28.6 lbs

*Recommended for maximum results: 2 x 4.0 Ah batteries
*Batteries and charger sold separately

Art. No. 4340451
TE-TS 36/210 Li



	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	196 ft.	232 ft.	400 ft.	524 ft.	603 ft.	800 ft.

1) Battery capacity 2) Max. cutting distance in 3/4" OSB

Art. No. 4504220

TE-MB 18/127 Li

Blade speed	393.7 SFPM
Max. cutting width	5"
Max. cutting height	4-1/2"
Blade size	44-7/8" x 1/2" x 0.025"
Blade TPI	10-14 TPI
Product weight	12.1 lbs

*Recommended for maximum results: 4.0 Ah battery
*Battery and charger sold separately

Art. No. 4504220
TE-MB 18/127 Li



	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	30 cuts	35 cuts	60 cuts	78 cuts	90 cuts	120 cuts

1) Battery capacity 2) Quantity of cuts in 1-1/2" x 1-1/2" x 1/16" square steel tube

Optional Accessory

Miter Stand for Cordless Metal Bandsaw	Art. No. 4504224	
--	------------------	--

Art. No. 4301191

TE-TC 18/115 Li

No load speed	3,800 RPM
Cutting capacity at 45°	5/8"
Cutting capacity at 90°	15/16"
Blade	Ø 4-1/2" x 1/16" x Ø 7/8"
Product weight	7.5 lbs

*Recommended for maximum results: 2.5 or 4.0 Ah battery
*Battery and charger sold separately

Art. No. 4301191
TE-TC 18/115 Li



	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	295 inches	371 inches	590 inches	767 inches	885 inches	1,180 inches

1) Battery capacity 2) Max. length of cutting 9/16" thick ceramic tile

Sanders - Bare Tools

18V CORDLESS PALM DETAIL SANDER

- » Ergonomic softgrip surfaces
- » Small, compact and easy to handle
- » Ideal for sanding corners and small surfaces
- » "Extreme Fix" fastening for quick change of sanding paper
- » High removal rate with "Extreme Fix" due to reduced slippage
- » Solid, rugged aluminum fan impeller for smooth running
- » Active dust extraction keeps the work area clean

Standard Accessories

- » Vacuum cleaner adapter
- » 6 sheets of sanding paper (3 x 120 Grit | 3 x 240 Grit)



Art. No. 4460721

TE-OS 18/150 Li

No load speed	12,000 RPM
Oscillating speed	24,000 OPM
Oscillating circuit	1/16"
Sanding area	6" x 6" x 4"
Sanding paper size (velcro)	6" x 6" x 4"
Product weight	1.5 lbs

*Recommended for maximum results: 2.0 or 2.5 Ah battery
*Battery and charger sold separately

Art. No. 4460721
TE-OS 18/150 Li



¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah
²⁾	27 min.	34 min.	55 min.	70 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Optional Accessory

15 pc. Sandpaper Kit (5 x 60, 5 x 120, 5 x 180 Grit)

Art. No. 4460736



Sanders - Bare Tools

18V CORDLESS 1/4 SHEET SANDER

- » Powerful orbital sander with large orbital diameter of 5/64"
- » Compact design with softgrip for better control
- » Perfect for sanding flat surfaces
- » Aluminum base plate
- » Fast sandpaper change thanks to hook-and-loop fastening
- » Clamping function for 1/4 sheet without hook-and-loop fastening
- » Integrated dust extractor with connector for vacuum hook-up or use with included dust collection box with dust trap and pleated filter

Standard Accessories

- » 2 sandpapers (120 Grit)
- » Dust collection box with pleated filter



Art. No. 4460732

TE-OS 18/113 Li

No load speed	0 - 11,000 RPM
Orbits per minute	0 - 22,000 OPM
Oscillating circuit	5/64"
Sanding area (hook & loop)	4" x 4-1/2"
1/4 sheet size	4-1/2" x 5-1/2"
Product weight	2.4 lbs

*Recommended for maximum results: 2.0 or 2.5 Ah battery
*Battery and charger sold separately

Art. No. 4460732
TE-OS 18/113 Li



¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	45 min.	56 min.	89 min.	116 min.	133 min.	178 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Sanders - Bare Tools

18V 5" CORDLESS RANDOM ORBIT SANDER

- » Electronic speed control
- » Finest finish & high sanding performance due to eccentric concept
- » Ergonomic softgrip surfaces
- » Hook and loop fastening for holding the abrasive paper securely
- » Both integrated and connection for external dust extraction

Standard Accessory

- » Abrasive sanding paper (80 Grit)



Art. No. 4462012

TE-RS 18 Li

No load speed	7,000 - 11,000 RPM
Oscillating speed	14,000 - 22,000 OPM
Oscillating circuit	5/64"
Backing pad diameter	5"
Sanding paper diameter	5"
Product weight	2.6 lbs

*Recommended for maximum results: 2.0 or 2.5 Ah battery
*Battery and charger sold separately

Art. No. 4462012
TE-RS 18 Li



¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	20 min.	25 min.	40 min.	52 min.	60 min.	80 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Optional Accessory

25 pc. Sandpaper Kit (9 x 60, 8 x 120, 8 x 180 Grit)

Art. No. 4460737



Sanders - Bare Tools

18V CORDLESS FILE BELT SANDER

- » 90° swiveling sanding arm - adjustment to any working position
- » Two exchangeable sanding arms for various tasks
- » Narrow sanding arm for narrow areas and delicate work
- » Wide sanding arm for larger, flat surfaces
- » Variable speed control of the sanding belt
- » Tool-free, simple sanding belt change
- » Tool-free sanding belt adjustment directly on arm
- » Robust sanding arm housing made of solid metal
- » Continuous running lock for time-intensive work
- » Comes with dust chute adapter for wet-dry vacuums



Standard Accessories

- » 12 pieces of sanding belts (2 belt widths 3/8" & 1/2" -60/80/120 Grit)
- » Carry bag



Angle Grinder - Bare Tool

18V 4-1/2" CORDLESS ANGLE GRINDER

- » Softstart function and restart safeguard to make it safer to use
- » Overload cut-out for a long service life
- » Very smooth operation thanks to separation of motor and gearing
- » Disc guard with quick adjust facility
- » Robust aluminum gearbox
- » Additional handle can be fitted in 2 positions
- » Comes with cutting guard
- » Grinding wheel not included



Polishers - Bare Tools

18V 10" CORDLESS CAR POLISHER

- » 2-in-1 product: Polishing and buffing with a single tool
- » Ergonomic handle for an optimum hold and controlled operation
- » Ergonomic softgrip surfaces
- » Hook-and-loop fastener for changing the attachments quickly



Standard Accessories

- » 1 textile bonnet
- » 1 synthetic polishing bonnet

Art. No. 4461010

TE-BF 18 Li

Variable speed range	820 - 5,577 ft/min
Sanding arm angle adjustment	90°
Sanding arms / width	2 pcs. 3/8" & 1/2"
Sanding belt length	18"
Product weight	2.6 lbs

*Recommended for maximum results: 2.5 Ah battery	Art. No. 4461010	
*Battery and charger sold separately	TE-BF 18 Li	

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	15 min.	18 min.	30 min.	39 min.	45 min.	60 min.

1) Battery capacity 2) Max. operating time in idle mode

Optional Accessories

35 pc. 3/8" x 18" Sanding Belt Kit	Art. No. 4419818	
35 pc. 1/2" x 18" Sanding Belt Kit	Art. No. 4419819	

Art. No. 4431138

TE-AG 18/115-2 Li

Grinder wheel diameter	4-1/2"
No load speed	8,500 RPM
Max. cutting depth	1.125"
Spindle thread	5/8" - 11 UNC
Arbor	7/8"
Product weight	3.7 lbs

*Recommended for maximum results: 2.5 Ah battery	Art. No. 4431138	
*Battery and charger sold separately	TE-AG 18/115-2 Li	

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	29 cuts	38 cuts	63 cuts	92 cuts	104 cuts	126 cuts

1) Battery capacity 2) Quantity of cuts through round steel Ø 7/16"

Art. No. 2093303

CE-CB 18/254 Li

No load speed	2,500 RPM
Diameter	10"
Product weight	4.6 lbs

*Recommended for maximum results: 2.0 or 2.5 Ah battery	Art. No. 2093303	
*Battery and charger sold separately	CE-CB 18/254 Li	

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	81 min.	93 min.	127 min	200 min.	222 min.	254 min.

1) Battery capacity 2) Max. operating time in idle mode

Optional Accessory

2 pc. Polishing Bonnets Kit (1 textile bonnet, 1 synthetic bonnet)	Art. No. 2093096	
--	------------------	--

Polishers - Bare Tools

18V 7" CORDLESS POLISHER-ORBITAL SANDER

- » **Brushless motor** - more power, longer runtimes
- » **2-in-1 product:** polishing and grinding/sanding with a single tool
- » **Electronic speed control** via LCD display
- » **Ergonomic handle** for an optimum hold and controlled operation
- » **Slimline design** with ergonomic softgrip surfaces
- » **Hook-and-loop fastener** for changing the attachments quickly
- » **Spindle locking system** for easy attachment of the polishing disc
- » **Large polishing disc** with 7" diameter for speedy progress

Standard Accessories

- » 1 foam attachment & 1 synthetic polishing bonnet
- » 3 sanding papers (1 x 60, 80, 120 Grit)



Art. No. 2093325

CE-CP 18/180 Li E- **BRUSHLESS**

Diameter of sanding plate	7"
No load speed	500 - 3,000 RPM
Spindle thread	5/8" - 11 UNC
Product weight	2.8 lbs

*Recommended for maximum results: 4.0 Ah battery
*Battery and charger sold separately

Art. No. 2093325
CE-CP 18/180 Li E



	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	20 min.	25 min.	43 min.	54 min.	65 min.	86 min.

1) Battery capacity 2) Max. operating time in idle mode

Optional Accessory

9 pc. 7" Polishing/Sanding Kit (Comes with: 1 foam attachment, 2 synthetic polishing bonnets & 6 sanding papers (2 x 60, 80, 120 Grit))

Art. No. 2093239



Specialty Tools - Bare Tools

18V 3-1/4" CORDLESS PORTABLE PLANER

- » **Powerful hand-held planer** for jobs with a chip depth of up to 1/16"
- » **Large knife shaft** for optimum planing results
- » **Automatic park rest** protecting the planing knife and workpiece
- » **Solid aluminum soleplates** for flat results
- » **Soleplate with 1 V-shaped groove** for easy chamfering of edges
- » **Ergonomic softgrip surfaces**

Standard Accessories

- » Parallel guide for straight and precise planing work
- » Rabbet depth stop for easy production of heels
- » 2 x TCT-Planing blades (reversible blades) for high surface quality



Art. No. 4345401

TE-PL 18/82 Li

No load speed	15,000 RPM
Planing width	3-1/4"
Planing depth	1/64" - 5/64"
Rabbet depth	5/16"
Product weight	5.3 lbs

*Recommended for maximum results: 2.0 or 2.5 Ah battery
*Battery and charger sold separately

Art. No. 4345401
TE-PL 18/82 Li



	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	82 ft.	92 ft.	157 ft.	190 ft.	255 ft.	314 ft.

1) Battery capacity 2) Planing in spruce wood (depth: 1/32" - width: 2")

Specialty Tools - Bare Tools

18V CORDLESS BISCUIT JOINER

- » **Adjustable angle setting** up to 90°
- » **Adjustable height setting**
- » **6-step quick adjustment** of cutting depth
- » **Suitable for standard biscuit sizes** (#0, 10, 20, Supplex, Dimplex & Clamex)
- » **Solid aluminium design** enables precise cutting of slots
- » **Spindle lock** for easy blade change
- » **Face spanner** for blade change included
- » **Complete with dust bag** for dust-free operations

Standard Accessories

- » Biscuit joiner blade, spacer plate, dust bag & adjustment keys



Art. No. 4350631

TE-BJ 18 Li

No load speed	6,500 RPM
Blade	4" x 5/32" - Ø 7/8"
Max. depth	3/4"
Tilt angle adjustment	0 - 90°
Product weight	5.3 lbs

*Recommended for maximum results: 2.5 Ah battery
*Battery and charger sold separately

Art. No. 4350631
TE-BJ 18 Li



	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	283 cuts	353 cuts	566 cuts	735 cuts	840 cuts	1132 cuts

1) Battery capacity 2) Max. plunge cuts into softwood at size 10 biscuit

Specialty Tools - Bare Tools

18V CORDLESS ROTARY TOOL STATION

- » Electronic speed control for material-specific usage
- » Lock button for easy tool change
- » Flexible shaft with narrow pin for precise work
- » Practical holder for flexible, 36" long shaft
- » Rubber feet to secure station
- » Accessory holder on the station for frequently used accessories
- » Additional removable accessory box integrated in the housing
- » Wall mounting for easy storage of the station

Standard Accessories

- » 57-piece accessory kit for a wide range of jobs



Art. No. 4419370

TE-MT 18/34 Li

No load speed	5,000 - 34,000 RPM
Clamping range	1/32" - 1/8"
Max. diameter of accessory	1-1/4"
Max. length of accessory	3/4"
Max. spindle length	2"
Flexible shaft length	36"
Product weight	3.1 lbs
*Recommended for maximum results: 2.5 Ah battery	Art. No. 4419370
*Battery and charger sold separately	TE-MT 18/34 Li

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	40 min.	49 min.	79 min.	102 min.	118 min.	157 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Specialty Tools - Bare Tools

18V CORDLESS HEAT GUN

- » High-power hot air gun with 2 temperature settings
- » LED display for showing the selected temperature setting
- » Overheating protection for safe operation
- » Mechanical nozzle ejector for easy removal of nozzle attachments
- » Swing-out metal hook for flexible work and storage
- » Ergonomic softgrip surfaces

Standard Accessories

- » Reducer nozzle, wide jet nozzle, reflector nozzle



Art. No. 4520502

TE-HA 18 Li

Number of temperature settings	2
Temperature setting 1	350°C
Temperature setting 2	550°C
Air flow at setting 1 & 2	7 CFM (200 l/min)
Product weight	1.3 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery	Art. No. 4520502
*Battery and charger sold separately	TE-HA 18 Li

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	9 min.	11 min.	17 min.	22 min.	25 min.	34 min.

¹⁾ Battery capacity ²⁾ Max. operating time on setting 2

Specialty Tools - Bare Tools

18V CORDLESS HVLP HANDHELD PAINT SPRAYER

- » Hand-held system for small/medium-sized working areas
- » Adapted for spraying of lacquers and glazes
- » Removable spray head for cleaning
- » Paint flow regulation for ideal adaptation of paint application
- » Adjustable air cap for vertical, horizontal and round jets
- » Ergonomic softgrip surfaces
- » Practical hanging device for space-saving storage

Standard Accessories

- » 2 nozzles (2 & 2.5 mm) for different viscosities of lacquer and glaze
- » Purification brush for cleaning the uptake
- » Purification needle for cleaning the spray nozzle
- » 100 ml viscosity cup for examination of viscosity
- » Lid for paint container
- » 800 ml paint container with measurement scale



Art. No. 4260027

TC-SY 18/60 Li

Flow rate	650 ml/min (22 fl.oz. / 0.17 US Gallon)
Max. viscosity	60 DIN-sec
Tank volume	800 ml (27 fl.oz. / 0.21 US Gallon)
Product weight	2.6 lbs
*Recommended for maximum results: 2.5 Ah battery	Art. No. 4260027
*Battery and charger sold separately	TC-SY 18/60 Li

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	322 ft².	409 ft².	645 ft².	839 ft².	968 ft².	1,291 ft².

¹⁾ Battery capacity ²⁾ Max. area coverage with paint viscosity of 60 DIN-sec

Specialty Tools - Bare Tools

18V 10 OZ. CORDLESS CAULK & ADHESIVE GUN

- » High dispensing force of up to 450 lbf
- » Caulk & adhesive gun for 10.5 oz. (310 ml) tubes
- » With bright LED for an optimum view of the work area
- » Adjustable speed for various materials and quantities
- » Dispensing speed controlled by adjusting wheel and pressure switch
- » No dripping due to reversing mechanism
- » Slimline design with ergonomic softgrip



Art. No. 4522251

TE-SG 18/10 Li

No load speed	15,000 RPM
Dispensing force	450 lbf
Max. feed rate	0.39"/s
Min. feed rate	0.025"/s
Speed settings	6
Product weight	4.2 lbs

*Recommended for maximum results: 2.5 Ah battery
*Battery and charger sold separately

Art. No. 4522251 TE-SG 18/10 Li	
------------------------------------	--

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	170 tubes	213 tubes	340 tubes	442 tubes	510 tubes	682 tubes

1) Battery capacity 2) Max. number of 10.5 oz. caulking tubes

Specialty Tools - Bare Tools

18V CORDLESS FULL SIZE GLUE GUN

- » Practical LED heat level indicator
- » Operational for glueing after only 120 seconds of warm-up time
- » Safe and comfortable handling thanks to the softgrip
- » Automatic switch-off after 5 minutes of inactivity prevents glue overheating and other related safety risks
- » Practical LED for optimum illumination of the working area
- » Additional flat glueing nozzle for optimum usage in areas that are narrow or difficult to access



Art. No. 4522201

TE-CG 18 Li

Heat-up time (approx.)	120 s
Glue stick diameter	7/16" (0.45")
Glue stick length	8"
Melting temperature	170°
Product weight	0.7 lbs

*Recommended for maximum results: 2.5 Ah battery
*Battery and charger sold separately

Art. No. 4522201 TE-CG 18 Li	
---------------------------------	--

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	18 sticks	22 sticks	36 sticks	44 sticks	50 sticks	75 sticks

1) Battery capacity 2) Max. 8" x 7/16" glue sticks

Standard Accessories

- » 5 glue sticks, 8" length
- » Flat glueing nozzle

Specialty Tools - Bare Tools

18V CORDLESS DRAIN AUGER

- » Easy retraction/extension of drain auger cable
- » Right/left rotation for release when the cable is blocked
- » Galvanized cable prevents rust
- » Convenient cleaning of the drum thanks to the outlet opening
- » Locking mechanism for freeing up stubborn dirt
- » Suitable for pipes 5/8" - 2-1/4" due to its 1/4" cable
- » LED light for illuminating the working area



Art. No. 4514165

TE-DA 18/760 Li

No load speed	0 - 560 RPM
Cable length	25 feet
Cable diameter	1/4"
Min. pipe diameter	5/8"
Max. pipe diameter	2-1/4"
Product weight	8.1 lbs

*Recommended for maximum results: 2.0 or 2.5 Ah battery
*Battery and charger sold separately

Art. No. 4514165 TE-DA 18/760 Li	
-------------------------------------	--

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	56 min.	68 min.	112 min.	143 min.	188 min.	224 min.

1) Battery capacity 2) Max. operating time in idle mode

Specialty Tools - Bare Tool

18V 24" CORDLESS PUSH FLOOR SWEEPER

- » Sweep up your garage, patio, driveway or warehouse without effort using the battery-assisted brush-drive
- » Sweep areas up to 19,375 ft²/h thanks to a cleaning width of 24"
- » 2 side brushes allow sweeping up to the edges
- » Sturdy base area and height adjustable long handle for easy storage
- » Removable lip for sweeping uneven surfaces
- » Comfortable softgrip handle with On/Off switch
- » Easy to transport thanks to large wheels and ergonomic design
- » Comes with high-quality 5.3 US Gallon (20 L) debris collector

NEW



Art. No. 2352045

TE-SW 18/610 Li

Cleaning width	24"
Debris collector volume	5.3 US Gallon (20 L)
Product weight	22.7 lbs
*Recommended for maximum results: 4.0 Ah battery	Art. No. 2352045
*Battery and charger sold separately	TE-SW 18/610 Li



¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	9,150 ft ² .	11,300 ft ² .	18,300 ft ² .	23,680 ft ² .	27,450 ft ² .	36,600 ft ² .

¹⁾ Battery capacity ²⁾ Max. workable area

Vacuums / Wet-Dry Vacuums - Bare Tools

18V CORDLESS HANDHELD VACUUM

- » Dust container with a volume of 540 ml (18.3 oz.)
- » Can clean filters under running water
- » Space-saving storage thanks to the integrated wall bracket



Standard Accessories

- » Floor nozzle for hard floors and smooth surfaces
- » Crevice nozzle for hard-to-reach areas
- » Upholstery nozzle for cleaning upholstery and fabrics
- » Extension tube (18") for cleaning floors
- » Hanging bracket

Art. No. 2347124

TE-VC 18 Li

Max. suction power	17.5 CFM (495 l/min)
Dust container volume	540 ml (18.3 oz.)
Product weight	2 lbs
*Recommended for maximum results: 2.5 Ah battery	Art. No. 2347124
*Battery and charger sold separately	TE-VC 18 Li



¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	16 min.	18 min.	31 min.	40 min.	46 min.	62 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Vacuums / Wet-Dry Vacuums - Bare Tools

18V CORDLESS DELUXE HANDHELD / STICK VACUUM

- » 2 speeds (ECO/BOOST) for optimal battery use
- » Cordless handheld vacuum with high suction power up to 36 CFM
- » Large dust container with 600 ml (20.3 oz.) capacity
- » Quick, easy emptying of the dust container by pressing a button
- » Can clean filter under running water
- » Space-saving storage thanks to the integrated wall bracket



Standard Accessories

- » Floor nozzle for hard floors and smooth surfaces
- » Crevice nozzle for hard-to-reach areas
- » Upholstery nozzle for upholstery and fabrics
- » 2 extension tubes (total 27-9/16") to clean floors
- » Hanging bracket

Art. No. 2347195

TE-HV 18/06 Li

Max. suction power	36 CFM (1,019 l/min)
Dust container volume	600 ml (20.3 oz.)
Suction tube length	27-9/16"
Suction tube diameter	1-1/4"
Product weight	2.2 lbs
*Recommended for maximum results: 2.5 Ah battery	Art. No. 2347195
*Battery and charger sold separately	TE-HV 18/06 Li



¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	22 min.	26 min.	44 min.	54 min.	65 min.	88 min.
³⁾	12 min.	15 min.	25 min.	32 min.	39 min.	50 min.

¹⁾ Battery capacity ²⁾ Max. operating time in ECO mode ³⁾ Max. operating time in BOOST mode

Vacuums / Wet-Dry Vacuums - Bare Tools

18V CORDLESS STICK VACUUM CLEANER

- » 4x spotlight LEDs for cleaning even in dark hard-to-reach areas
- » Rubberized wheels protect the floor
- » Lightweight design for tireless working in and around the house
- » 3-fold filter system for high suction power and clean air
- » Bag-free emptying system protects the environment, saves costs and stands for hygiene by avoiding contact with dirt
- » Suction power adjustment to every situation: ECO and BOOST mode
- » Combines all advantages in one device: lightweight like a hand vacuum, and perfect handling for cleaning floors like a stick vacuum
- » Flexible crevice nozzle for vacuuming hard-to-reach areas

Standard Accessories

- » Flexible crevice nozzle, brush and wall holder for stick vacuum & accessories



Art. No. 2347184

TE-SV 18 Li

Max. suction power	21 CFM (594 l/min)
Dust container volume	0.16 US Gallon (0.6 L)
Product weight	4 lbs
*Recommended for maximum results: 2.5 or 4.0 Ah battery *Battery and charger sold separately	Art. No. 2347184 TE-SV 18 Li

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	25 min.	31 min.	50 min.	65 min.	80 min.	100 min.
³⁾	11 min.	13 min.	22 min.	28 min.	35 min.	44 min.

¹⁾ Battery capacity ²⁾ Max. running time in ECO mode ³⁾ Max. running time in BOOST mode

Optional Accessory

Replacement Washable Filter	Art. No. 2351268
-----------------------------	------------------

Vacuums / Wet-Dry Vacuums - Bare Tools

18V CORDLESS POWER WET MOP

- » Power wet mop with 11.4" wide roller is ideal for cleaning hard floors, parquet, laminate, PVC, linoleum and tiles
- » Optimal control of the water supply via trigger on the handle
- » Adjustable roller speed via BOOST function for cleaning persistent stains
- » Slim design thanks to foldable battery holder
- » Self-standing function to save storage space
- » Removable dirty water tank and easy-to-fill fresh water tank
- » Continuous operation for comfortable operation
- » Self-cleaning function cleans roller when placed on cleaning/parking station
- » Comes with cleaning/parking station with practical carrying handle and cleaning tool for removing hair or similar from the roller

Standard Accessories

- » Cleaning/parking station
- » Cleaning tool



Art. No. 3437120

CLEANEXXO

Roller width	11.4"
Capacity of fresh water tank	0.11 US Gallon (400 ml)
Capacity of dirty water tank	0.08 US Gallon (300 ml)
Product weight	5.5 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	Art. No. 3437120 CLEANEXXO

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	85 min.	107 min.	170 min.	225 min.	260 min.	345 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Optional Accessory

2 pc. Replacement Cleaning Rollers Kit	Art. No. 3437112
--	------------------

Vacuums / Wet-Dry Vacuums - Bare Tools

18V 2.6 GALLON (10 L) CORDLESS WET/DRY VACUUM

- » Easy to empty 2.6 US Gallon (10 L) tank to quick-release fasteners
- » Ergonomic design and carry-handle for easy transport
- » Highly versatile – wet and dry vacuuming possible
- » Blow connection for blow-cleaning of hard-to-reach areas
- » Included accessories can be stored directly on the equipment
- » One-hand operation thanks to intelligent ON/OFF switch position

Standard Accessories

- » Extendible hose with a total length of 6.6 ft.
- » 2-in-1 crevice/brush nozzle and 2-in-1 upholstery/universal nozzle
- » Foam filter, filter bag and paper dust bag



Art. No. 2347165

TE-VC 18/10 Li

Max. suction power	42.4 CFM (1,200 l/min)
Volume	2.6 US Gallon (10 L)
Suction hose length	2.3 to 6.6 ft.
Suction hose diameter	1-3/8"
Sound pressure level	72 dB
Sealed suction (water lift)	33"
Product weight	6.6 lbs
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately	Art. No. 2347165 TE-VC 18/10 Li

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	10 min.	12 min.	21 min.	26 min.	30 min.	42 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Optional Accessories

5 pc. 10 L Foam Filters Kit	Art. No. 2351136
5 pc. 10 L Dust Bags Kit	Art. No. 2351261

Vacuums / Wet-Dry Vacuums - Bare Tools

18V 5.3 GALLON (20 L) CORDLESS WET/DRY VACUUM

- » 5.3 US Gallon (20 L) stainless steel tank
- » Blow connection for blow-cleaning hard-to-reach areas
- » 4 castors for good mobility
- » Practical accessories holder for clean stowage and operations
- » Hose system with 1-3/8" diameter maintains high air and dirt flow



Standard Accessories

- » Plastic suction hose and three-part extension tube
- » Big combination nozzle, crevice nozzle & upholstery nozzle
- » Foam filter, pleated filter and paper dust bag

Optional Accessories

	5 pc. 20 L / 30 L Foam Filters Kit	Art. No. 2351137		<small>7 72995 01807 9</small>		5 pc. 20 L High Efficiency Dust Bags Kit	Art. No. 2351192		<small>7 72995 01809 3</small>
	5 pc. 20 L Dust Bags Kit	Art. No. 2351168		<small>7 72995 01812 3</small>		1 pc. Pleated Filter w/Lid	Art. No. 2351118		<small>7 72995 01811 6</small>
	1 pc. 20 L / 30 L Fabric Filter	Art. No. 2351142		<small>7 72995 01806 2</small>		3 pc. Nozzle Kit	Art. No. 2351236		<small>7 72995 01810 9</small>

Art. No. 2347137

TC-VC 18/20 Li S

Max. suction power	53 CFM (1,500 l/min)
Volume	5.3 US Gallon (20 L)
Suction hose length	4.9 ft.
Suction hose diameter	1-3/8"
Sound pressure level	72 dB
Sealed suction (water lift)	33"
Product weight	7.9 lbs

*Recommended for maximum results: 4.0 Ah battery	Art. No. 2347137	
*Battery and charger sold separately	TC-VC 18/20 Li S	<small>7 72995 01778 2</small>

	¹⁾ 2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	²⁾ 10 min.	11 min.	20 min.	25 min.	32 min.	40 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Vacuums / Wet-Dry Vacuums - Bare Tools

36V 8 GALLON (30 L) CORDLESS WET/DRY VACUUM

- » TWIN-PACK technology: 2 x 18V Power X-Change batteries required
- » 2 speeds (ECO/BOOST) for optimal battery use
- » High suction power with simultaneous wirele freedom
- » 8 US Gallon (30 L) stainless steel tank
- » Blow connection for blow-cleaning hard-to-reach areas
- » 2 large wheels and 2 castors for better mobility
- » Practical accessories holder for clean stowage and operations
- » Water drain screw for draining water
- » Telescopic stainless steel suction tube 1-3/8"
- » Air regulator on the handle



Standard Accessories

- » Heavy-duty 1-3/8" suction hose (8.2 ft.)
- » Big comfort nozzle for carpets/smooth floors
- » Foam filter, pleated filter and dust bag

Optional Accessories

	5 pc. 20 L / 30 L Foam Filters Kit	Art. No. 2351137		<small>7 72995 01807 9</small>		5 pc. 30 L High Efficiency Dust Bags Kit	Art. No. 2351196		<small>7 72995 01808 6</small>
	5 pc. 30 L Dust Bags Kit	Art. No. 2351176		<small>7 72995 01813 0</small>		1 pc. Pleated Filter w/Lid	Art. No. 2351118		<small>7 72995 01811 6</small>
	1 pc. 20 L / 30 L Fabric Filter	Art. No. 2351142		<small>7 72995 01806 2</small>		3 pc. Nozzle Kit	Art. No. 2351236		<small>7 72995 01810 9</small>

Art. No. 2347141

TE-VC 36/30 Li S

Max. suction power	56 CFM (1,585 l/min)
Volume	8 US Gallon (30 L)
Suction hose length	8.2 ft.
Suction hose diameter	1-3/8"
Sound pressure level	76 dB
Sealed suction (water lift- ECO/BOOST)	40" 59"
Product weight	17.6 lbs

*Recommended for maximum results: 2 x 4.0 Ah batteries	Art. No. 2347141	
*Batteries and charger sold separately	TE-VC 18/30 Li S	<small>7 72995 01779 9</small>

	¹⁾ 2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	²⁾ 8 min.	10 min.	16 min.	21 min.	24 min.	32 min.
	³⁾ 11 min.	13 min.	22 min.	28 min.	33 min.	44 min.

¹⁾ Battery capacity ²⁾ Max. running time in ECO mode ³⁾ Max. running time in BOOST mode

Vacuums / Wet-Dry Vacuums - Bare Tools
18V 4 GALLON (15 L) CORDLESS ASH VACUUM

- » With filter cleaning system for restoring the suction power
- » The 4 US Gallon (15 L) tank enables a long use
- » Four castors for mobility
- » Practical carrying handle for easy transport
- » Convenient storage thanks to the hose rewind on the head
- » Metal-reinforced suction hose and aluminum crevice nozzle
- » Convert to blowing function by inserting hose in the air outlet
- » Easy emptying of the container thanks to quick-release fasteners


Standard Accessory

- » Pleated filter

Air Movement - Bare Tools
18V CORDLESS COMPACT BLOWER

- » Low and high power settings
- » Versatile for work site, workshop or garden
- » Air flow up to 180 km/h
- » Air flow setting 1: 130 km/h
- » Air flow setting 2: 180 km/h
- » Ergonomic softgrip surfaces


Standard Accessories

- » 3 inflation nozzles

Air Movement - Bare Tools
36V 1.6 GALLON (6 L) CORDLESS COMPACT AIR COMPRESSOR

- » TWIN-PACK technology: 2 x 18V Power X-Change batteries required
- » Oil-free, service-free motor for low maintenance requirements
- » Mobile, high-performance cordless compressor with a 1.6 US Gallon (6 L) tank
- » Ergonomic design and handle for easy transport
- » Applications up to 135 PSI (9.3 bar) can be set using the pressure reducer
- » Pressure gauge & quick-release coupling for regulated pressure
- » Vibration-damped feet for standing securely
- » Safety valve protects user
- » Drain cock enables user-friendly maintenance


Standard Accessories

- » 8 ft. high-quality air hose
- » Blow-out gun, tire pressure gauge and 8-piece adapter set

Art. No. 2361701
TE-AV 18/15 Li C

Tank capacity	4 US Gallon (15 L)
Suction hose length	4 ft.
Suction hose diameter	1-3/8"
Product weight	6.6 lbs
*Recommended for maximum results: 2.5 or 4.0 Ah battery	Art. No. 2361701
*Battery and charger sold separately	TE-AV 18/15 Li C

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	15 min.	18 min.	30 min.	37 min.	44 min.	60 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Art. No. 3408005
TE-CB 18/180 Li

No load speed- setting 1 (low)	11,500 RPM
No load speed- setting 2 (high)	15,500 RPM
Max. air speed	180 km/h
Product weight	4.8 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery	Art. No. 3408005
*Battery and charger sold separately	TE-CB 18/180 Li

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	39 min.	48 min.	68 min.	100 min.	124 min.	136 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Art. No. 4020455
TE-AC 36/6/8 Li OF SET

Motor speed	16,000 RPM
No load speed	3,200 RPM
Air flow	4.58 CFM (130 l/min)
Output power	1.94 CFM (55 l/min) @ 58 PSI (4 bar)
Output power	1.34 CFM (38 l/min) @ 102 PSI (7 bar)
Max. operating pressure	135 PSI (9.3 bar)
Tank capacity	1.6 US Gallon (6 L)
No. of cylinders	1
Product weight	21.4 lbs
*Recommended for maximum results: 2 x 4.0 Ah batteries	Art. No. 4020455
*Batteries and charger sold separately	TE-AC 36/6/8 Li OF SET

¹⁾	⊙ 2.0 Ah	⊙ 2.5 Ah	⊙ 4.0 Ah	⊙ 5.2 Ah	⊙ 6.0 Ah	⊙ 8.0 Ah
²⁾	25 cycles	29 cycles	50 cycles	60 cycles	80 cycles	100 cycles
³⁾	400 staples	435 staples	800 staples	900 staples	1,320 staples	1,600 staples

¹⁾ Battery capacity ²⁾ Tank inflation cycles per charge ³⁾ 1/2" Narrow crown staples per charge

Air Movement - Bare Tools

18V CORDLESS HIGH VOLUME POWER INFLATOR

- » Ideal for inflating rafts, air mattresses and other leisure items
- » 2 valve adapters for flexible application
- » Enables fast filling with 23.66 CFM (670 l/min) and a max. pressure of 0.76 PSI (0.053 bar)
- » Deflate by simply changing the attachment to the deflation port
- » Can also be used as a workshop blower for a quick cleaning
- » Locking switch for fatigue-free work
- » Comes with LED light for illumination in low-light conditions
- » Ergonomic handle for increased operator comfort



Art. No. 2070120

CE-AP 18 Li

No load speed	18,700 RPM
Max. operating pressure	0.76 PSI (0.053 bar)
Max. delivery rate	23.66 CFM (670 l/min)
Product weight	1.3 lbs
*Recommended for maximum results: 2.5 Ah battery *Battery and charger sold separately	Art. No. 2070120 CE-AP 18 Li



¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	65 min.	81 min.	130 min.	169 min.	195 min.	260 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Air Movement - Bare Tools

18V CORDLESS HIGH PRESSURE INFLATOR WITH DIGITAL GAUGE

- » Ideal for inflating car tires, bicycle tires and sport balls
- » Digital pressure indicator for quick and easy reading
- » Selection either bar, PSI or kPa modes
- » Easy adjustment of the pressure up to max. 160 PSI (11 bar)
- » Automatic shut-off function when desired pressure is reached
- » Manual inflating without pre-settings also possible
- » Integrated storage of the 3-piece inflatable adapter set
- » 23" pressure hose
- » Ergonomic handle for increased operator comfort



Art. No. 2071020

CE-CC 18 Li

No load speed	16,500 RPM
Max. operating pressure	160 PSI (11 bar)
Pressure hose length	23"
Product weight	1.8 lbs
*Recommended for maximum results: 2.5 Ah battery *Battery and charger sold separately	Art. No. 2071020 CE-CC 18 Li



¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	42 min.	53 min.	84 min.	109 min.	126 min.	168 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Standard Accessories

- » 3-piece inflation adapter set



Air Movement - Bare Tools

18V DUAL FUNCTION CORDED/CORDLESS INFLATOR/DEFLATOR

- » Hybrid function: for use with a power cable/rechargeable battery
- » High-pressure pump for inflating car tires, cycle tires, balls
- » Low-pressure pump for inflating air mattresses
- » Low-pressure suction function for deflating air mattresses
- » Easy-to-operate manual digital pressure indicator
- » High-pressure pump with adjustable pressure settings up to 160 PSI (11 bar)
- » With auto shutoff function when adjusted pressure is reached
- » Integrated storage holder for the 3-piece inflation adapter set



Art. No. 4020463

PRESSITO

Power supply	18V & 120V 60 Hz
Suction capacity high pressure pump	0.73 CFM (21 l/min)
Output power at 58 PSI (18V)	0.32 CFM (9 l/min)
Output power at 102 PSI (18V)	0.21 CFM (6 l/min)
Output power at 58 PSI (120V)	0.34 CFM (10 l/min)
Output power at 102 PSI (120V)	0.28 CFM (8 l/min)
Max. volumetric flow	13.3 CFM (380 l/min)
Max. operating pressure	160 PSI (11 bar)
Hose lengths (low/high)	12.2" 28"
Product weight	4.6 lbs
*Recommended for maximum results: 4.0 battery *Battery and charger sold separately	Art. No. 4020463 PRESSITO



¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	30 min.	37 min.	60 min.	85 min.	90 min.	120 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Standard Accessories

- » 3-piece inflation adapter set



Air Movement - Bare Tools

18V CORDLESS INFLATOR/DEFLATOR

- » High-pressure pump for inflating car tires, cycle tires and balls
- » Low-pressure pump for inflating air mattresses
- » Low-pressure suction function for deflating air mattresses
- » Two-line pressure display for viewing the set and actual pressure
- » High-pressure pump adjustable up to 160 PSI (11 bar)
- » Auto shutdown function when the set pressure is reached
- » Selectable pressure units: Bar, PSI and kPa
- » Manual push-button for inflation without pressure presetting
- » Integrated storage compartment for the 4 inflation adapters
- » Practical carrying handle for easy transport

Standard Accessories

- » 4-piece inflation adapter set



Air Movement - Bare Tools

18V 7" CORDLESS FAN

- » Compact and portable cordless fan for indoor or outdoor use
- » Variable adjustment of the fan head
- » Numerous fastening options
- » 3 speed settings for adjusting the air flow



LED Lights - Bare Tools

18V CORDLESS LED WORK LIGHT

- » High-quality LED of the company CREE Ltd.
- » Practical metal hook
- » Ergonomic handle with softgrip
- » High flexibility thanks to a swiveling head



Art. No. 4020421

PRESSITO 18/25

Suction capacity high pressure pump	0.88 CFM (25 l/min)
Output power at 58 PSI	0.39 CFM (11 l/min)
Output power at 102 PSI	0.32 CFM (9 l/min)
Max. volumetric flow- suction	12.7 CFM (360 l/min)
Max. volumetric flow- inflator	15.9 CFM (450 l/min)
Max. operating pressure	160 PSI (11 bar)
Hose lengths (low/high)	28" - 63" / 28"
Product weight	5.1 lbs
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately	
Art. No. 4020421 PRESSITO 18/25	

 ¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	22 min.	28 min.	44 min.	58 min.	68 min.	88 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Art. No. 3408036

GE-CF 18/2200 Li

Fan diameter	7"
No load speed	1,200 / 1,700 / 2,200 RPM
Max. air speed	15 km/h
Swivel range	0 - 360°
Product weight	2.6 lbs
*Recommended for maximum results: 2.5 Ah battery *Battery and charger sold separately	
Art. No. 3408036 GE-CF 18/2200 Li	

 ¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	7 hours	8.8 hours	14 hours	18 hours	21 hours	28 hours

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Art. No. 4514135

TC-CL 18 Li H

Number of LED	1
Max. lumens	280 lm
Light color	7,000 K
Max. illumination range	108 ft.
Product weight	0.4 lbs
*Recommended for maximum results: 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4514135 TC-CL 18 Li H	

 ¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	10 hours	12 hours	22 hours	32 hours	33 hours	44 hours

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

LED Lights - Bare Tools

18V 1,000 LUMEN CORDLESS LED WORK LIGHT

- » 15 powerful LEDs with a total of 1,000 lumens
- » Three brightness levels, ideal illumination for short distances
- » High flexibility due to foldable light head
- » LED light consists of two light strips
- » Hooks and eyelets for flexible attachment and storage
- » Slim, lightweight design with ergonomic handle with softgrip



Art. No. 4514181

TE-CL 18/1000 S Li

Number of LED	15
Max. lumens	1,000 lm
LED light settings	3
Light color	5,700 K
Max. illumination range	16.4 ft.
Product weight	1.5 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4514181 TE-CL 18/1000 S Li	

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	145 min.	181 min.	289 min.	376 min.	434 min.	578 min.

1) Battery capacity 2) Max. operating time in max. brightness setting

LED Lights - Bare Tools

18V 2,500 LUMEN CORDLESS LED SPOTLIGHT

- » 7 bright LEDs with a total of 2,500 lumens
- » Two brightness levels for ideal illumination
- » 6,500K color temperature for a well-lit work area
- » Slim-line and lightweight design for versatile use
- » Ergonomic handle with softgrip
- » Can be operated from a 12V cigarette lighter socket
- » Can be fastened to a tripod thanks to the 1/4" tripod thread



Art. No. 4514146

TE-CL 18/2500 LiAC

Number of LED	7
Max. lumens	2,500 lm
Light color	6,500 K
Spotlight range	2,100 ft.
Product weight	1.3 lbs
*Recommended for maximum results: 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4514146 TE-CL 18/2500 LiAC	

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	291 min.	355 min.	611 min.	794 min.	916 min.	1,222 min.
	85 min.	111 min.	183 min.	238 min.	274 min.	366 min.

1) Battery capacity 2) Max. luminous period at 40% 3) Max. luminous period at 100%



Standard Accessory

- » 12V cigarette lighter socket adapter

LED Lights - Bare Tools

18V 2,000 LUMEN HYBRID LED WORK LIGHT

- » Optimum illumination thanks to high-performance LED
- » High flexibility thanks to a swiveling lamp head
- » Universal use thanks to numerous fastening options
- » Hybrid function ensures permanent operational readiness



Art. No. 4514137

TE-CL 18/2000 LiAC

Power supply	18V & 120V 60 Hz
Number of LED	20
Max. lumens	2,000 lm
Light color	5,300 K
Number of brightness levels	3
Product weight	2.9 lbs
*Recommended for maximum results: 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4514137 TE-CL 18/2000 LiAC	

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	115 min.	145 min.	230 min.	300 min.	345 min.	460 min.

1) Battery capacity 2) Max. operating time in idle mode



Standard Accessory

- » 120V power adapter

Practical Tools/Accessories - Bare Tools

18V CORDLESS HYBRID JOBSITE RADIO WITH BLUETOOTH

- » Uninterrupted listening to music without cables
- » Colourful and razor-sharp TFT-display
- » Robust housing with softgrip housing
- » Equalizer for individual adjustment of highs and lows
- » Certified IP65 protection class for use in extreme environments
- » Reception of FM stations with 30 presets
- » USB output for charging external devices (5V, DC 1A)
- » Additional playback options: Bluetooth 5.3, AUX & USB inputs

NEW



Standard Accessory

- » 120V AC power adapter



Art. No. 3407997

TE-CR 18 Li DAB+/FM/BT

FM frequency range	87.5 MHz - 108 MHz
Speaker power	2 x 10W
Speaker diameter	2 x 3"
TFT Display	2.4"
Product weight	6.8 lbs

*Recommended for maximum results: 2.0 or 2.5 Ah battery
*Battery and charger sold separately

Art. No. 3407997
TE-CR 18 Li DAB+/FM/BT



¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	18 hours	22.5 hours	36 hours	47 hours	54 hours	72 hours

¹⁾ Battery capacity ²⁾ Running time in radio mode- volume 24



Practical Tools/Accessories - Bare Tools

18V CORDLESS BLUETOOTH SPEAKER

- » Easy connection with the device thanks to Bluetooth
- » AUX connection for connecting an MP3 player, mobile phone, etc.
- » USB connection for charging a mobile phone, tablet or MP3 player
- » Intuitive control panel makes it easy to use



Art. No. 4514151

TC-SR 18 Li BT

Output voltage USB	5V
Output current USB	2A
Output power speakers	2 x 3W
Max. volume	85 dB
Output frequency	0.12 kHz - 20 KHz
Bluetooth version	5.0
Product weight	0.6 lbs

*Recommended for maximum results: 2.0 or 2.5 Ah battery
*Battery and charger sold separately

Art. No. 4514151
TC-SR 18 Li BT



¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	57 hours	72 hours	114 hours	148 hours	171 hours	228 hours

¹⁾ Battery capacity ²⁾ Max. operating time at 50%



Storage bags

SMALL STORAGE BAG

- » Universal storage for tools and accessories
- » Reinforced bottom and padded shoulder strap and handle
- » Perfect organization thanks to various pockets and compartments
- » Additional internal compartments for storing PXC batteries
- » Comes with shoulder strap

NEW



Art. No. 4530106

Einhell Bag 45/29

Inside dimensions	16-1/2" x 7-7/8" x 10-5/8"
Outside dimensions	17-3/4" x 8-5/8" x 11-7/16"
Max. payload	45 lbs
Number of compartments (inner/outer)	4 / 8
Product weight	2.5 lbs

Art. No. 4530106
Einhell Bag 45/29



Storage bags

LARGE STORAGE BAG

- » Universal storage for tools and accessories
- » Reinforced bottom and padded shoulder strap and handle
- » Perfect organization thanks to various pockets and compartments
- » Additional internal compartments for storing PXC batteries
- » Comes with shoulder strap

NEW



Art. No. 4530099

Einhell Bag 56/29

Inside dimensions	20-1/2" x 11-7/16" x 9-7/8"
Outside dimensions	22" x 11-7/16" x 11-13/16"
Max. payload	56 lbs
Number of compartments (inner/outer)	12 / 10
Product weight	3.6 lbs

Art. No. 4530099
Einhell Bag 56/29



E-Cases & Accessories

E-CASE S-F SMALL TOOL CASE

- » Locking system for connecting stacked cases, ensures easy storage and transport
- » Scratch-free transport thanks to foam inlay included
- » Splash-proof design for safe storage and transport
- » High-quality polypropylene ensures heat resistance, stiffness and impact resistance
- » 2 x foldable, ergonomic handles for comfortable transportation
- » Equipped with padlock hole to secure case

Standard Accessories

- » Foam inlay for bottom



Art. No. 4540022

E-Case S-F

Inside dimensions	16-5/16" x 10-3/4" x 3-3/4"	
Outside dimensions	17-1/2" x 13" x 5-1/8"	
Max. payload	55 lbs	
Product weight	3.7 lbs	
	Art. No. 4540022 E-Case S-F	7 72995 01786 7

E-CASE L LARGE ROLLING TOOL CASE

- » Locking system for connecting stacked cases ensures easy storage and transport
- » High-quality polypropylene ensures heat resistance, stiffness and impact resistance
- » Robust and durable construction allows a payload of up to 264 lbs
- » Easy transport thanks to telescopic, extra-wide handle
- » 6" large wheels enable comfortable rolling on any surface
- » Padlock hole applicable as anti-theft device

Standard Accessories

- » 1 x E-Case L, 1 x hand tool tray and 1 x label & 2 x spacer clips



Art. No. 4540023

E-Case L

Inside dimensions	16-3/8" x 10-3/4" x 12-5/8"	
Max. payload	264 lbs	
Product weight	13.7 lbs	
	Art. No. 4540023 E-Case L	7 72995 01787 4



E-CASE TOWER ROLLING TOOL CASE

- » Locking system for connecting stacked cases ensures easy storage and transport
- » High-quality polypropylene ensures heat resistance, stiffness and impact resistance
- » Robust and durable construction allows a payload of up to 264 lbs
- » Easy transport thanks to telescopic, extra-wide handle
- » 6" large wheels enable comfortable rolling on any surface
- » Foldable, ergonomic handle for comfortable carrying up to 198 lbs
- » Padlock lock applicable as anti-theft device

Standard Accessories

- » 1 x E-Case S-F comes with foam inlay (bottom)
- » 1 x E-Case S-C comes with compartments (2 x large, 3 x middle, 4 x small)
- » 1 x E-Case L comes with tool tray
- » 3 x Labels & 2 x spacer clips



Art. No. 4540024

E-Case Tower

Inside dimensions of E-Case S-F	16-5/16" x 10-3/4" x 3-3/4"	
Inside dimensions of E-Case L	16-3/8" x 10-3/4" x 12-5/8"	
Max. payload	264 lbs	
Product weight	22.3 lbs	
	Art. No. 4540024 E-Case Tower	7 72995 01788 1



Optional Accessories



E-Case Compartments Kit

Art. No. 4540025



E-Case Perforated Foam Kit

Art. No. 4540026





Einhell
PROFESSIONAL

PROFESSIONAL CORDLESS POWER TOOLS

Handheld Power Tools / Stationary Power Tools

NEW

**18V PROFESSIONAL CORDLESS
DRUM SANDER/BURNISHER**

- BRUSHLESS

Art. No. 4468020 (TP-BR 18/32 LI BL)

For more information, see page 36

**OUR PROMISE
TO DIY-PROS & PROFESSIONALS**

True Pros always give MORE...
Because every move has to be perfect.
Where precision is a must.
And every second counts.
They expect tools to give them MORE.
Now Einhell gives them MORE.

MORE PERFORMANCE.*

MORE ENDURANCE.*

MORE WARRANTY.**

MORE LIFETIME.*

MORE FUNCTIONALITY.*



POWER XCHANGE



**MORE POWER
FOR PROS.**

*in comparison to carbon brush motors.
**on Brushless motors upon online registration.

Professional Drilling/Driving - Kits & Bare Tools

18V PROFESSIONAL 1/2" CORDLESS COMPACT DRILL/DRIVER

NEW

- » Brushless motor - more power, longer runtimes
- » High-grade 1/2" metal keyless drill chuck
- » Compact and powerful
- » Anti-kickback function helps prevent injury from recoil
- » 2-speed gearbox for powerful drilling and driving
- » Electronic speed control for work suited to the material
- » Quick stop for fast and easy tool changes
- » Torque-slip clutch prevents screw overtightening
- » Practical belt clip for efficient and safe operation
- » LED light for optimal work area illumination



Art. No. 4514407

TP-CD 18/50-C Li BL-BRUSHLESS

Number of gears	2
Idle speed (gear 1)	0 - 500 RPM
Idle speed (gear 2)	0 - 2,000 RPM
Max. torque	443 in/lbs (36 ft/lbs / 50 Nm)
Number of torque steps	20+1 settings
Drill chuck	1/2" single sleeve
Housing length	5-1/2"
Product weight	2 lbs

*Recommended for maximum results: 2.0 or 2.5 Ah battery
*Battery and charger sold separately

Art. No. 4514407
TP-CD-18/50-C Li BL



¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	330 screws	415 screws	660 screws	860 screws	990 screws	1,320 screws

¹⁾ Battery capacity ²⁾ Quantity of 2-3/8" screws

Professional Drilling/Driving - Kits & Bare Tools

18V PROFESSIONAL 1/2" CORDLESS COMPACT HAMMER DRILL/DRIVER

NEW

- » Brushless motor - more power, longer runtimes
- » High-grade 1/2" metal keyless drill chuck
- » Compact and powerful
- » Anti-kickback function helps prevent injury from recoil
- » 2-speed gearbox for powerful drilling and driving
- » Hammer drilling function for versatile use
- » Electronic speed control for work suited to the material
- » Quick stop for fast and easy tool changes
- » Torque-slip clutch prevents screw overtightening
- » Practical belt clip for efficient and safe operation
- » LED light for optimal work area illumination



Art. No. 4514343

TP-CD 18/70-C Li-i BL-BRUSHLESS

Number of gears	2
Idle speed (gear 1)	0 - 450 RPM
Idle speed (gear 2)	0 - 2,000 RPM
Impact speed (gear 1)	0 - 6,750 RPM
Impact speed (gear 2)	0 - 30,000 RPM
Max. torque	619 in/lbs (51 ft/lbs / 70 Nm)
Number of torque steps	21+1+1 settings
Drill chuck	1/2" single sleeve
Housing length	5-5/8"
Product weight	2.3 lbs

*Recommended for maximum results: 2.0 or 2.5 Ah battery
*Battery and charger sold separately

Art. No. 4514343
TP-CD-18/70-C Li-i BL



¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	330 screws	415 screws	660 screws	860 screws	990 screws	1,320 screws

¹⁾ Battery capacity ²⁾ Quantity of 2-3/8" screws

Professional Drilling & Driving - Kits & Bare Tools

18V 1/2" PROFESSIONAL CORDLESS DRILL/DRIVER

- » Brushless motor - more power, longer runtimes
- » High-grade 1/2" metal drill chuck
- » Practical belt clip for efficient and safe operation
- » 2-speed gearing for powerful driving and drilling
- » Ergonomic design with softgrip surfaces
- » Less strain thanks to additional handle
- » LED lamp to illuminate the work area



Art. No. 4513893

TP-CD 18 Li BL-BRUSHLESS

Number of gears	2
Idle speed (gear 1)	0 - 500 RPM
Idle speed (gear 2)	0 - 1,800 RPM
Max. torque	531 in/lbs (44 ft/lbs / 60 Nm)
Number of torque steps	20 settings
Drill chuck	1/2" single sleeve
Product weight	2.9 lbs

*Recommended for maximum results: 2.0 or 2.5 Ah battery
*Battery and charger sold separately

Art. No. 4513893
TP-CD 18 Li BL



¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	350 screws	440 screws	700 screws	920 screws	1,060 screws	1,410 screws

¹⁾ Battery capacity ²⁾ Quantity of 2-3/8" wood screws

Professional Hammer Drills- Bare Tools

18V 1/2" PROFESSIONAL CORDLESS HAMMER DRILL/DRIVER KIT (w/ 2x 2.0 Ah Batteries, Charger & Carry Case)

- » Brushless motor - more power, longer runtimes
- » Hammer drilling function for universal operation
- » High-grade 1/2" metal drill chuck
- » 2-speed gearbox for powerful drilling
- » Electronic speed control to suit application
- » LED light for optimum operation in dark areas
- » Extremely easy to work with due to ergonomic design and softgrip



Standard Accessories

- » 2 x 2.0 Ah Power X-Change batteries & charger
- » Carry case

Art. No. 4514360 TP-CD 18/50 Li-i BL KIT- BRUSHLESS

Battery	18V 2.0 Ah Li-Ion
Number of gears	2
Idle speed (gear 1)	0 - 500 RPM
Idle speed (gear 2)	0 - 1,800 RPM
Hammer speed (gear 1)	0 - 8,000 BPM
Hammer speed (gear 2)	0 - 28,800 BPM
Max. torque	443 in/lbs (36 ft/lbs / 50 Nm)
Number of torque steps	21+1+1 settings
Drill chuck	1/2" single sleeve
Product weight	2.6 lbs
*2 x 2.0 Ah batteries, charger, carry case included	
Art. No. 4514360 TP-CD 18/50 Li-i BL KIT	7 72995 01920 5

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	320 screws	400 screws	640 screws	830 screws	960 screws	1,280 screws

¹⁾ Battery capacity ²⁾ Quantity of 2-3/8" wood screws

Professional Hammer Drills- Bare Tools

18V 1/2" PROFESSIONAL CORDLESS HAMMER DRILL/DRIVER

- » Brushless motor - more power, longer runtimes
- » Hammer drilling function for stone and masonry
- » High-quality 1/2" keyless metal drill chuck
- » Electronic speed control to suit material/application
- » 2-speed gearbox for powerful drilling and screwing
- » Ergonomic design with softgrip for comfortable work
- » Practical belt clip for efficient and safe operation
- » Integrated LED light to illuminate the working area
- » Comes with additional handle



Art. No. 4514380 TP-CD 18/120 Li-i BL- BRUSHLESS

Number of gears	2
Idle speed (gear 1)	0 - 500 RPM
Idle speed (gear 2)	0 - 2,100 RPM
Hammer speed (gear 1)	0 - 6,550 BPM
Hammer speed (gear 2)	0 - 27,300 BPM
Max. torque	1,062 in/lbs (88 ft/lbs / 120 Nm)
Number of torque steps	21+1+1 settings
Drill chuck	1/2" single sleeve
Product weight	4 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery	
*Battery and charger sold separately	
Art. No. 4514380 TP-CD 18/120 Li-i BL	7 72995 02047 8

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	190 screws	240 screws	445 screws	580 screws	670 screws	895 screws

¹⁾ Battery capacity ²⁾ Quantity of 2-3/8" wood screws

Professional Impact Drivers / Wrenches - Bare Tools

18V 1/4" PROFESSIONAL CORDLESS IMPACT DRIVER

- » Brushless motor - more power, longer runtimes
- » Effortless tightening of large/long screws
- » 1/4" hex. bit (Recommendation: impact-resistant bits)
- » Speed control for fine adjustment
- » Short, lightweight design with ergonomic softgrip
- » Special impact mechanism protects the wrist from torsional forces
- » 3 powerful LED to illuminate the work area



Art. No. 4510045 TP-CI 18 Li BL- BRUSHLESS

No load speed	0 - 2,900 RPM
Impacts per minute	0 - 3,000 IPM
Type of bit interlock	Mechanic locking sleeve
Tool collet (hex.)	1/4"
Max. fastening torque	1,594 in/lbs (132 ft/lbs / 180 Nm)
Max. breakaway torque	663 in/lbs (55 ft/lbs / 75 Nm)
Product weight	2.6 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery	
*Battery and charger sold separately	
Art. No. 4510045 TP-CI 18 Li BL	7 72995 01758 4

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	280 screws	350 screws	560 screws	730 screws	840 screws	1,120 screws

¹⁾ Battery capacity ²⁾ Quantity of 2-3/8" wood screws

Professional Impact Drivers / Wrenches - Bare Tools

18V 1/2" PROFESSIONAL CORDLESS IMPACT WRENCH & DRIVER

- » Brushless motor - more power, longer runtimes
- » Powerful high-torque cordless impact wrench
- » Practical belt clip for efficient and safe operation
- » Small and light - for comfortable operation
- » Robust 1/2" external square drive mount
- » Ergonomic softgrip surfaces
- » Complete with 1/4" bit adapter for screw driving and 3 LED to illuminate the work area



Standard Accessory

- » 1/4" bit adapter

Art. No. 4510062

TP-CW 18 Li BL- BRUSHLESS

No load speed	0 - 2,900 RPM
Impacts per minute	0 - 3,000 IPM
Tool collet (square)	1/2"
Tool collet (hex.)	1/4"
Max. fastening torque	1,770 in/lbs (147 ft/lbs / 200 Nm)
Max. breakaway torque	1,903 in/lbs (158 ft/lbs / 215 Nm)
Product weight	2.4 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	Art. No. 4510062 TP-CW 18 Li BL

1)	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
2)	100 nuts	125 nuts	200 nuts	260 nuts	300 nuts	400 nuts

1) Battery capacity 2) Wheel nuts

Professional Impact Drivers / Wrenches - Bare Tools

18V 1/2" PROFESSIONAL CORDLESS IMPACT WRENCH & DRIVER

- » Brushless motor - more power, longer runtimes
- » High-torque impact wrench for releasing wheel nuts
- » Robust 1/2" external square drive mount
- » Special impact mechanism protects the wrists from twisting forces
- » Robust gear housing for a longer lifetime
- » Electronic speed control to suit material/application
- » Complete with LED light to illuminate the work area
- » Belt clip for safe keeping during working breaks
- » Ergonomic design and softgrip for more grip
- » Complete with a 1/4" bit adapter for fixing bits for screws



Standard Accessory

- » 1/4" bit adapter

Art. No. 4510081

IMPAXXO 18/230- BRUSHLESS

No load speed	0 - 2,900 RPM
Impacts per minute	0 - 3,000 IPM
Tool collet (square)	1/2"
Tool collet (hex.)	1/4"
Max. fastening torque	2,036 in/lbs (169 ft/lbs / 230 Nm)
Max. breakaway torque	3,983 in/lbs (332 ft/lbs / 450 Nm)
Product weight	2.4 lbs
*Recommended for maximum results: 2.5 Ah battery *Battery and charger sold separately	Art. No. 4510081 IMPAXXO 18/230

1)	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
2)	100 nuts	125 nuts	200 nuts	260 nuts	300 nuts	400 nuts

1) Battery capacity 2) Wheel nuts

Professional Impact Drivers / Wrenches - Bare Tools

18V 1/2" PROFESSIONAL CORDLESS IMPACT WRENCH

- » Brushless motor - more power, longer runtimes
- » Very high torque for easy loosening of wheel nuts
- » Robust 1/2" external square drive mount
- » LED light to illuminate the work area
- » 3 speed settings for a perfect speed adjustment
- » Complete with 1/4" bit adapter for screw driving
- » Complete with a 3 pc. socket set for car wheel changing (sizes: 17, 19, 21 mm)



Standard Accessories

- » 1/2" to 1/4" hex. impact rated bit adapter for screwing
- » 17mm, 19mm, 21mm impact rated nut set for changing car tires
- » Belt clip for quick temporary storage

Art. No. 4510071

IMPAXXO 18/400- BRUSHLESS

Number of gears	3
No load speed	0 - 2,100 RPM
Impacts per minute	0 - 3,300 IPM
Tool collet (square)	1/2"
Max. fastening torque	3,540 in/lbs (295 ft/lbs / 400 Nm)
Max. breakaway torque	7,081 in/lbs (590 ft/lbs / 800 Nm)
Product weight	4.4 lbs
*Recommended for maximum results: 2.5 Ah battery *Battery and charger sold separately	Art. No. 4510071 IMPAXXO 18/400

1)	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
2)	55 nuts	70 nuts	110 nuts	140 nuts	170 nuts	220 nuts

1) Battery capacity 2) Wheel nuts

Professional Impact Driver/Wrenches - Bare Tools

18V 1/2" PROFESSIONAL CORDLESS IMPACT WRENCH

Art. No. 4510098

TP-CW 18/750-C Li BL-BRUSHLESS

- » Brushless motor - more power, longer runtimes
- » Compact and powerful
- » High torque for easy loosening of wheel bolts
- » 3 torque/speed settings for optimum adjustment of torque and speed
- » Finely adjustable electronic speed control
- » Robust 1/2" square drive socket
- » LED light illuminates the work area
- » Practical belt clip for efficient and safe operation



Standard Accessories

- » 1/2" to 1/4" hex. impact rated bit adapter for screwing
- » 17mm, 19mm, 21mm impact rated nut set for changing car tires
- » Belt clip for quick temporary storage

No load speed	0 - 2,200 RPM
Impacts per minute	0 - 2,700 IPM
Tool collet (square)	1/2"
Tool collet (hex.)	1/4"
Max. fastening torque	6,640 in/lbs (553 ft/lbs / 750 Nm)
Max. breakaway torque	8,850 in/lbs (737 ft/lbs / 1,000 Nm)
Product weight	4 lbs
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately	Art. No. 4510098 TP-CW 18/750-C Li BL

1)	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
2)	810 nuts	1,010 nuts	1,620 nuts	2,100 nuts	2,430 nuts	3,240 nuts

1) Battery capacity 2) Wheel nuts

Professional Rotary Hammer Drills - Bare Tools

18V 3/4" PROFESSIONAL SDS-PLUS CORDLESS ROTARY HAMMER

Art. No. 4513906

HEROCCO 18/20 - BRUSHLESS

- » Brushless motor - more power, longer runtimes
- » 4+1 functions: Drilling/hammer drilling/chiseling with & w/o lock
- » Pneumatic impact mechanism for effortless drilling in concrete
- » Universal SDS-plus chuck with semi-automatic function
- » Speed electronics for fine adjustment on delicate jobs
- » Low-vibration operations by vibration-cushioned main handle
- » Ergonomic softgrip surfaces with additional handle
- » Adjustable drilling depth stop made of solid metal
- » Comes with LED lamp to illuminate the work area
- » Supplied with E-Box case



Standard Accessory

- » Magnetic bit adapter

No load speed	0 - 1,200 RPM
Hammer speed	0 - 5,500 BPM
Impact power	1.6 ft/lbs
Drilling capacity in concrete	3/4"
Product weight	4.6 lbs
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately	Art. No. 4513906 HEROCCO 18/20

1)	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
2)	87 holes	108 holes	174 holes	225 holes	260 holes	345 holes

1) Battery capacity 2) 1/4" x 1-15/16" long holes in red brick

Professional Rotary Hammer Drills - Bare Tools

36V 1" PROFESSIONAL SDS-PLUS CORDLESS ROTARY HAMMER

Art. No. 4513977

HEROCCO 36/28- BRUSHLESS

- » Brushless motor - more power, longer runtimes
- » TWIN-PACK technology: 2 x 18V Power X-Change batteries required
- » High drilling performance with cordless freedom
- » 4 functions: Drilling/hammer drilling/chiseling with and w/o lock
- » Overload safety stop for extra user safety
- » Universal SDS-Plus chuck with semi-automatic function
- » Electronic speed controller for fine adjustment on delicate jobs
- » Low-vibration operations by vibration-cushioned main handle
- » Ergonomic handle and additional handle with softgrip
- » Adjustable drilling depth stop made of solid metal
- » Comes with LED light to illuminate the work area
- » Supplied with E-Box case



Battery	36V (2 x 18V)
No load speed	0 - 1,100 RPM
Hammer speed	0 - 5,300 BPM
Impact power	2.3 ft/lbs
Drilling capacity in concrete	1.1"
Product weight	7.4 lbs
*Recommended for maximum results: 2 x 4.0 Ah batteries *Batteries and charger sold separately	Art. No. 4513977 HEROCCO 36/28

1)	⊙ 2.0 Ah	⊙ 2.5 Ah	⊙ 4.0 Ah	⊙ 5.2 Ah	⊙ 6.0 Ah	⊙ 8.0 Ah
2)	79 holes	105 holes	169 holes	222 holes	276 holes	368 holes

1) Battery capacity 2) 5/16" x 2" deep holes in concrete

Professional Saws - Bare Tools

18V 7-1/4" PROFESSIONAL CORDLESS CIRCULAR SAW

- » Brushless motor - more power, longer runtimes
- » Easy adjustment without tools (cutting depth, tilt angle)
- » Complete with LED lamp to illuminate the work area
- » Ergonomic softgrip surfaces
- » Dust extraction adapter to keep the workplace clean
- » Parallel stop for precise cuts



Standard Accessory

- » 7-1/4" - 24 tooth circular saw blade

Art. No. 4331211

TP-CS 18/190 Li BL- BRUSHLESS

No load speed	3,800 RPM
Saw blade	7-1/4" x 5/8" x 1/16"
Number of saw teeth	24 teeth
Cutting depth at 45°	1-3/4"
Cutting depth at 90°	2-1/2"
Product weight	7.1 lbs
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately	Art. No. 4331211 TP-CS 18/190 Li BL



1)	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
2)	78 ft.	98 ft.	160 ft.	206 ft.	239 ft.	291 ft.

1) Battery capacity 2) Rip cutting 3/4" OSB

Professional Saws - Bare Tools

18V PROFESSIONAL CORDLESS RECIPROCATING SAW

- » Brushless motor - more power, longer runtimes
- » Rotatable main handle for maximum flexibility
- » Anti-vibration function ensures low vibration during operation
- » Adjustable 3 position soleplate for optimum blade use
- » Tool-free blade changes for quick application
- » Ergonomic softgrip surfaces



Standard Accessory

- » 6"- 7 TPI wood saw blade

Art. No. 4326311

TP-AP 18/28 Li BL- BRUSHLESS

No load speed	0 - 2,500 SPM
Stroke length	1-1/8"
Cutting depth in wood	8"
Cutting depth in plastic	13/16"
Cutting depth in metal	1/2"
Product weight	4.4 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	Art. No. 4326311 TP-AP 18/28 Li BL



1)	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
2)	226 cuts	332 cuts	556 cuts	723 cuts	834 cuts	1,112 cuts

1) Battery capacity 2) Max. number of cuts in 1-3/8" round timber

Professional Saws - Bare Tools

18V PROFESSIONAL VARIABLE SPEED CORDLESS JIGSAW

- » Brushless motor - more power, longer runtimes
- » Tool-free universal blade holder
- » Includes dust blow-off function for optimum visibility
- » Complete with LED lamp to illuminate the work area
- » Integrated plastic sliding element for sensitive workpieces
- » Ergonomic softgrip surfaces
- » Complete with chip guard for cuts without splintering



Standard Accessory

- » 1 x wood saw blade

Art. No. 4321263

TP-JS 18/135 Li BL- BRUSHLESS

Speeds	7 settings
Strokes per minute	0 - 3,500 SPM
Stroke	1-1/32"
Max. cutting depth in wood	5-1/4"
Max. cutting depth in plastic	13/16"
Max. cutting depth in metal	13/32"
Orbital settings	4
Max. bevel capacity	45°
Product weight	4.8 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	Art. No. 4321263 TP-JS 18/135 Li BL



1)	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
2)	14 min.	18 min.	29 min.	37 min.	43 min.	57 min.

1) Battery capacity 2) Max. operating time in idle mode

Professional Saws - Bare Tools

18V PROFESSIONAL VARIABLE SPEED CORDLESS JIGSAW W/ BARREL GRIP

- » Brushless motor - more power, longer runtimes
- » Barrel grip handle for easy tool guidance overhead
- » Tool-free universal blade holder
- » Includes dust blow-off function for optimum visibility
- » Complete with LED lamp to illuminate the work area
- » Integrated plastic sliding element for sensitive workpieces
- » Ergonomic softgrip surfaces
- » Complete with chip guard for cuts without splintering



Standard Accessories

- » 3 x wood saw blades

Art. No. 4321267

TP-JST 18/135 Li BL- BRUSHLESS

Strokes per minute	0 - 3,500 SPM
Stroke	1-1/32"
Max. cutting depth in wood	5-1/4"
Max. cutting depth in plastic	13/16"
Max. cutting depth in metal	13/32"
Orbital settings	4
Max. bevel capacity	45°
Product weight	4.4 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4321267	TP-JST 18/135 Li BL

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	14 min.	18 min.	29 min.	37 min.	43 min.	57 min.

1) Battery capacity 2) Max. operating time in idle mode

Professional Saws - Bare Tools

18V PROFESSIONAL CORDLESS OSCILLATING MULTI-TOOL

- » Brushless motor - more power, longer runtimes
- » Innovative anti-vibration head for vibration reduction
- » 3 functions: grinding, sawing and scraping
- » Quick-release tool-free accessory change
- » Electronic speed control to suit material and application
- » 12-pin tool holder for flexible positioning of accessories
- » Convenient accessory change thanks to magnetic tool holder
- » LED light for optimal illumination of the work area



Standard Accessories

- » Triangular grinding/sanding plate
- » 9 x grinding/sanding paper (3 x 60, 80, 120 Grit)
- » Scraper
- » Plunge-cut saw blade for wood and plastic (HCS)
- » BIM plunge-cut saw blade for metal
- » Segment saw blade for wood, plastic and soft metal (HSS)
- » Diamond segment saw blade for tile joint

Art. No. 4465191

TP-MG 18 Li BL- BRUSHLESS

Angle of oscillation	L/R: 1.6° (3.2° total)
No load speed	11,000 - 20,000 RPM
Oscillating speed	22,000 - 40,000 OPM
Sandpaper size	3-1/2" x 3-1/2" x 3-1/2"
Product weight	2.4 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4465191	TP-MG 18 Li BL

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	34 min.	43 min.	68 min.	89 min.	102 min.	136 min.

1) Battery capacity 2) Max. operating time in idle mode

Professional Sanders - Bare Tools

18V 5" PROFESSIONAL RANDOM ORBIT SANDER

- » Brushless motor - more power, longer runtimes
- » Electronic speed control to suit material and application
- » Removable additional handle
- » Flat design for more control while sanding
- » Safe and comfortable working thanks to softgrip
- » Dust extraction with dust collection box and pleated filter



Standard Accessories

- » 3 x sanding discs (60/80/120 Grit)
- » Dust collection box

Art. No. 4462021

TP-RS 18/32 Li BL- BRUSHLESS

No load speed	3,000 - 12,000 RPM
Oscillating speed	6,000 - 24,000 OPM
Oscillating circuit	1/8"
Sanding disc size	5"
Product weight	2.4 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4462021	TP-RS 18/32 Li BL

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	29 min.	36 min.	58 min.	75 min.	87 min.	115 min.

1) Battery capacity 2) Max. operating time in idle mode

Optional Accessory

25 pc. Sandpaper Kit (9 x 60, 8 x 120, 8 x 180 Grit)	Art. No. 4460737	
--	------------------	--

Professional Sanders - Bare Tools

18V PROFESSIONAL CORDLESS 3" x 18" BELT SANDER

- » Brushless motor – more power, longer runtimes
- » Electronic speed control for material & usage-oriented work
- » Tool-free sanding belt change thanks to locking lever
- » Precise belt tracking adjustment
- » Handle and additional handle with softgrip for optimal handling
- » Integrated storage surface for stationary use
- » Continuous use lock for comfortable working
- » Integrated dust extraction and extraction adapter
- » Dust collection box for dust-free workplace



Standard Accessories

- » 3 sanding belts (80 Grit)
- » Dust extraction adapter

Art. No. 4466271

TP-BS 18/457 Li BL- BRUSHLESS

Belt speed	394 - 820 ft/min
Sanding belt	3" x 18"
Sanding surface	3" x 5"
Product weight	5.7 lbs
*Recommended for maximum results: 2.5 Ah battery	Art. No. 4466271
*Battery and charger sold separately	TP-BS 18/457 Li BL

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	15 min.	18 min.	30 min.	38 min.	44 min.	59 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Professional Sanders - Bare Tools

18V PROFESSIONAL CORDLESS DRUM SANDER/ BURNISHER

NEW

- » Brushless motor - more power, longer runtimes
- » Effortless removal, even close to edges
- » Continuous operation lock for comfortable use
- » Quick, tool-free adjustment of the guard
- » Finely adjustable electronic speed control for delicate work
- » Overload and restart protection
- » Handle with softgrip for comfortable handling
- » Additional handle with softgrip



Standard Accessories

- » Brass wire brush
- » Hex. key for changing brush

Art. No. 4468020

TP-BR 18/32 Li BL-BRUSHLESS

No load speed	900 - 3,200 RPM
Brush diameter	4-3/4"
Brush width	4"
Shaft diameter / shaft length	3/4" / 3-3/4"
Product weight	8.8 lbs
*Recommended for maximum results: 4.0 Ah battery	Art. No. 4468020
*Battery and charger sold separately	TP-BR 18/32 Li BL

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	36 ft.	43 ft.	69 ft.	88 ft.	105 ft.	138 ft.

¹⁾ Battery capacity ²⁾ Sanding soft wood, width of 4"

Optional Accessories

Replacement 4-3/4" Brass Wire Brush	Art. No. 4468025	
4-3/4" Nylon Brush	Art. No. 4468028	
4-3/4" Abrasive Strip Brush- 80 Grit	Art. No. 4468029	

Professional Drywall Sander - Bare Tool

18V 9" PROFESSIONAL CORDLESS DRYWALL SANDER

- » 6 electronic speed control settings for adjusting to material & application
- » Switch with lock button for low-fatigue operation
- » Integrated dust extraction system for clean work area
- » Sanding disk with spring bearing for optimum contact to the wall
- » Sanding disk with micro hook-and-loop fastening
- » Swivel brush ring for keeping the workplace clean
- » Folding handle for easy transport and storage
- » Softgrip surfaces enable operation without fatigue
- » Supplied in a practical transport E-case



Standard Accessories

- » Extension hose w/ integrated supporting foot
- » Dust bag with a quick-release fastener and harness
- » 6x sanding discs and 1x abrasive mesh
- » Adapter for connecting a suitable vacuum cleaner

Art. No. 4259992

TP-DW 18/225 Li

Variable speed range	600 - 1,200 RPM
Wheel diameter	9"
Telescopic tube range	43.3" - 65"
Hose length	78"
Product weight	6.6 lbs
*Recommended for maximum results: 2.5 or 4.0 Ah battery	Art. No. 4259992
*Battery and charger sold separately	TP-DW 18/225 Li

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	27 min.	33 min.	53 min.	69 min.	80 min.	110 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Professional Angle Grinders - Bare Tools

18V 4-1/2" PROFESSIONAL CORDLESS ANGLE GRINDER

- » Brushless motor – more power, longer runtimes
- » Quick fix nut for an easy and tool-free grinding wheel change
- » Softstart function and restart safeguard to make it safer
- » Overload cut-out for a long service life
- » Grinding wheel guard with quick adjust lever
- » Robust aluminium gearing housing
- » Additional handle can be fitted in 2 positions
- » Grinding wheel not included



Professional Angle Grinders - Bare Tools

18V 5" PROFESSIONAL CORDLESS ANGLE GRINDER

- » Brushless motor - more power, longer runtimes
- » Softstart function and restart safeguard to make it safer
- » Overload cut-out for a long service life
- » Smooth operation thanks to separation of motor and gearing
- » Disc guard with quick adjust lever
- » Robust aluminum gearing housing
- » Dust protection guard protects the item from invading dust
- » Additional handle can be fitted in 2 positions
- » Grinding wheel not included



Professional Polisher - Bare Tool

18V 5" PROFESSIONAL CORDLESS VARIABLE SPEED RANDOM ORBIT POLISHER

NEW

- » Brushless motor - more power, longer runtimes
- » Optimal, groove-free polishing results thanks to the eccentric function
- » Precise 6 speed adjustments due to electronic speed control
- » Softstart for starts without polish splashes
- » Quick attachment change via hook and loop fastener
- » Continuous operation lock for fatigue-free work
- » Comfortable work thanks to ergonomic knob handle and additional side handle



Standard Accessories

- » 3 x 5" polishing pads

Professional Specialty Tools - Bare Tools

18V 18-GAUGE PROFESSIONAL CORDLESS NARROW CROWN STAPLER

- » PressAir technology: Maintenance-free
- » Robust gearbox allows up to 60 impacts per minute
- » Switchable between single and bump-firing modes
- » Tool-free depth adjustment for precise work
- » Large magazine with fill level indicator for up to 100 staples
- » Tool-free removal of jammed staples
- » Safety against accidental activation of the stapler
- » Two LED illuminate the working area
- » No scratching of the workpiece thanks to rubberized sides
- » Practical belt clip for additional user comfort
- » Suitable for 3/8" - 1-1/2" long standard 1/4" narrow crown staples



Standard Accessories

- » 500 1-1/2" narrow crown staples

Art. No. 4431147

AXXIO 18/115 Q- BRUSHLESS

Grinder wheel diameter	4-1/2"
No load speed	8,500 RPM
Max. cutting depth	1-1/8"
Spindle thread	5/8" - 11 UNC
Arbor	7/8"
Product weight	3.5 lbs
*Recommended for maximum results: 2.5 Ah battery	Art. No. 4431147
*Battery and charger sold separately	AXXIO 18/115 Q

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	29 cuts	37 cuts	63 cuts	92 cuts	94 cuts	126 cuts

¹⁾ Battery capacity ²⁾ Number of cuts through Ø 1/2" round steel

Art. No. 4431143

AXXIO 18/125- BRUSHLESS

Grinding wheel diameter	5"
No load speed	8,500 RPM
Max. cutting depth	1-5/16"
Spindle thread	5/8" - 11 UNC
Arbor	7/8"
Product weight	3.5 lbs
*Recommended for maximum results: 2.5 or 4.0 Ah battery	Art. No. 4431143
*Battery and charger sold separately	AXXIO 18/125

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	33 cuts	37 cuts	61 cuts	85 cuts	92 cuts	122 cuts

¹⁾ Battery capacity ²⁾ Number of cuts through Ø 1/2" round steel

Art. No. 2093328

CP-EP 18/125 Li BL-BRUSHLESS

No load speed	500 - 3,800 RPM
Diameter	5"
Orbital diameter	5/16"
Product weight	4.6 lbs
*Recommended for maximum results: 4.0 battery	Art. No. 2093328
*Battery and charger sold separately	CP-EP 18/125 Li BL

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	25 min.	30 min.	50 min.	65 min.	70 min.	100 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Optional Accessory

Replacement 3 pc. 5" Polishing Pad Kit (Soft, medium soft, medium hard)	Art. No. 2093249
---	------------------

Art. No. 4257786

FIXETTO 18/38 S

Staple length	3/8" - 1-1/2"
Staple width	1/4" (0.22" - 0.24")
Max. number of shots	60 per min.
Magazine capacity	100 staples
Product weight	6.2 lbs
*Recommended for maximum results: 2.5 Ah battery	Art. No. 4257786
*Battery and charger sold separately	FIXETTO 18/38 S

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	850 staples	1,063 staples	1,700 staples	2,210 staples	2,250 staples	3,400 staples
³⁾	780 staples	975 staples	1,560 staples	2,028 staples	2,340 staples	3,120 staples

¹⁾ Battery capacity ²⁾ Max. 7/8" staples in softwood ³⁾ Max. 1-1/2" staples in softwood

Professional Specialty Tools - Bare Tools

18V 18-GAUGE PROFESSIONAL CORDLESS BRAD NAILER

- » PressAir technology: Maintenance-free
- » Robust gearbox allows up to 60 impacts per minute
- » Switchable between single and bump-firing modes
- » Tool-free depth adjustment for precise work
- » Robust design with ergonomic handle
- » Large magazine with fill level indicator for up to 100 nails
- » Tool-free removal of jammed brad nails
- » Safety against unintentional release of the nailer
- » Two LEDs illuminate the working area
- » No scratching of the workpiece thanks to rubberized sides
- » Practical belt clip for additional user comfort
- » Suitable for 5/8" - 2" long and 0.047" thick brad nails



Standard Accessories

- » 500 2" brad nails

Art. No. 4257796

FIXETTO 18/50 N

Nail length	5/8" - 2"
Nail diameter	0.047"
Max. number of shots	60 per min.
Magazine capacity	100 brad nails
Product weight	6.1 lbs
*Recommended for maximum results: 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4257796 FIXETTO 18/50 N	

Battery capacity ¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. 1-1/4" nails in softwood ²⁾	840 nails	1,050 nails	1,679 nails	2,183 nails	2,519 nails	3,358 nails
Max. 2" nails in softwood ³⁾	685 nails	857 nails	1,370 nails	1,781 nails	2,055 nails	2,740 nails

1) Battery capacity 2) Max. 1-1/4" nails in softwood 3) Max. 2" nails in softwood

Professional Specialty Tools - Bare Tools

18V PROFESSIONAL CORDLESS COMPACT ROUTER

- » Brushless motor - more power, longer runtimes
- » Electronic speed control with powerful motor
- » Adjustable routing depth adjustment
- » Spindle lock for easy tool change
- » LED for optimum illumination of the work area
- » Plastic base plate insert protects the work surface
- » Ergonomic handle with softgrip
- » High quality aluminum enables precise milling



Standard Accessories

- » Edge guide, compass point, trimmer roller guide, collet, template guide and dust chute



Art. No. 4350415

TP-ET 18 Li BL- BRUSHLESS

Stroke	1-9/16"
No load speed	10,000 - 30,000 RPM
Collet	1/4"
Max. diameter router bit	1-3/16"
Product weight	2.9 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4350415 TP-ET 18 Li BL	

Battery capacity ¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
1/8" deep milled grooves in softwood with 1/4" bit ²⁾	95 ft.	121 ft.	190 ft.	253 ft.	289 ft.	387 ft.

1) Battery capacity 2) 1/8" deep milled grooves in softwood with 1/4" bit

Professional Specialty Tools - Bare Tools

18V PROFESSIONAL CORDLESS COMPACT ROUTER W/ FIXED BASE & PLUNGE BASE

- » Brushless motor - more power, longer runtimes
- » Very smooth operation for exact cutting
- » Selectable pendulum action for fast cutting
- » Tool-free universal blade holder
- » Includes dust blow-off function for optimum visibility
- » LED lamp to illuminate the work area
- » Integrated plastic sliding element for sensitive workpieces
- » Ergonomic softgrip surfaces
- » Complete with chip guard for cuts without splintering



Standard Accessories

- » Edge guide, edge guide holder, compass point, trimmer roller guide, 1/4" collet, template guide, dust chutes, adjustment wrenches and storage bag



Art. No. 4350413

TP-RO 18 SET Li BL- BRUSHLESS

Stroke	1.38" 1.58"
No load speed	10,000 - 30,000 RPM
Collet	1/4"
Max. diameter router bit	1-3/16"
Product weights	2.8 lbs (fixed base) 5.3 lbs (plunge base)
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4350413 TP-RO 18 SET Li BL	

Battery capacity ¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
1/8" deep milled grooves in softwood with 1/4" bit ²⁾	95 ft.	121 ft.	190 ft.	253 ft.	289 ft.	387 ft.

1) Battery capacity 2) 1/8" deep milled grooves in softwood with 1/4" bit

Professional Specialty Tools - Bare Tools

18V PROFESSIONAL CORDLESS GREASE GUN

NEW

- » Precise grease flow control via adjustment dial
- » Two speeds: maximum pressure or maximum flow rate
- » Fine speed control via trigger switch
- » Lock-on switch for continuous operation
- » Safety lock prevents unintentional start
- » Overload protection for maximum safety and durability
- » Multifill system: cartridge, bag or container, or fill pump
- » Integrated hose holder protects nozzle from dirt
- » LED light for illuminating the work area
- » Press fitted with 1/8" NPTF filling port thread



Standard Accessories

- » 1x nozzle with 1/8" NPTF thread
- » Shoulder strap

Art. No. 4522305

TP-GR 18/690 Li

Grease cartridge capacity	400 g (14 oz. / 0.88 lbs)
Grease bag capacity	455 g (16 oz. / 1 lbs)
Max. operating pressure	10,000 PSI (690 bar)
Max. delivery rate	295 ml/min (10 oz/min)
Mouthpiece hose thread	1/8" NPTF (8 mm)
Filling nipple thread	1/8" NPTF (10 mm)
Product weight	8.8 lbs
*Recommended for maximum results: 4.0 Ah battery	
*Battery and charger sold separately	
Art. No. 4522305	TP-GR 18/690 Li

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	7 pcs.	8 pcs.	13 pcs.	17 pcs.	20 pcs.	26 pcs.
³⁾	9 pcs.	11 pcs.	18 pcs.	23 pcs.	27 pcs.	36 pcs.

¹⁾ Battery capacity ²⁾ Number of 400 g grease cartridges- speed 1 ³⁾ Number of 400 g grease cartridges- speed 2

Professional LED Lights - Bare Tools

18V 3,600 LUMEN PROFESSIONAL CORDLESS FOLDING PANEL LED WORK LIGHT

- » 60 bright LED with a total of 3,600 lumens
- » 5,700 K light color for a neutral tone of white and bright lighting conditions
- » Adjustable light intensity with dimming function
- » Ideal for illuminating distances up to 32.8 ft.
- » Adjustable folding panels for illuminating large areas up to 270°
- » Easy transport thanks to integrated carrying handle
- » Universal mounting via tripod thread (1/4" & 5/8")
- » Hooks and eyelets provide various mounting options



Art. No. 4514176

TP-CL 18/3000 Li

Number of LED	60
Max. lumens	3,600 lm
Light color	5,700 K
LED range	32.8 ft.
Product weight	3.7 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery	
*Battery and charger sold separately	
Art. No. 4514176	TP-CL 18/3000 Li

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	73 min.	91 min.	145 min.	189 min.	218 min.	291 min.

¹⁾ Battery capacity ²⁾ Max. operating time in max. brightness setting

Professional LED Lights - Bare Tools

18V 3,600 LUMEN PROFESSIONAL CORDLESS FOLDING PANEL LED WORK LIGHT ON TRIPOD

- » 60 bright LED with a total of 3,600 lumens
- » 5,700 K light color for a neutral tone of white and bright lighting conditions
- » Adjustable light intensity with dimming function
- » Ideal for illuminating distances up to 32.8 ft.
- » Adjustable folding panels for illuminating large areas up to 270°
- » Easy transport thanks to integrated carrying handle
- » Universal mounting via tripod thread (1/4" & 5/8")
- » Hooks and eyelets provide various mounting options
- » Comes with tripod with adjustable height from 33" to 67"



Art. No. 4514173

TP-CL 18/3000 Li SET

Number of LED	60
Max. lumens	3,600 lm
Light color	5,700 K
LED range	32.8 ft.
Product weight	7.3 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery	
*Battery and charger sold separately	
Art. No. 4514173	TP-CL 18/3000 Li Set

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	73 min.	91 min.	145 min.	189 min.	218 min.	291 min.

¹⁾ Battery capacity ²⁾ Max. operating time in max. brightness setting

Standard Accessory

- » Adjustable tripod



POWER XCHANGE

CORDLESS OUTDOOR POWER EQUIPMENT

Lawn & Soil Care / Tree and Shrub care / Watering and Drainage / Snow Removal



NEW

**36V 1.522 PSI 1.23 GPM
CORDLESS HIGH PRESSURE WASHER
- BRUSHLESS**

Art. No. 4140161 (HYPRESSO 36/105)
For more information, see page 51

Lawn Mower Kit with Battery and Charger

18V 13" CORDLESS PUSH LAWN MOWER KIT

(w/ 4.0 Ah Battery and Charger)

- » **Brushless motor** - more power, longer runtimes
- » Battery capacity indicator with 3 LEDs
- » Central cutting height adjustment, 5 levels
- » Long folding handle for space-saving storage
- » Height-adjustable long handle with 3 settings
- » Integrated carry-handle for easy transport
- » Fill level indicator on the grass collection bag
- » Wide wheels with lawn-friendly operation
- » High quality, blowmold plastic housing
- » Recommended for lawn areas up to 2,152 ft²

Standard Accessories

- » 1 x 4.0 Ah Power X-Change battery & charger



Art. No. 3413298

GE-CM 18/33 Li BL KIT- BRUSHLESS

Battery	18V 4.0 Ah Li-Ion
Idle speed	3,400 RPM
Cutting width	13"
Cutting height adjustment	5 Steps 1" - 2-1/2" Central
Collection bag capacity	8 US Gallon (30 L)
Wheel diameter (front)	6"
Wheel diameter (rear)	7"
Product weight	22.5 lbs
*1 x 4.0 Ah battery & charger included	Art. No. 3413298 GE-CM 18/33 Li BL KIT

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	1,076 ft ²	1,399 ft ²	2,152 ft ²	3,229 ft ²	4,305 ft ²	5,381 ft ²

¹⁾ Battery capacity ²⁾ Max. workable area

Optional Accessory

13" Replacement Lawn Mower Blade	Art. No. 3405458
----------------------------------	------------------

String Trimmers - Bare Tools

18V 10" CORDLESS TELESCOPIC STRINGLESS BLADE TRIMMER

- » Safety guard and adjustable edge guide
- » Adjustable telescopic long handle
- » User-friendly two-hand operation thanks to additional handle
- » Ergonomic softgrip surfaces

Standard Accessories

- » 20 plastic blades



Art. No. 3411119

GC-CT 18/24 Li

Revolutions of blade	8,500 RPM
Cutting width of blade	9-1/2"
Product weight	2.8 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery	Art. No. 3411119
*Battery and charger sold separately	GC-CT 18/24 Li

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	55 min.	65 min.	125 min.	160 min.	180 min.	250 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Optional Accessory

20 pc. Replacement Blades Kit	Art. No. 3705727
-------------------------------	------------------

String Trimmers - Bare Tools

18V 11" CORDLESS TELESCOPIC STRING TRIMMER

- » Adjustable telescopic long handle
- » Adjustable additional handle
- » Motor head rotates 180° for vertical surfaces & lawn edges
- » Motor head tilts at 3 settings for versatile working
- » Edge guide protects flowers and trees against damage
- » Fully-automatic line spool feed
- » Ergonomic softgrip surfaces

Standard Accessory

- » 16.4 ft. x 0.065" trimmer line spool



Art. No. 3411245

GE-CT 18/28 Li

Revolutions of thread	8,000 RPM
Cutting feature	Single line
Cutting width	11"
Thread diameter	0.065"
Thread length	16.4 ft.
Line feed	Automatic
Product weight	4.6 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery	Art. No. 3411245
*Battery and charger sold separately	GE-CT 18/28 Li

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	45 min.	55 min.	85 min.	95 min.	115 min.	120 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Optional Accessory

16.4 ft. x 0.065" Trimmer Line Spool	Art. No. 3405118
--------------------------------------	------------------

String Trimmers - Bare Tools

18V 12" CORDLESS TELESCOPIC STRING TRIMMER

- » Adjustable telescopic long handle
- » Adjustable additional handle for comfortable handling
- » Motor head rotates 90° for vertical surfaces & lawn edges
- » Comes with edging-wheel which enables precise edge trimming
- » Motor head can be tilted at 3 settings
- » Edge guide protects flowers and trees against damage
- » Includes line spool (16.4 ft.) with bump-feed system
- » Ergonomic softgrip surfaces


Standard Accessory

- » 16.4 ft. x 0.065" trimmer line spool

Art. No. 3411260
GE-CT 18/30 Li

Revolutions of thread	8,500 RPM
Cutting feature	Single line
Cutting width	12"
Thread diameter	0.065"
Thread length	16.4 ft.
Line feed	Bump-feed
Product weight	4.6 lbs
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately	Art. No. 3411260 GE-CT 18/30 Li

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	30 min.	35 min.	55 min.	65 min.	80 min.	120 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Optional Accessory

16.4 ft. x 0.065" Trimmer Line Spool	Art. No. 3405119
--------------------------------------	------------------

String Trimmers - Bare Tools

36V 12" CORDLESS STRING TRIMMER

- » TWIN-PACK technology: 2 x 18V Power X-Change batteries required
- » Front-Motor: Perfect power transmission and weight balance
- » Adjustable additional handle
- » Electronic speed control
- » Long handle made of aluminum
- » Split handle for easy transport and space-saving storage
- » Safety guard and edge guide
- » Wall bracket
- » Ergonomic softgrip surfaces


Standard Accessory

- » 26 ft. x 0.080" trimmer line spool

Art. No. 3411295
GE-CT 36/30 Li E

Revolutions of thread	9,000 RPM
Cutting feature	Single line
Cutting width	12"
Thread diameter	0.080"
Thread length	26 ft.
Line feed	Automatic
Product weight	6.6 lbs
*Recommended for maximum results: 2 x 4.0 Ah batteries *Batteries and charger sold separately	Art. No. 3411295 GE-CT 36/30 Li E

¹⁾	⊖ 2.0 Ah	⊖ 2.5 Ah	⊖ 4.0 Ah	⊖ 5.2 Ah	⊖ 6.0 Ah	⊖ 8.0 Ah
²⁾	30 min.	38 min.	60 min.	75 min.	90 min.	120 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Optional Accessory

26 ft. x 0.080" Trimmer Line Spool	Art. No. 3405097
------------------------------------	------------------

Hedge Trimmers - Kits & Bare Tools

18V 20" CORDLESS HEDGE TRIMMER KIT

(w/ 2.0 Ah Battery and Charger)

- » Blades are made of laser-cut and diamond-ground steel
- » Ergonomic, small front handle with micro switch
- » Metal gearing for a long life
- » Shock guard with wall mount
- » Sturdy cutter guard for storage and transportation


Standard Accessories

- » 1 x 2.0 Ah Power X-Change battery & charger

Art. No. 3410709
GE-CH 1846 Li KIT

Battery	18V 2.0 Ah Li-Ion
Blade length	20-1/2"
Spacing between teeth	9/16"
Max. cutting diameter	0.43"
Cutting speed	2,200 cuts/min
Product weight	4.4 lbs
*1 x 2.0 Ah battery & charger included	Art. No. 3410709 GE-CH 1846 Li KIT

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	80 min.	100 min.	160 min.	210 min.	240 min.	320 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Hedge Trimmers - Kits & Bare Tools

18V 24" CORDLESS HEDGE TRIMMER

- » Blades are made of laser-cut and diamond-ground steel
- » Ergonomic slim front handle with micro switch
- » Metal gearing for a long life
- » Cutting collector
- » Aluminum cover over blades
- » Ergonomic softgrip surfaces
- » Shock guard with wall mount
- » Sturdy cutter guard for storage and transportation



Art. No. 3410923

ARCURRA 18/55

Blade length	24.4"
Space between teeth	3/4"
Max. cutting diameter	0.6"
Cutting speed	2,400 cuts/min
Product weight	6.3 lbs

*Recommended for maximum results: 4.0 Ah battery
*Battery and charger sold separately

Art. No. 3410923
ARCURRA 18/55



¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	45 min.	53 min.	90 min.	110 min.	135 min.	180 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Hedge Trimmers - Kits & Bare Tools

36V 28" CORDLESS HEDGE TRIMMER

- » TWIN-PACK technology: 2 x 18V Power X-Change batteries required
- » Blades are made of laser-cut and diamond-ground steel
- » Ergonomic slim front handle with micro switch
- » Pivoting rear handle
- » Metal gearing for a long life
- » Cutting collector
- » Aluminum cover over cutters
- » Safety guard with holder for wall mount
- » Sturdy cutter guard for storage and transportation



Art. No. 3410963

GE-CH 36/65 Li

Blade length	28"
Space between teeth	1.18"
Max. cutting diameter	0.7"
Cutting speed	2,700 cuts/min
Product weight	8.8 lbs

*Recommended for maximum results: 2 x 4.0 Ah batteries
*Batteries and charger sold separately

Art. No. 3410963
GE-CH 36/65 Li



¹⁾	⊙ 2.0 Ah	⊙ 2.5 Ah	⊙ 4.0 Ah	⊙ 5.2 Ah	⊙ 6.0 Ah	⊙ 8.0 Ah
²⁾	45 min.	53 min.	90 min.	110 min.	135 min.	180 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Pole Hedge Trimmer - Bare Tool

18V 18" CORDLESS POLE HEDGE TRIMMER

- » Motor head can be tilted
- » Blade made of laser-cut and diamond-ground steel
- » Metal gearing for long life
- » Sturdy cutter guard for storage and transportation
- » Shoulder strap



Art. No. 3410584

GC-HH 18/45 Li T

Blade length	18"
Space between teeth	0.70"
Max. cutting diameter	0.63"
Cutting speed	1,400 cuts/min
Product weight	6.8 lbs

*Recommended for maximum results: 4.0 Ah battery
*Battery and charger sold separately

Art. No. 3410584
GC-HH 18/45 Li T



¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	30 min.	35 min.	60 min.	70 min.	80 min.	112 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Standard Accessory

- » Extension pole (26.4" long)

Pole Chain Saw - Bare Tool

18V 8" CORDLESS POLE CHAIN SAW

- » OREGON bar and chain
- » Metal gearing for long life
- » Automatic chain lubrication
- » 30° fixed head
- » Sturdy cutter guard for storage and transportation
- » Shoulder strap

Standard Accessory

- » Extension pole (26.4" long)



Art. No. 3410583

GC-LC 18/20 Li T

Bar length	8"
Cutting speed	18.4 ft/sec (1,082 ft/min / 5.5 m/sec)
Chain pitch teeth	3/8" 33
Chain thickness	0.043"
Oil tank capacity	70 ml
Product weight	7.9 lbs
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately	Art. No. 3410583 GC-LC 18/20 Li T

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	50 cuts	65 cuts	100 cuts	130 cuts	155 cuts	200 cuts

¹⁾ Battery capacity ²⁾ Max. cuts in 2-3/4" x 2-3/4" timber

Optional Accessory

8" Replacement Saw Chain	Art. No. 90PX033X
--------------------------	-------------------

Multi-Attachment Tools - Bare Tools

18V 2-IN-1 CORDLESS TELESCOPIC COMBO

(8" Pole Chain Saw / 18" Hedge Trimmer)

- » Attachment can pivot 90° for effortless horizontal cuts
- » Tilting motor head with 7 settings (-60°, -40°, -20°, 0°, 20°, 40°, 60°)
- » Tilting main handle with 4 settings (-40°, -20°, 0°, 20°)
- » Adjustable telescopic aluminum handle (6 ft. - 9 ft. 8" chain saw / 6.9 ft. - 10 ft. hedge trimmer)
- » Adjustable additional handle with quick fastener
- » Metal gearing for a long life
- » OREGON quality blade and chain
- » Tool-free chain tensioning and chain change
- » Blade made of laser-cut and diamond-grinded steel
- » Shoulder strap
- » Oil tank with automatic chain lubrication



Art. No. 3410789

GE-HC 18 Li T

Chain saw bar length	8"
Chain saw cutting speed	12.14 ft/sec (728 ft/min / 3.7 m/sec)
Chain pitch teeth	3/8" 33
Hedge trimmer blade length	17.7"
Cutting speed	1,700 cuts/min.
Product weight	8.6 lbs
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately	Art. No. 3410789 GE-HC 18 Li T

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	40 cuts	48 cuts	75 cuts	100 cuts	120 cuts	150 cuts
³⁾	30 min.	35 min.	60 min.	75 min.	80 min.	120 min.

¹⁾ Battery capacity ²⁾ Chain Saw- Max. cuts in 2-3/4" x 2-3/4" timber ³⁾ Hedge Trimmer- Max. operating time in idle mode

Multi-Attachment Tools - Bare Tools

36V 4-IN-1 CORDLESS TELESCOPIC COMBO

(13" String Trimmer / 10" Brush Cutter / 8" Pole Chain Saw / 20" Hedge Trimmer)

- » **Brushless motor** - more power, longer runtimes
- » **TWIN-PACK technology:** 2 x 18V Power X-Change batteries
- » Hedge trimmer cutting head tilts with 7 settings
- » OREGON quality blade and chain
- » Oil tank for automatic chain lubrication
- » Single line spool with bump feed system
- » High-quality 3-tooth brush cutter blade



Art. No. 3411325

GE-LM 36/4in1 Li- BRUSHLESS

Hedge trimmer blade length	20"
Tooth spacing	0.95"
Chain saw bar length	8"
Cutting speed	32.8 ft/sec (1,968 ft/min / 10 m/sec)
String trimmer cutting diameter	13"
Brush cutter blade cutting diameter	10"
Product weight	8.8 lbs
*Recommended for maximum results: 2 x 4.0 Ah batteries *Batteries and charger sold separately	Art. No. 3411325 GE-LM 36/4in1 Li

¹⁾	⊖ 2.0 Ah	⊖ 2.5 Ah	⊖ 4.0 Ah	⊖ 5.2 Ah	⊖ 6.0 Ah	⊖ 8.0 Ah
²⁾	80 cuts	100 cuts	160 cuts	200 cuts	240 cuts	320 cuts
³⁾	34 min.	41 min.	68 min.	86 min.	108 min.	136 min.
⁴⁾	27 min.	33 min.	54 min.	66 min.	88 min.	108 min.
⁵⁾	28 min.	33 min.	56 min.	66 min.	80 min.	112 min.

¹⁾ Battery capacity ²⁾ Max. operating time per battery charge ³⁾ Chain Saw- Max. cuts in 2-3/4" x 2-3/4" timber ⁴⁾ Brush Cutter ⁵⁾ String Trimmer ⁵⁾ Hedge Trimmer

Standard Accessory

- » Extension pole (26.4" long)

Optional Accessories

10" Replacement Brush Cutter Blade	Art. No. 3405084
------------------------------------	------------------



26 ft. x 0.080" Trimmer Line Spool	Art. No. 3405097
------------------------------------	------------------

Pruning / Shrub Shears - Bare Tools

18V CORDLESS PRUNING SHEAR

- » For powerful cutting of branches with a thickness up to 1.1"
- » High-quality bypass blades for efficient cutting work
- » Belt clip for optimum carrying comfort
- » Safety switch for safety while using the shear
- » Sliding switch for closing/opening the blade
- » Sturdy plastic cover for the blade for safe storage
- » Effortless and easy change of blade
- » Ergonomic softgrip surface



Art. No. 3408304

GE-LS 18 Li

Max. cutting capacity (softwood)	1.1"
Max. cutting capacity (hardwood)	0.6"
Product weight	1.8 lbs
*Recommended for maximum results: 2.5 Ah battery *Battery and charger sold separately	Art. No. 3408304 GE-LS 18 Li



¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	1,426 cuts	1,783 cuts	2,852 cuts	3,708 cuts	4,278 cuts	5,704 cuts

¹⁾ Battery capacity ²⁾ Max. cuts in 5/8" round dry beech wood

Pruning / Shrub Shears - Bare Tools

18V 2-IN-1 CORDLESS TELESCOPIC GRASS SHEAR & HEDGE TRIMMER (WITH WALKING STICK)

- » Grass shear blade used for perfect cutting result on edges
- » Hedge trimmer blade for hedge and bush care
- » Easy blade change without tools
- » Laser-cut and diamond grinded blades
- » Adjustable telescopic handle
- » Ergonomic softgrip surfaces



Art. No. 3410314

GE-CG 18/100 Li T

No load speed	1,200 RPM
Cutting length (Grass Shear)	4"
Cutting length (Hedge Trimmer)	7.9"
Hedge trimmer cutting diameter	5/16"
Product weight	4.2 lbs

*Recommended for maximum results: 2.5 Ah battery *Battery and charger sold separately	Art. No. 3410314 GE-CG 18/100 Li T
--	---------------------------------------



¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	240 min.	300 min.	480 min.	650 min.	720 min.	960 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Chain Saws- Kits & Bare Tools

18V 6" CORDLESS COMPACT PRUNING CHAIN SAW

- » **Brushless motor** – more power, longer runtimes
- » Excellent for pruning, trimming and shaping trees and shrubs or cutting squared timber
- » Low vibration due to highly efficient motor
- » High quality bar/chain set for high cutting performance
- » Slim shaped handle for ergonomic working
- » Tool-free change of chain and bar
- » Safe use thanks to hand guard and folding chain cover
- » Slim and lightweight design for ergonomic work
- » Hex. key on device for tensioning the chain
- » Comes with measuring help for manual chain lubrication and protective bar cover for storing the chain saw



Art. No. 4600035

GE-PS 18/15 Li BL- BRUSHLESS

No load speed	3,300 RPM
Bar length	6"
Cutting speed	189 IPS (944 ft/min / 4.8 m/sec)
Chain pitch teeth	0.3" 28
Chain thickness	0.039"
Product weight	2.4 lbs

*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately	Art. No. 4600035 GE-PS 18/15 Li BL
--	---------------------------------------



¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	127 pcs.	158 pcs.	254 pcs.	329 pcs.	380 pcs.	506 pcs.

¹⁾ Battery capacity ²⁾ Max. pcs. when cutting 2" round soft wood

Optional Accessories

6" Replacement Bar	Art. No. 4500183
6" Replacement Saw Chain	Art. No. 4500184



Chain Saws - Kits & Bare Tools

18V 10" CORDLESS CHAIN SAW KIT

(w/ 4.0 Ah Battery and Charger)

- » OREGON quality bar and chain
- » Tool-free chain tensioning and changing
- » Ergonomic handle
- » Metal stop claw
- » Big oil filler opening
- » Automatic chain lubrication
- » Chain catch bolt



Standard Accessories

- » 1 x 4.0 Ah Power X-Change battery & charger



Chain Saws - Kits & Bare Tools

18V 10" CORDLESS CHAIN SAW

- » **Brushless motor** - more power, longer runtimes
- » High-quality chain and bar
- » Tool-free chain tensioning and chain change
- » Ergonomic handle with softgrip and felling handle
- » Solid metal claw stop
- » Perfectly balanced side positioning of the battery for optimal protection
- » Automatic chain lubrication
- » Big oil filler opening to avoid spilling and sight glass for chain lubrication
- » Kickback protection with instant chain brake
- » Chain catch bolt

NEW



Chain Saws - Kits & Bare Tools

18V 12" CORDLESS CHAIN SAW

- » **Brushless motor** - more power, longer runtimes
- » OREGON quality bar and chain
- » Adjustable chain speed
- » Switch between Max. power and Eco-Mode
- » Tool-free chain tensioning and changing
- » Kickback protection with chain brake
- » Ergonomic handle with softgrip
- » Metal stop claw
- » Large oil filler opening
- » Automatic chain lubrication
- » Chain catcher



Art. No. 4501786

GE-LC 18/25-1 Li KIT

Battery	18V 4.0 Ah Li-Ion					
Bar length	10"					
Cutting speed	177 IPS (885 ft/min / 4.5 m/sec)					
Chain pitch / teeth	3/8" 40					
Chain thickness	0.043"					
Oil capacity	200 ml					
Product weight	5.1 lbs					
*1 x 4.0 Ah battery & charger included				Art. No. 4501786 GE-LC 18/25-1 Li KIT		
	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	80 pcs.	85 pcs.	130 pcs.	180 pcs.	200 pcs.	320 pcs.

¹⁾ Battery capacity ²⁾ Max. cuts (2-3/4" x 2-3/4")

Optional Accessories

10" Replacement Bar	Art. No. 575271	
10" Replacement Saw Chain	Art. No. 90PX040X	

Art. No. 4600071

GE-LC 18/25 Li BL- BRUSHLESS

Bar length	10"					
Cutting speed	256 IPS (1,279 ft/min / 6.5 m/sec)					
Chain pitch / teeth	3/8" / 40					
Chain thickness	0.043"					
Oil capacity	150 ml					
Product weight	8 lbs					
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately				Art. No. 4600071 GE-LC 18/25 Li BL		
	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	44 pcs.	67 pcs.	100 pcs.	145 pcs.	181 pcs.	242 pcs.

¹⁾ Battery capacity ²⁾ Max. cuts (2-3/4" x 2-3/4")

Optional Accessories

10" Replacement Bar	Art. No. 575271	
10" Replacement Saw Chain	Art. No. 90PX040X	

Art. No. 4600015

FORTEXXA 18/30- BRUSHLESS

Bar length	12"					
Cutting speed	350.4 IPS (1,751 ft/min / 8.9 m/sec)					
Chain pitch / teeth	3/8" 45					
Chain thickness	0.043"					
Oil capacity	160 ml					
Product weight	8.8 lbs					
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately				Art. No. 4600015 FORTEXXA 18/30		
	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	70 pcs.	88 pcs.	140 pcs.	182 pcs.	210 pcs.	280 pcs.
	78 pcs.	98 pcs.	156 pcs.	203 pcs.	234 pcs.	312 pcs.

¹⁾ Battery capacity ²⁾ Max. cuts in 2-3/4" x 2-3/4" timber (MAX. mode) ³⁾ Max. cuts in 2-3/4" x 2-3/4" timber (ECO mode)

Optional Accessories

12" Replacement Bar	Art. No. 124MLEA041	
12" Replacement Saw Chain	Art. No. 90PX045X	

Leaf Blowers/Vacuums/Mulchers - Kits & Bare Tools

18V 110 CFM CORDLESS UNIVERSAL BLOWER

- » Comes with 3 tubes for different applications in house & garden
- » Useable as a leaf blower with the long tube
- » Useable as a workshop blower with the middle tube
- » Useable as a barbecue lighting aid or fire pit starter with short, precision tube
- » Electronic speed control
- » LED lights show the set speed
- » Softgrip handle for fatigue-free work
- » Integrated wall holder for easy storage
- » Strong blow-air velocity of 250 km/h



Art. No. 3433551

GE-UB 18/250 Li E

Max. air volume	110 CFM (3,115 l/min)
Max. air speed	250 km/h
No load speed	4,500 - 15,000 RPM
Power levels	5
Product weight	2.2 lbs

*Recommended for maximum results: 2.0 or 2.5 Ah battery
 *Battery and charger sold separately

Art. No. 3433551
 GE-UB 18/250 Li E

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	65 min.	80 min.	130 min.	166 min.	192 min.	260 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Leaf Blowers/Vacuums/Mulchers - Kits & Bare Tools

18V 100 CFM CORDLESS LEAF BLOWER KIT

(w/ 2.0 Ah Battery and Charger)

- » Electronic speed control
- » Softgrip for user-friendly operation
- » Small and easy to handle
- » Low weight
- » Strong blow-air velocity of 250 km/h



Art. No. 3433543

GC-CL 18/1 Li E KIT

Battery	18V 2.0 Ah Li-Ion
Max. air volume	100 CFM (2,832 l/min)
Max. air speed	250 km/h
No load speed	1,400 - 12,000 RPM
Speed levels	6
Product weight	3.3 lbs

*1 x 2.0 Ah battery & charger included

Art. No. 3433543
 GC-CL 18/1 Li E KIT

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	14-240 min.	16-300 min.	26-480 min.	40-660 min.	42-720 min.	52-960 min.

¹⁾ Battery capacity ²⁾ Max. operating time in ECO/BOOST mode

Standard Accessories

- » 1 x 2.0 Ah Power X-Change battery & charger

Leaf Blowers/Vacuums/Mulchers - Kits & Bare Tools

18V 3-IN-1 300 CFM CORDLESS LEAF BLOWER/VACUUM/MULCHER

- » **Brushless motor** - more power, longer runtimes
- » Tool-free change from blowing and suction function
- » Electronic speed control
- » Large long-lasting quality collection bag with inspection window
- » Collection bag assembly via clever quick fastening system
- » Integrated shredding function includes additional metal knife
- » Comes with additional handle and comfortable shoulder strap
- » Softgrip for non-slip and convenient work
- » Guide wheels for better weight relief
- » Integrated wall holder for easy storage
- » Removable tube for space-saving storage
- » High blowing air speed up to 210 km/h
- » Strong suction power up to 300 CFM



Art. No. 3433647

VENTURRO 18/210- BRUSHLESS

Max. suction power	300 CFM (8,495 l/min)
Max. blowing power	106 CFM (3,001 l/min)
Max. air speed	210 km/h
No load speed	8,000 - 14,000 RPM
Shredding rate	10:1
Collection bag volume	10 US Gallon (38 L)
Product weight	6.6 lbs

*Recommended for maximum results: 4.0 Ah battery
 *Battery and charger sold separately

Art. No. 3433647
 VENTURRO 18/210

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	0-14 min.	5-18 min.	9-30 min.	11-42 min.	15-45 min.	18-60 min.
³⁾	4-15 min.	5-19 min.	9-32 min.	13-40 min.	14-48 min.	18-64 min.

¹⁾ Battery capacity ²⁾ Max. time- Vacuuming leaves ³⁾ Max. time- Blowing leaves

Chipper / Shredder - Bare Tool
36V CORDLESS WOOD CHIPPER/SHREDDER

- » TWIN-PACK technology: 2 x 18V Power X-Change batteries required
- » Hinged, transparent battery cover for protection
- » For shredding hard, dry wood up to max. 1" and fresh, moist cuttings
- » 3 turning knives made of special steel for effective work
- » Generous funnel opening
- » Motor with circuit breaker
- » Swing-down funnel with safety interlock
- » Robust chassis with wheels
- » High-quality collection bag with 14.5 US Gallon (55 L) volume
- » Hooks for securing the shredding collection bag
- » Practical transport handle

Standard Accessories

- » Collection bag, paddle & paddle holder


Art. No. 3430730
REDAXXO 36/25

Max. branch diameter	1"
Number of turning blades	3 pcs.
Collection bag capacity	14.5 US Gallon (55 L)
Product weight	22.9 lbs

*Recommended for maximum results: 2 x 4.0 Ah batteries
*Batteries and charger sold separately

Art. No. 3430730
REDAXXO 36/25



¹⁾	⊖ 2.0 Ah	⊖ 2.5 Ah	⊖ 4.0 Ah	⊖ 5.2 Ah	⊖ 6.0 Ah	⊖ 8.0 Ah
²⁾	20 min.	25 min.	40 min.	52 min.	60 min.	80 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Optional Accessory

3 pc. 2" Chipper Shredder Replacement Blades Kit

Art. No. 3405935


Tiller / Cultivator - Bare Tool
36V 12" CORDLESS TILLER/CULTIVATOR

- » TWIN-PACK technology: 2 x 18V Power X-Change batteries required
- » Two-point safety switch
- » Ergonomic folding handle
- » 4 robust steel cultivating tine blades
- » Height-adjustable wheels for easy transportation


Art. No. 3431205
GE-CR 30 Li

Working width	12"
Working depth	8"
Number of tine blades	4
Diameter of tine blades	8-5/8"
Product weight	26 lbs

*Recommended for maximum results: 2 x 4.0 Ah batteries
*Batteries and charger sold separately

Art. No. 3431205
GE-CR 30 Li



¹⁾	⊖ 2.0 Ah	⊖ 2.5 Ah	⊖ 4.0 Ah	⊖ 5.2 Ah	⊖ 6.0 Ah	⊖ 8.0 Ah
²⁾	20 min.	21 min.	35 min.	50 min.	60 min.	70 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Surface Cleaning - Bare Tool
18V CORDLESS PATIO & SURFACE CLEANER

- » Integrated garden hose connection with water control valve
- » Tool-free brush change at the push of a button
- » Telescopic aluminium handle
- » Extra wide rotating brush for fast cleaning results
- » Forward/reverse function for maximum results
- » Adjustable speed control to suit individual requirements
- » Special side brush for cleaning right up to walls and edges
- » Splash guards provide splash protection during use
- » Height adjustable additional handle with integrated garden hose clip
- » Ergonomic main handle with softgrip


Art. No. 3424211
PICOBELLA 18/215

No load speed	800 - 1,400 RPM
Brush diameter / width	4-1/2" x 8-1/4"
Max. water inlet pressure	87 PSI (6 bar)
Water inlet connection	3/4" 11.5 GHT
Product weight	9 lbs

*Recommended for maximum results: 4.0 Ah battery
*Battery and charger sold separately

Art. No. 3424211
PICOBELLA 18/215



¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	30 min.	34 min.	55 min.	70 min.	90 min.	110 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Optional Accessory

Replacement Medium Brush Set (Stone)

Art. No. 3424137



Seed, Fertilizer / Salt Spreaders - Bare Tools

18V 1 GALLON (3.8 L) CORDLESS UNIVERSAL SPREADER

- » Electronic speed control with 6 steps
- » Flow rate adjustment with 8 steps
- » 1 US Gallon (3.8 L) fill volume
- » Ergonomic and safe handling due to softgrip
- » Individual adjustable spreading width (max. 16.4 ft.)
- » Easily spread fertilizer, lawn seeds or driveway salt



Art. No. 3415411

GE-US 18 Li

Fill volume	1 US Gallon (3.8 L)
Spreading width adjustment	7.2 - 16.4 ft.
Speed control	6 steps (max. 1,800 RPM)
Flow rate adjustment	8 steps
Recommended area	8,600 ft. ²
Product weight	2.7 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	
Art. No. 3415411 GE-US 18 Li	7 72995 01933 5

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	3 hours	4 hours	7 hours	9 hours	10 hours	14 hours

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Seed, Fertilizer / Salt Spreaders - Bare Tools

18V CORDLESS MULTI-PURPOSE SPREADER

- » 6-stage electronic speed control
- » 6-stage ergonomic flow rate adjustment knob
- » 6 US Gallon (23 L) fill tank capacity
- » Spreading width of 5 - 20 ft.
- » Ergonomically shaped handle for fatigue-free work
- » Individually adjustable spread width
- » Spread fertilizer, grass seed and even driveway salt
- » Ergonomic and secure handling thanks to softgrip
- » Max. coverage of 16,145 ft²



Art. No. 3415440

GE-SR 18/22 Li

Tank capacity/ bulk weight	6 US Gallons (23 L) / 66 lbs
Spreading speed adjustment	6 stages
Flow rate adjustment	6 stages
No load speed	330 - 700 RPM
Product weight	14.3 lbs
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately	
Art. No. 3415440 GE-SR 18/22 Li	7 72995 01971 7

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	4 hours	5 hours	8 hours	10 hours	11 hours	15 hours

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Pressure Sprayers - Bare Tools

18V 2 GALLON (7.5 L) CORDLESS PRESSURE SPRAYER

- » Automatic pump, no manual pressure build-up required
- » Transparent tank with scale for checking the level
- » Adjustable brass nozzle
- » Pump type: membrane pump
- » Telescopic lance made of stainless steel
- » Battery cover provides protection against water
- » Spray lance with lockable operating button
- » Padded shoulder strap for tireless working
- » Use: Pesticides/fertilizers/weed killers



Art. No. 3425221

GE-WS 18/75 Li

Tank capacity	2 US Gallon (7.5 L)
Tank volume	2.2 US Gallon (8.2 L)
Max. pump pressure	36 PSI (2.5 bar)
Flow rate	8 - 16 Gal/h (30 - 60 l/h)
Hose length	55"
Product weight	5.3 lbs
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately	
Art. No. 3425221 GE-WS 18/75 Li	7 72995 01833 8

¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	6 hours	7.5 hours	12 hours	16 hours	20 hours	24 hours

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Optional Accessory

Replacement 2 Gallon (7.5 L) Tank	Art. No. 3425207	7 72995 01834 5
-----------------------------------	------------------	-----------------

Pressure Sprayers - Bare Tools

18V 4 GALLON (15 L) CORDLESS BACKPACK PRESSURE SPRAYER

- » Automatic pump, no manual pressure build-up required
- » Transparent tank with scale for checking the level
- » Individually adjustable brass nozzle
- » Spray lance made of stainless steel, with lockable operating button
- » Battery cover provides protection against water
- » Large opening for easy filling up
- » Padded carrying straps for tireless working
- » Use: Pesticides/fertilizers/weed killers


Art. No. 3425231
GE-WS 18/150 Li

Tank capacity	4 US Gallon (15 L)
Max. pump pressure	65 PSI (4.5 bar)
Flow rate (min - Max)	14 - 27 Gal/h (54 - 102 l/h)
Length pressure hose	4.6 ft.
Product weight	9.7 lbs
*Recommended for maximum results: 4.0 Ah battery	Art. No. 3425231
*Battery and charger sold separately	GE-WS 18/150 Li



¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	2.5 hours	3.5 hours	5 hours	7 hours	8.5 hours	10 hours

1) Battery capacity 2) Max. operating time in idle mode

Water Hose Reel - Bare Tool

18V 5/8" X 100 FT. CORDLESS WATER HOSE REEL

- » Hose winding at the touch of a button: Effortless, no more dirty hands
- » 2-in-1 device: Wall-mounted hose reel and mobile/transport trolley hose reel (sold separately) – Hose reel can be wall mounted or installed on the optional mobile/transport trolley (4173780)
- » Practical wall mount includes dowels and stainless steel screws for fastening to the house wall
- » Drum can be swivelled by up to 180°, this enables watering without folding the hose at any angle
- » Automatic motor stop thanks to adjustable stopper ball
- » Internal hose guiding mechanism ensures even retraction
- » Residual water drainage in the hose reel
- » UV and splash-proof housing withstands all weather conditions


Art. No. 4173779
GE-HR 18/30 Li

Length garden hose	100 ft.
Diameter garden hose	5/8"
Length connecting hose	5 ft.
Diameter connecting hose	5/8"
Product weight	24 lbs
*Recommended for maximum results: 4.0 Ah battery	Art. No. 4173779
*Battery and charger sold separately	GE-HR 18/30 Li



¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	33 times	42 times	66 times	86 times	100 times	132 times

1) Battery capacity 2) Max. number of rewinds without water in water hose

Standard Accessories

- » 5 ft. connection hose and adapter with aquastop and 3 connectors (1/2", 3/4", 1"), UV-resistant 100 ft. garden hose with stopper ball, adapter with aquastop and garden sprayer (point and cone jet)


Optional Accessory

Wall Holder	Art. No. 417377001186
-------------	-----------------------



Water Hose Reel - Accessory

MOBILE HOSE REEL TROLLEY & GARDEN CART

- » Tool-free mounting of hose reel for mobile use
- » Maximum load capacity of 110 lbs
- » Large 6-3/4" wheels made of high-quality plastic
- » Wide cargo surface of 11" x 13-3/8" for versatility of use
- » Can also be used for transporting potted plants or crates


Art. No. 4173780
HOSE_REEL_MOBILE_CART

Max. weight	110 lbs
Loading surface	11" x 13-3/8"
Extension hose	5/8" x 5 ft.
Garden waste bag	20 US Gallon (75 L)
Product weight	10.5 lbs
	Art. No. 4173780
	HOSE_REEL_MOBILE_CART



Standard Accessories

- » 5/8" x 5 ft. extension hose with double nipple, 20 US Gallon (75 L) garden waste bag and 2 ground stakes for anchoring the trolley on the lawn



Pressure Washers - Bare Tools

18V 348 PSI 1.0 GPM CORDLESS PRESSURE WASHER

- » Handy, light and compact for convenient cleaning
- » Fast cleaning of lightly soiled surfaces with 1.0 GPM
- » Spray gun with pressure regulation for cleaning and watering
- » Adjustable 4 jet nozzle

Standard Accessories

- » Spray lance extension for better reach, detergent bottle for thorough cleaning, 16 ft. suction hose for water extraction from buckets, lakes, etc., water filter to protect the pump, storage bag for storage of accessories and battery protector



Art. No. 4140145

HYPRESSO 18/24

Max. pressure	348 PSI (24 bar)
Max. flow per minute	1.0 GPM (3.8 l/min)
Max. water temperature	40°C
Max. water inlet pressure	72.5 PSI (5 bar)
Product weight	4.6 lbs
*Recommended for maximum results: 2.5 or 4.0 Ah battery	Art. No. 4140145
*Battery and charger sold separately	HYPRESSO 18/24

Battery capacity ¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. time in ECO mode ²⁾	13 min.	15 min.	27 min.	35 min.	45 min.	55 min.
Max. time in BOOST mode ³⁾	7 min.	8 min.	15 min.	18 min.	23 min.	30 min.

¹⁾ Battery capacity ²⁾ Max. time in ECO mode ³⁾ Max. time in BOOST mode

Pressure Washers - Bare Tools

36V 1,522 PSI 1.23 GPM CORDLESS HIGH PRESSURE WASHER

- » **Brushless motor** - more power, longer runtimes
- » **TWIN-PACK technology**: 2 x 18V Power X-Change batteries required
- » Powerful and compact for convenient cleaning
- » Fast cleaning of soiled surfaces with 1.23 GPM
- » Two pressure settings (ECO/BOOST)
- » Adjustable 4 jet nozzle

Standard Accessories

- » Spray gun with extension for better reach
- » 16.4 ft. suction hose for water extraction from buckets or lakes with water filter to protect the pump
- » 13 ft. pressure hose
- » Cleaning brush, wide jet lance, rotor nozzle lance, water connection with filter insert and cleaning nozzle



NEW

Art. No. 4140161

HYPRESSO 36/105- BRUSHLESS

Max. pressure	1,522 PSI (105 bar)
Max. flow per minute	1.23 GPM (4.5 l/min)
Max. water temperature	50°C
Pressure settings	2
No load speed	13,900 RPM
Max. water inlet pressure	72.5 PSI (5 bar)
Product weight	12.3 lbs
*Recommended for maximum results: 2x 4.0 Ah batteries	Art. No. 4140161
*Batteries and charger sold separately	HYPRESSO 36/105

Battery capacity ¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. operating time in ECO mode ²⁾	11 min.	14 min.	22 min.	28 min.	33 min.	45 min.
Max. operating time in BOOST mode ³⁾	7 min.	9 min.	14 min.	19 min.	22 min.	32 min.

¹⁾ Battery capacity ²⁾ Max. operating time in ECO mode ³⁾ Max. operating time in BOOST mode

Water / Garden Pumps - Bare Tools

36V CORDLESS WATER PUMP

- » **TWIN-PACK technology**: 2 x 18V Power X-Change batteries required
- » Water filling screw
- » Frost protection due to water drain screw
- » Thermal protection
- » ON/OFF switch
- » 2 speed, 2-step ECO/BOOST switch (ECO up to 90% longer runtime)
- » High quality mechanical sealing

Standard Accessory

- » High quality brass discharge side adaptor (1" NPT female to 3/4" 11.5 GHT male)



Art. No. 4180403

AQUINNA 36/30

Max. delivery capacity	792 Gal./h (3000 l/h)
Max. delivery height	55.7 / 85.3 ft.
Max. delivery pressure	24.7 / 37.7 PSI (1.7 / 2.6 bar)
Max. total head	26.2 ft.
Connection intake side	1-1/4" NPT (male)
Connection discharge side	1" NPT (female)
Product weight	7.2 lbs
*Recommended for maximum results: 2x 4.0 Ah batteries	Art. No. 4180403
*Batteries and charger sold separately	AQUINNA 36/30

Battery capacity ¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. operating time in idle mode ²⁾	35 min.	47 min.	70 min.	85 min.	100 min.	140 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Optional Accessory

23 ft. Replacement Suction Hose	Art. No. 4173642
---------------------------------	------------------

Water / Garden Pumps - Bare Tools

18V CORDLESS CLEAN WATER SUBMERSIBLE PUMP

- » Mobile splash-proof battery box with integrated cable winding
- » 3 position switch with continuous operation
- » Long 16.4 ft. cable for greater immersion depth
- » Powerful motor generates high flow rate of 1,188 Gal/h (19.8 Gal/min)
- » Extraction of shallow water down to 0.039"
- » High-quality pump housing made of impact-resistant plastic
- » 1" NPT discharge hose connection
- » Dry-run safeguard shutdown after activation if no water is detected



Standard Accessory

- » 3/4" 11.5 GHT garden hose adapter

Water / Garden Pumps - Bare Tools

18V CORDLESS CLEAN/DIRTY WATER SUBMERSIBLE PUMP

- » 2-in-1 combination pump: clean or dirty water
- » Mobile splash-proof battery box with integrated cable winding
- » 3 position switch with ECO and BOOST modes
- » Long 16.4 ft. cable for greater immersion depth
- » Powerful motor generates high flow rate of 1,849 Gal/h (30.8 Gal/min)
- » Up to 1" diameter of foreign matter in dirty water
- » Dry-run safeguard shutdown after activation if no water is detected
- » 1-1/4" NPT discharge hose connection



Standard Accessories

- » 1" NPT & 3/4" GHT garden hose adapters

Water / Garden Pumps - Bare Tools

18V CORDLESS CLEAN WATER RAIN BARREL SUBMERSIBLE PUMP

- » Adjustable telescopic tube for use in rain barrels
- » Flexible swan-neck with hose connection
- » Mobile splash-proof battery box with integrated cable winding
- » Long 16.4 ft. cable for greater immersion depth
- » Powerful motor generates high flow rate of 792.5 Gal/h (13.2 Gal/min)



Standard Accessories

- » 2 x Extension tubes
- » Telescopic tube
- » Flexible hose connector with valve

Art. No. 4181565

GE-SP 18 LL Li

Max. flow rate	1,188 Gal/h (19.8 Gal/min)
Max. suction head	26.2 ft.
Max. delivery pressure	11.6 PSI (0.8 bar)
Max. total head	13.1 ft.
Max. water temperature	35°C
Hose connection & adapter	1" NPT 3/4" 11.5 GHT
Max. size of foreign matter	0.039"
Min. water level at startup	13/64"
Pump protection	6P (IPX8)
Battery box protection	3 (IPX4)
Product weight	4.9 lbs

*Recommended for maximum results: 4.0 Ah battery
*Battery and charger sold separately

Art. No. 4181565 GE-SP 18 LL Li	
------------------------------------	--

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	30 min.	35 min.	60 min.	67 min.	70 min.	120 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Art. No. 4181595

GE-DP 18/25 LL Li

Max. flow rate	1,849 Gal/h (30.8 Gal/min)
Max. suction head	16.4 ft.
Max. delivery pressure	7.3 PSI (0.5 bar)
Max. total head	13.1 ft.
Max. water temperature	35°C
Hose connection & adapter	1-1/4" NPT 1" NPT & 3/4" GHT
Max. size of foreign matter	1"
Min. water level at startup	3/8"
Pump protection	6P (IPX8)
Battery box protection	3 (IPX4)
Product weight	7.5 lbs

*Recommended for maximum results: 4.0 Ah battery
*Battery and charger sold separately

Art. No. 4181595 GE-DP 18/25 LL Li	
---------------------------------------	--

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	21 min.	26 min.	42 min.	55 min.	64 min.	85 min.
	15 min.	19 min.	30 min.	40 min.	46 min.	60 min.

¹⁾ Battery capacity ²⁾ Max. operating time in ECO mode ³⁾ Max. operating time in BOOST mode

Art. No. 4170427

GE-PP 18 RB Li

Max. flow rate (without tube)	792.5 Gal/h (13.2 Gal/min)
Max. flow rate (with tube)	475.5 Gal/h (7.9 Gal/min)
Max. suction head	65.7 ft.
Max. delivery pressure	29 PSI (2 bar)
Max. total head	13.1 ft.
Max. water temperature	35°C
Min. water level at startup	2"
Pump protection	6P (IPX8)
Battery box protection	3 (IPX4)
Product weight	5.5 lbs

*Recommended for maximum results: 4.0 Ah battery
*Battery and charger sold separately

Art. No. 4170427 GE-PP 18 RB Li	
------------------------------------	--

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	15 min.	20 min.	30 min.	35 min.	45 min.	60 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Cooler/Warmer - Bare Tool

18V/120V/12V AC/DC CORDLESS 27 L COOLER / WARMER BOX

- » 18V battery operation for mobile use
- » Automatically switch to 12V or 120V
- » Adjustable power: ECO or MAX. modes
- » Selectable modes: Cooling and warming function
- » LED battery level indicator directly on the device
- » Side pocket for battery compartment
- » Side pocket for spare battery to extend runtime
- » Large front pocket with zipper for accessories
- » Versatile removable divider grid
- » Built-in bottle opener for standard bottle caps
- » Carry handle for transport and securing the lid
- » Built-in vehicle battery protection for 12V operation



Standard Accessories

- » 2x connection cables (1x 12V, 1x 120V)
- » Shoulder strap



Snow Removal - Bare Tool

36V 16" CORDLESS SNOW SHOVEL

- » **Brushless motor** – more power, longer runtimes
- » **TWIN-PACK** technology: 2 x 18V Power X-Change batteries
- » Adjustable snow ejection direction: left, right or straight ahead
- » Adjustable speed control, to suit the snow conditions
- » Battery cover with magnetic cover protects from snow and water
- » Additional handle enables a comfortable two-hand-operation
- » Integrated transport handle for easy transport
- » Ergonomic handle with softgrip
- » Self-standing
- » Two-point safety switch prevents accidental starts



Art. No. 2048425



TE-COL 18/27 Li

Motor voltage	18V / 120V / 12V
Capacity	27 L (28.5 qt.)
Ambient temperature range	16° C to 32° C
Operating temperature range	5° C to 60° C
Product weight	13.2 lbs
*Recommended for maximum results: 4.0 Ah battery	Art. No. 2048425
*Battery and charger sold separately	TE-COL 18/27 Li



Battery ¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
➡ ²⁾	0.7 - 5.8 hrs.	0.8 - 7.2 hrs.	1.3 - 11.7 hrs.	1.8 - 15 hrs.	2 - 17.3 hrs.	3 - 23.3 hrs.
➡ ³⁾	1.5 - 6.7 hrs.	1.8 - 8.3 hrs.	3 - 13.3 hrs.	3.8 - 17 hrs.	4.5 - 20 hrs.	6 - 26.7 hrs.

¹⁾ Battery capacity ²⁾ Max. operating time- Cooler ³⁾ Max. operating time- Warmer



Art. No. 3417015

GE-ST 36/40 Li E BL-BRUSHLESS

No load speed	1,670 - 1,970 RPM
Clearing width	16"
Clearing depth	7.9"
Throwing distance	19.6 ft.
Product weight	14.1 lbs

*Recommended for maximum results: 2 x 4.0 Ah batteries
*Batteries and charger sold separately



Battery ¹⁾	⊙ 2.0 Ah	⊙ 2.5 Ah	⊙ 4.0 Ah	⊙ 5.2 Ah	⊙ 6.0 Ah	⊙ 8.0 Ah
➡ ²⁾	49 min.	55 min.	98 min.	128 min.	148 min.	197 min.
➡ ³⁾	8 min.	9 min.	14 min.	20 min.	24 min.	32 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode ³⁾ Max. operating time with 5-7/8" of snow



PROFESSIONAL CORDLESS OUTDOOR POWER EQUIPMENT

Lawn & Soil Care / Tree & Shrub Care / Snow removal

NEW

**36V 16" PROFESSIONAL
CORDLESS CHAIN SAW
- BRUSHLESS**

Art. No. 4600055 (GP-LC 36/40 LI BL)

For more information, see page 58

**OUR PROMISE
TO DIY-PROS & PROFESSIONALS**

True Pros always give MORE...
Because every move has to be perfect.
Where precision is a must.
And every second counts.
They expect tools to give them MORE.
Now Einhell gives them MORE.

MORE PERFORMANCE.*

MORE ENDURANCE.*

MORE WARRANTY.**

MORE LIFETIME.*

MORE FUNCTIONALITY.*

POWER X CHANGE

**MORE POWER
FOR PROS.**

*in comparison to carbon brush motors.
**on Brushless motors upon online registration.

Professional Lawn Mower Kits with Batteries & Charger(s)

36V 17" PROFESSIONAL CORDLESS PUSH LAWN MOWER KIT (w/ 2x 4.0 Ah Batteries & Charger)

- » Brushless motor - more power, longer runtimes
- » TWIN-PACK technology: 2 x 18V PXC batteries
- » Battery capacity indicator with 3 LEDs
- » Central cutting height adjustment, 6 levels (1" - 3")
- » Space saving storage thanks to foldable long handle
- » Stable and lightweight aluminum-long handle
- » 13.2 US Gallon (50 L) grass collection bag with indicator
- » Recommended for lawn areas up to 5,920 ft²



Standard Accessories

- » 2 x 4.0 Ah Power X-Change batteries
- » Dual port charger
- » Mulching adapter



Art. No. 3413273 RASARRO 36/42 Li BL KIT- BRUSHLESS

Battery	36V (2 x 18V) 4.0 Ah Li-Ion
Idle speed	3,400 RPM
Cutting width	17"
Cutting height adjustment	6 Levels 1" - 3" Central
Collection bag capacity	13.2 US Gallon (50 L)
Wheel diameter (front)	6"
Wheel diameter (rear)	8-5/8"
Product weight	37 lbs
*2 x 4.0 Ah batteries, dual port charger and mulching adapter included	Art. No. 3413273 RASARRO 36/42 Li BL KIT 7 72995 01846 8

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	3,200 ft ²	3,800 ft ²	5,920 ft ²	7,800 ft ²	9,418 ft ²	11,840 ft ²

1) Battery capacity 2) Max. workable area

Optional Accessory

17" Replacement Lawn Mower Blade	Art. No. 3405457	7 72995 01848 2
----------------------------------	------------------	-----------------

Professional Lawn Mower Kits with Batteries & Charger(s)

36V 21" PROFESSIONAL CORDLESS SELF PROPELLED LAWN MOWER KIT (w/ 4 x 5.2 Ah Batteries & 2 Chargers)

- » Brushless motor - more power, longer runtimes
- » DOUBLE-TWIN-PACK: 4 battery slots, twice the runtime
- » LED battery charge indicator on the handle
- » 9-level central cutting height adjustment
- » Rear wheel drive with variable speed adjustment
- » 17.2 US Gallon (65 L) collection bag with indicator
- » LED light on engine head illuminates mowing area
- » 4-in-1 function: mowing, collecting, mulching and side discharge
- » Recommended for lawn areas up to 12,915 ft²



Standard Accessories

- » 4 x 5.2 Ah Power X-Change batteries
- » 2 x Dual port chargers
- » Mulching adapter & side ejector adapter



Art. No. 3413322 GP-CM 36/52 S Li BL KIT- BRUSHLESS

Battery	36V (2 x 18V) 5.2 Ah Li-Ion
Idle speed	3,000 RPM
Cutting width	21"
Cutting height adjustment	9 Levels 1" - 3-1/8" Central
Collection bag capacity	17.2 US Gallon (65 L)
Wheel diameter (front)	7-1/2"
Wheel diameter (rear)	10-1/2"
Product weight	65.5 lbs
*4 x 5.2 Ah batteries, 2 x chargers, mulching adapter & side ejector adapter included	Art. No. 3413322 GP-CM 36/52 S Li BL KIT 7 72995 02035 5

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	5,920 ft ²	6,781 ft ²	9,687 ft ²	12,915 ft ²	15,069 ft ²	17,222 ft ²

1) Battery capacity 2) Max. workable area (with 4 batteries)

Optional Accessory

21" Replacement Lawn Mower Blade	Art. No. 3405981	7 72995 02037 9
----------------------------------	------------------	-----------------

Professional Pruning / Shrub Shear- Bare Tool

18V 2-IN-1 PROFESSIONAL CORDLESS TELESCOPIC POLE PRUNING SHEAR

- » Brushless motor - more power, longer runtimes
- » For powerful cutting of branches with a thickness up to 1.1"
- » Can be used with or without adjustable telescopic pole
- » High-quality bypass blades for efficient cutting
- » Telescopic pole with 7 step pivoting adjustment
- » Large metal hook
- » Switch for closing/opening the blade
- » Effortless and easy change of blade
- » Ergonomic softgrip surface

Standard Accessories

- » Handle guard
- » Sturdy plastic blade cover



Can be detached and used without the telescopic pole

Art. No. 3408350

GP-LS 18/28 Li T BL- BRUSHLESS

Max. cutting capacity (softwood)	1.1"
Max. cutting capacity (hardwood)	0.6"
Telescopic range	3.3 ft. - 5.2 ft.
Product weight	4.4 lbs
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately	Art. No. 3408350 GP-LS 18/28 Li T BL

Battery capacity ¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. cuts ²⁾	1,450 cuts	1,830 cuts	2,900 cuts	3,860 cuts	4,350 cuts	5,800 cuts

¹⁾ Battery capacity ²⁾ Max. cuts in 5/8" round dry beech wood

Professional Chain Saws- Bare Tools

18V 8" PROFESSIONAL CORDLESS COMPACT PRUNING CHAIN SAW

- » Brushless motor - more power, longer runtime
- » Excellent for pruning, trimming and shaping trees and shrubs or cutting squared timber
- » High cutting performance with premium bar and chain
- » Easy maintenance with tool-free bar and chain replacement
- » Automatic chain lubrication for convenience
- » Overload protection for extended motor lifespan
- » Safe use thanks to hand guard and folding chain cover
- » Softgrip handle for comfortable dual-hand use
- » Slim and lightweight design for ergonomic work
- » Comes with protective bar cover for safe storage

NEW



Art. No. 4600081

GP-PS 18/20 Li BL-BRUSHLESS

Bar length	8"
Cutting speed	315 IPS (1,574 ft/min / 8 m/sec)
Chain pitch / teeth	0.3" / 32
Chain thickness	0.043"
Product weight	3 lbs
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately	Art. No. 4600081 GP-PS 18/20 Li BL

Battery capacity ¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. pcs. ²⁾	134 pcs.	168 pcs.	268 pcs.	348 pcs.	402 pcs.	536 pcs.

¹⁾ Battery capacity ²⁾ Max. pcs. when cutting 2" round soft wood

Optional Accessories

8" Replacement Bar	Art. No. 4501785
8" Replacement Saw Chain	Art. No. 4501791

Professional Chain Saws- Bare Tools

18V 8" PROFESSIONAL TOP HANDLE CORDLESS PRUNING CHAIN SAW

- » Brushless motor - more power, longer runtimes
- » OREGON quality bar and chain
- » Tool-free chain tensioning and changing
- » Kickback protection with chain brake
- » Ergonomic softgrip surfaces
- » Large oil filler opening
- » Automatic chain lubrication
- » Chain catcher
- » Tip guard



Art. No. 4600030

FORTEXXA 18/20 TH- BRUSHLESS

Bar length	8"
Cutting speed	276 IPS (1,377 ft/min / 7 m/sec)
Chain pitch / teeth	3/8" 33
Chain thickness	0.043"
Oil capacity	75 ml
Product weight	5.7 lbs
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately	Art. No. 4600030 FOTEXXA 18/20 TH

Battery capacity ¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. cuts ²⁾	80 pcs.	100 pcs.	160 pcs.	200 pcs.	240 pcs.	320 pcs.

¹⁾ Battery capacity ²⁾ Max. cuts (2-3/4" x 2-3/4")

Optional Accessories

8" Replacement Bar	Art. No. 084MLEA041
8" Replacement Saw Chain	Art. No. 90PX033X

Professional Chain Saws- Bare Tools

36V 14" PROFESSIONAL CORDLESS CHAIN SAW

- » Brushless motor – more power, longer runtimes
- » TWIN-PACK technology: 2 x 18V Power X-Change batteries required
- » High-quality chain and bar from OREGON
- » Tool-free chain tensioning and changing
- » Kickback protection with chain brake
- » Ergonomic softgrip surfaces
- » Sturdy stop claws made of metal
- » Big filler opening
- » Automatic chain lubrication
- » Chain catch bolt



Art. No. 4501781

GP-LC 36/35 Li- BRUSHLESS

Bar length	14"
Cutting speed	590.6 IPS (2,952 ft/min / 15 m/sec)
Chain pitch / teeth	3/8" 52
Chain thickness	0.043"
Oil tank capacity	115 ml
Product weight	8.8 lbs
*Recommended for maximum results: 2 x 4.0 Ah batteries *Batteries and charger sold separately	
Art. No. 4501781 GP-LC 36/35 Li	

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	160 pcs.	200 pcs.	320 pcs.	420 pcs.	480 pcs.	640 pcs.

1) Battery capacity 2) Max. cuts (2-3/4" x 2-3/4")

Optional Accessories

14" Replacement Bar	Art. No. 144MLEA041	
14" Replacement Saw Chain	Art. No. 90PX052X	

Professional Chain Saws - Kits & Bare Tools

36V 16" PROFESSIONAL CORDLESS CHAIN SAW

- » Brushless motor - more power, longer runtimes
- » TWIN-PACK technology: 2 x 18V Power X-Change batteries required
- » Robust Oregon quality bar and sharp chain
- » Powerful chain saw and felling handle for a variety of professional usages
- » Perfectly balanced due to battery integration in housing for protection against oil and saw dust
- » LED battery charge status indicator
- » Kickback protection with instant chain brake
- » Tool-free chain tensioning and chain change
- » Ergonomic handles with softgrip
- » Big oil reservoir with sight glass for automatic chain lubrication
- » Chain catch bolt

NEW



Art. No. 4600055

GP-LC 36/40 Li BL-BRUSHLESS

Bar length	16"
Cutting speed	748 IPS (3,740 ft/min / 19 m/sec)
Chain pitch / teeth	3/8" / 56
Chain thickness	0.05"
Oil capacity	230 ml
Product weight	10.6 lbs
*Recommended for maximum results: 2 x 5.2 Ah batteries *Batteries and charger sold separately	
Art. No. 4600055 GP-LC 36/40 Li BL	

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	108 pcs.	134 pcs.	212 pcs.	276 pcs.	319 pcs.	425 pcs.

1) Battery capacity 2) Max. cuts (2-3/4" x 2-3/4")

Optional Accessories

16" Replacement Bar	Art. No. 160SDEA041	
16" Replacement Saw Chain	Art. No. 90PX056G	

Professional Leaf Blowers/Vacuums/Mulchers - Bare Tools

18V 395 CFM PROFESSIONAL CORDLESS LEAF BLOWER

- » Brushless motor - more power, longer runtimes
- » Electronic speed control with practical LED display
- » Turbo switch included - for maximum blowing power
- » Axial impeller technology - optimum performance
- » Tool-free mountable / removable blower tube
- » Balance handle with softgrip for ergonomic operation
- » Integrated wall holder for easy storage
- » Robust metal ring for long lifetime



Art. No. 3433556

GP-LB 18/200 Li E- BRUSHLESS

Max. air volume	395 CFM (11,185 l/min)
Max. air speed	200 km/h
No load speed	13,000 -18,000 RPM
Product weight	4.7 lbs
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately	
Art. No. 3433556 GP-LB 18/200 Li E	

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	5-13 min.	8-15 min.	15-27 min.	18-33 min.	20-37 min.	30-54 min.

1) Battery capacity 2) Max. operating time in idle mode and Turbo mode

Professional Leaf Blowers/Vacuums/Mulchers - Bare Tools

36V 480 CFM PROFESSIONAL CORDLESS LEAF BLOWER

- » Brushless motor – more power, longer runtimes
- » TWIN-PACK technology: 2 x 18V Power X-Change batteries required
- » Turbo Boost button for maximum blowing volume
- » Electronic speed control
- » Metal ring at the end of the tube
- » Built-in wall hanger for easy storage
- » Comes with shoulder strap



Art. No. 3433617

GP-LB 36/210 Li E- BRUSHLESS

Max. air volume	480 CFM (13,592 l/min)
Max. air speed	210 km/h
No load speed	10,000 -22,300 RPM
Speed levels	6
Product weight	5.2 lbs

*Recommended for maximum results: 2 x 4.0 Ah batteries
*Batteries and charger sold separately

Art. No. 3433617
GP-LB 36/210 Li E



Battery capacity ¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. operating time in idle mode ²⁾	55 min.	63 min.	116 min.	138 min.	165 min.	232 min.

¹⁾ Battery capacity ²⁾ Max. operating time in idle mode

Professional Leaf Blowers/Vacuums/Mulchers - Bare Tools

36V 670 CFM PROFESSIONAL CORDLESS TURBO LEAF BLOWER

- » Brushless motor - more power, longer runtimes
- » TWIN-PACK technology: 2 x 18V Power X-Change batteries required
- » Turbo switch for maximum blowing power
- » Electronic speed control with LED for individual use
- » Head can be adjusted to different angles to reach hard-to-reach-areas (e.g. under hedges)
- » High performance is enabled by a powerful axial fan
- » Dual operation mode with an additional volume nozzle for increased airflow
- » Compact and lightweight, with additional load relief provided by a practical arm support

NEW



Art. No. 3433571

GP-LB 36/270 Li E BL-BRUSHLESS

Max. air volume	670 CFM (18,972 l/min)
Max. air speed	270 km/h
No load speed	0 - 25,000 RPM
Speed levels	5 + Turbo
Product weight	4.8 lbs

*Recommended for maximum results: 2 x 4.0 Ah batteries
*Batteries and charger sold separately

Art. No. 3433571
GP-LB 36/270 Li E BL



Battery capacity ¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. operating time - minimum speed ²⁾	26 min.	33 min.	52 min.	69 min.	81 min.	104 min.
Max. operating time - maximum speed ³⁾	6 min.	9 min.	12 min.	18 min.	23 min.	25 min.
Max. operating time - Turbo mode ⁴⁾	5 min.	6 min.	10 min.	13 min.	16 min.	19 min.

¹⁾ Battery capacity ²⁾ Max. operating time - minimum speed ³⁾ Max. operating time - maximum speed
⁴⁾ Max. operating time - Turbo mode

Standard Accessories

- » Max. air speed volume nozzle
- » Arm support

Professional Leaf Blowers/Vacuums/Mulchers - Bare Tools

36V 3-IN-1 435 CFM PROFESSIONAL CORDLESS LEAF BLOWER/VACUUM/MULCHER

- » Brushless motor - more power, longer runtimes
- » TWIN-PACK technology: 2 x 18V Power X-Change batteries required
- » Tool-free changeover from blowing and suction function
- » Electronic speed control with LED display and turbo mode
- » Large long-lasting quality collection bag with window for level inspection
- » Integrated shredding function
- » Additional handle and comfortable shoulder strap
- » Softgrip surfaces for non-slip and comfortable work
- » Integrated wall holder for easy storage
- » Removable tube for space-saving storage
- » High blowing air speed up to 240 km/h
- » Strong suction power up to 435 CFM



Art. No. 3433645

VENTURRO 36/240 Li BL- BRUSHLESS

Max. suction power	435 CFM (12,317 l/min)
Max. blowing power	106 CFM (3,001 l/min)
Max. air speed	240 km/h
No load speed	8,000 - 15,000 RPM
Shredding rate	10:1
Collection bag volume	10 US Gallon (38 L)
Product weight	12.7 lbs

*Recommended for maximum results: 2 x 4.0 Ah batteries
*Batteries and charger sold separately

Art. No. 3433645
VENTURRO 36/240 Li BL



Battery capacity ¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. time- Vacuuming leaves ²⁾	9-23 min.	10-27 min.	17-46 min.	21-56 min.	27-70 min.	34-92 min.
Max. time- Blowing leaves ³⁾	9-25 min.	10-28 min.	18-49 min.	21-58 min.	28-74 min.	36-98 min.

¹⁾ Battery capacity ²⁾ Max. time- Vacuuming leaves ³⁾ Max. time- Blowing leaves

Professional Auger - Bare Tool

18V 6" PROFESSIONAL CORDLESS AUGER

- » Brushless motor - more power, longer runtimes
- » Metal frame - maximum stability and torsional stiffness
- » 3 different modes: counterclockwise, clockwise: ECO & HIGH POWER
- » Earth auger (31-1/2" length / 6" diameter) included
- » Durable and robust gearbox integrated in aluminum housing
- » Double handle with softgrip



Optional Accessories

4-3/4" Earth Auger Bit	Art. No. 3437016	
------------------------	------------------	---

39-3/8" Auger Shaft Extension	Art. No. 3437018	
-------------------------------	------------------	---

Art. No. 3437015

GP-EA 18/150 Li BL- BRUSHLESS

Max. speed	125 RPM
Earth auger bit diameter	6"
Earth auger bit length	31-1/2"
Product weight	13.2 lbs
*Recommended for maximum results: 4.0 Ah battery	Art. No. 3437015
*Battery and charger sold separately	GP-EA 18/150 Li BL 

 ¹⁾	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	15 holes	20 holes	40 holes	50 holes	60 holes	80 holes

¹⁾ Battery capacity ²⁾ Drilling in soft ground- 15-3/4" deep

5" Mortar Mixer	Art. No. 3437017	
-----------------	------------------	---

8" Ice Auger Bit	Art. No. 3437019	
------------------	------------------	---

Professional Snow Removal - Kit

36V 21" PROFESSIONAL CORDLESS SNOW BLOWER KIT (w/ 4 x 5.2 Ah Batteries & Dual Port Charger)

NEW

- » Brushless motor - more power, longer runtimes
- » DOUBLE TWIN-PACK technology: 4 battery slots, twice the runtime
- » Long durability due to robust metal auger
- » LED battery indicator on the guide rail
- » Electronic chute rotation to control snow throwing direction (220°)
- » Electronic speed control
- » LED light on the handle to illuminate the work area in low light conditions
- » Foldable push bar for optimal storage
- » 2-point safety switch to prevent unintentional starting
- » Ergonomic handle with softgrip for optimal handling



Standard Accessories

- » 4 x 5.2 Ah Power X-Change batteries & dual port charger
- » Cleaning scraper



Art. No. 3417025

GP-ST 36/53 Li E BL-KIT-BRUSHLESS

Battery	36V (2 x 18V) 5.2 Ah Li-Ion
No load speed	1,400 - 1,800
Max. working width	21"
Max. working height	13"
Throwing distance	26.2 ft.
Product weight	48.7 lbs
*4 x 5.2 Ah batteries and dual port charger included	Art. No. 3417025
	GP-ST 36/53 Li E BL-KIT 

 ¹⁾	⊙ 2.0 Ah	⊙ 2.5 Ah	⊙ 4.0 Ah	⊙ 5.2 Ah	⊙ 6.0 Ah	⊙ 8.0 Ah
 ²⁾	6 min.	7 min.	12 min.	15 min.	20 min.	24 min.
 ³⁾	12 min.	14 min.	24 min.	30 min.	40 min.	48 min.

¹⁾ Battery capacity ²⁾ Operating time with 2 equal batteries. ³⁾ Operating time with 4 equal batteries. Runtime is based on ideal conditions, dependent on chosen speed control, snow height and snow consistency.



A SINGLE BATTERY FOR OVER 350 TOOLS, ELIMINATING SYSTEM CHAOS.

POWER X-CHANGE is the only truly standardized battery platform for home, garden and workshop use. While other manufacturers use diverse battery systems, Einhell consistently relies on a single, universal platform for all purposes. The PXC BATTERY fits in any device, regardless of whether you are using a drill, lawn mower, wet/dry vacuum or high pressure washer. This eliminates system chaos, the need for different chargers and compatibility issues. Other brands offer separate battery platforms for each of their performance ranges. This leads to confusion and additional expense, because different batteries are needed for different devices. With **POWER X-CHANGE**, you won't have this problem! A single system covers the entire range of tools, from garden equipment and household tools to recreational products.

Featuring over 350 tools, **POWER X-CHANGE** is one of the largest battery platforms on the market. The product range is constantly growing, ensuring not only that you have the right tool for your current project but also that you are well equipped for the challenges to come. Einhell is focused on the future: once you join the system, you will benefit from new opportunities for years to come.

ONE BATTERY FOR EVERYTHING: OVER 350 TOOLS, ONE PLATFORM, NO COMPROMISES

INNOVATIVE BATTERY TECHNOLOGIES.

For use under the toughest conditions, **SEALED Technology** (rated IP57) protects the PXC battery from water and dust.

Multi-Ah Technology allows you to choose between maximum runtime (+60%) and a service life that is 3x longer by simply pushing a button.

The **Active Battery Management System (ABS)** reliably protects the battery from overload, deep discharge and overheating through constant cell monitoring and smart load management. At the same time, ABS optimizes each cell for maximum runtime, extended service life and safe performance. In sleep mode, the system saves energy, keeping the battery ready for use.

With **POWER X-CHANGE Plus**, batteries offer not only more capacity, but also more power, exactly when and where it is needed.



NEW **36V 21" PROFESSIONAL CORDLESS SNOW BLOWER KIT -BRUSHLESS**

Art. No. 3417025 (GP-ST 36/53 Li E BL-KIT)
For more information, see page 60

SEALED TECHNOLOGY

Our most advanced battery system- SEALED

- » First IP57 rechargeable battery worldwide
- » High Power 4.0 Ah battery
- » Dustproof
- » Waterproof



DUSTPROOF WATERPROOF

NEW

**4.0 Ah 18V POWER X-CHANGE
LITHIUM-ION SEALED BATTERY**

Art. No. 4511642

For more information, see page 63

EINHELL has now expanded its cordless range with a new, innovative and patented battery technology known as "SEALED TECHNOLOGY". This new battery meets IP57 requirements for protection against dust and water jets and can even be immersed in water briefly.

The 18V, 4.0 Ah SEALED Power X-Change PLUS battery is the high-end product in the Power X-Change family, and also suitable for twin-pack use in 36V applications. The ABS process-controlled active battery management system has a microprocessor for permanently monitoring the battery parameters, thus ensuring maximum safety, optimum tool performance, maximum operating time, and a long service life.

Batteries, Chargers, Starter Kits

POWER X-CHANGE BATTERIES

2.0 AH 18V POWER X-CHANGE LITHIUM-ION BATTERY



Art. No.4511480
» Max. 450W

Art. No. 4511480
2.0 Ah 18V Power X-Change Battery



5.2 AH 18V POWER X-CHANGE LITHIUM-ION BATTERY



Art. No.4511499
» PXC PLUS battery
» Max. 1,260W
» Active Battery Management System

Art. No. 4511499
5.2 Ah 18V Power X-Change Battery



2.5 AH 18V POWER X-CHANGE LITHIUM-ION BATTERY



Art. No.4511903
» Max. 720W
» Active Battery Management System

Art. No. 4511903
2.5 Ah 18V Power X-Change Battery



2 X 4.0 AH 18V POWER X-CHANGE LITHIUM-ION BATTERY KIT



Art. No.4511603
» 2 X Max. 900W
» Active Battery Management System

Art. No. 4511603
2 x 4.0 Ah 18V Power X-Change Battery Kit



4.0 AH 18V POWER X-CHANGE LITHIUM-ION BATTERY



Art. No.4511481
» Max. 900W
» Active Battery Management System

Art. No. 4511481
4.0 Ah 18V Power X-Change Battery



4.0 - 6.0 AH 18V POWER X-CHANGE LITHIUM-ION BATTERY



Art. No.4511904
» PXC PLUS battery
» Max. 1,350W
» Active Battery Management System

Art. No. 4511904
4.0 - 6.0 Ah 18V Power X-Change Battery



4.0 AH 18V POWER X-CHANGE LITHIUM-ION SEALED BATTERY

NEW

PXC 4.0Ah SEALED SCÉLÉE



Art. No.4511642
» IP57 - Waterproof/dustproof
» Max. 900W
» Active Battery Management System

Art. No. 4511642
4.0 Ah 18V Power X-Change Sealed Battery



5.0 - 8.0 AH 18V POWER X-CHANGE LITHIUM-ION BATTERY



Art. No.4511609
» PXC PLUS battery
» Max. 1,350W
» Active Battery Management System

Art. No. 4511609
5.0 - 8.0 Ah 18V Power X-Change Battery



Batteries, Chargers, Starter Kits & Battery Accessories

POWER X-CHANGE CHARGERS

**18V POWER X-CHANGE SINGLE PORT
30 MIN FAST CHARGER**



Art. No.4512080
 » 3A
 » Single port
 » Universal compatibility

Art. No. 4512080
 18V 30 minute PXC Single Port Charger



**18V POWER X-BOOSTCHARGER
SINGLE PORT CHARGER**



Art. No.4512156
 » 8A
 » Boost function
 » Universal compatibility

Art. No. 4512156
 18V Power X-Boostcharger



**18V POWER X-CHANGE DUAL PORT
30 MIN FAST CHARGER**



Art. No.4512090
 » 3A
 » Parallel charging
 » Universal compatibility

Art. No. 4512090
 18V 30 min PXC Dual Port Charger



**18V 2 X 2 POWER X-CHANGE 4 PORT
FAST CHARGER**



Art. No.4512122
 » 4A
 » Parallel charging
 » Universal compatibility

Art. No. 4512122
 18V 2 x 2 PXC 4 Port Fast Charger



POWER X-CHANGE BATTERY & CHARGER STARTER KITS

**2.5 AH 18V POWER X-CHANGE
BATTERY & CHARGER STARTER KIT**



Art. No.4512131
 » Max. 720W
 » Active Battery Management System
 » Fast charger

Art. No. 4512131
 2.5 Ah 18V PXC Battery & Charger Starter Kit



**2 X 4.0 AH 18V POWER X-CHANGE BATTERIES
& DUAL PORT CHARGER STARTER KIT**



Art. No.4512133
 » 2 x Max. 900W
 » Active Battery Management System
 » 75 min high speed charger

Art. No. 4512133
 2 x 4.0 Ah 18V PXC Batteries & Charger Starter Kit



**4.0 AH 18V POWER X-CHANGE
BATTERY & CHARGER STARTER KIT**



Art. No.4512132
 » Max. 900W
 » Active Battery Management System
 » Fast charger

Art. No. 4512132
 4.0 Ah 18V PXC Battery & Charger Starter Kit



POWER X-CHANGE BATTERY ACCESSORIES

18V USB BATTERY ADAPTOR



Art. No.4514142
 » 2 x USB ports
 » 1 x USB 1.0A
 » 1 x USB 2.1A

Art. No. 4514142
 18V USB Battery Adaptor



PXC BATTERY WALL MOUNTS



Art. No.4514156
 » 2 Wall mounts
 » Tongue & groove connection
 » 4 screws & 4 dowels

Art. No. 4514156
 Einhell PXC Battery Wall Mounts





**TWO PARTNERS. ONE MISSION.
MAXIMUM PERFORMANCE.**

**EINHELL IS A PROUD PARTNER OF
MERCEDES-AMG PETRONAS F1 TEAM.**

INEOS

**THE MOST ADVANCED BATTERY SYSTEM
FOR CORDLESS FREEDOM FOR POWER TOOLS AND
OUTDOOR POWER EQUIPMENT**



Head Office
700 Meloche, Dorval, Quebec H9P 2Y4
Tel: (514) 636-5464 | Fax: (514) 636-5474



OFFICIAL TOOL EXPERT
EXPERT OFFICIEL EN OUTILLAGE



**AMG
PETRONAS
FORMULA 1 TEAM**